

Single Use Negative Pressure Wound Therapy System

Table of Content

Purpose
Description & Definitions
Criteria
Coding
Document History
References
Special Notes
Keywords

Effective Date 07/2008
Next Review Date 04/2024
Coverage Policy DME 241
Version 4

All requests for authorization for the services described by this medical policy will be reviewed per Early and Periodic Screening, Diagnostic and Treatment (EPSDT) guidelines. These services may be authorized under individual consideration for Medicaid members under the age of 21-years if the services are judged to be medically necessary to correct or ameliorate the member's condition. Department of Medical Assistance Services (DMAS), Supplement B - EPSDT (Early and Periodic Screening, Diagnosis and Treatment) Manual.*

Purpose:

This policy addresses Single Use Negative Pressure Wound Therapy Systems.

Description & Definitions:

The single use negative pressure wound therapy (NPWT) system is a pocket size device attached tube and self-contained dressing that is applied to the wound to create vacuum assisted drainage collection dressing. The system is a single use application where the dressing collects the wound drainage instead of a canister for up to 7 days then discarded.

Criteria:

Single Use Negative Pressure Wound Therapy Systems **do not meet the definition of medical necessity.**

Coding:

Medically necessary with criteria:

Coding	Description
	None

Considered Not Medically Necessary:

Coding	Description
97607	Negative pressure wound therapy, (eg, vacuum assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area less than or equal to 50 square centimeters

97608	Negative pressure wound therapy, (eg, vacuum assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters
A9272	Wound suction, disposable, includes dressing, all accessories and components, any type, each

Document History:

Revised Dates:

- 2022: April
- 2019: November
- 2016: February
- 2015: February, March, June, August
- 2014: January
- 2013: January
- 2011: January, September
- 2009: June

Reviewed Dates:

- 2023: April
- 2021: April
- 2020: April
- 2018: November
- 2010: December

Effective Date:

- July 2008

References:

Including but not limited to: Specialty Association Guidelines; Government Regulations; Winifred S. Hayes, Inc; UpToDate; Literature Review; Specialty Advisors; National Coverage Determination (NCD); Local Coverage Determination (LCD).

(2022, Aug 31). Retrieved Feb 01, 2023, from MCG: <https://careweb.careguidelines.com/ed26/index.html>

(2023). Retrieved Feb 01, 2023, from Hayes, Inc:

<https://evidence.hayesinc.com/search?q=%257B%2522text%2522:%2522Negative%2520pressure%2520would%2520therapy%2522,%2522title%2522:null,%2522termsource%2522:%2522searchbar%2522,%2522page%2522:%257B%2522page%2522:1,%2522size%2522:50%257D,%2522type%2522:%2522>

(2023). Retrieved Feb 08, 2023, from Google, Inc:

https://www.google.com/search?q=professional+society+recommendations+for+disposable+negative+pressure+devices&rlz=1C1GCEA_enUS982US982&oq=professional+society+recommendations+for+disposable+negative+pressure+device&aqs=chrome..69i57.28018j0j4&sourceid=ch

510(k) Premarket Notification - product code- QFC. (2023, Feb 06). Retrieved Feb 08, 2023, from Food and Drug Administration: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpmn/pmn.cfm>

CFR - Code of Federal Regulations Title 21 Volume 8. (2022, Nov 29). Retrieved Feb 08, 2023, from Food and Drug Administration: <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/cfrsearch.cfm?fr=878.4780>

Crumley, C. (2021, May). Single-Use Negative Pressure Wound Therapy Devices: A Technologic Analysis. Retrieved Feb 02, 2023, from PubMed: <https://pubmed.ncbi.nlm.nih.gov/33951708/>

Durable Medical Equipment and Supplies Manual - Chapter IV: Covered Services and Limitations. (2022, Jul 13). Retrieved Feb 01, 2023, from Department of Medical Assistance Services: <https://vamedicaid.dmas.virginia.gov/sites/default/files/2022-10/Chapter-4%20Covered%20Services%20and%20Limitations%20%28DME%29.pdf>

Fout, B., & Plotzke, M. (2022, Jan 01). Comparing Traditional and Disposable Negative-Pressure Wound Therapy Use by Medicare Home Health Patients. Retrieved Feb 02, 2023, from PubMed: <https://pubmed.ncbi.nlm.nih.gov/34935720/>

Gestring, M. (2022, Nov 16). Negative pressure wound therapy. Retrieved Feb 01, 2023, from UpToDate: https://www.uptodate.com/contents/negative-pressure-wound-therapy?search=single%20use%20negative%20pressure%20wound%20therapy&source=search_result&selectedTitle=2~150&usage_type=default&display_rank=2

LCA: Billing and Coding: Spiracur SNaP® Wound Care System (A53781). (2020, Jan 01). Retrieved Feb 01, 2023, from Centers for Medicare and Medicaid Services: <https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleid=53781&ver=15&keyword=negative%20pressure&keywordType=starts&areald=s53&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1>

LCD: Negative Pressure Wound Therapy Pumps (L33821). (2021, May 01). Retrieved Feb 01, 2023, from Centers for Medicare and Medicaid Services: <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=33821&ver=25&keyword=negative%20pressure&keywordType=starts&areald=s53&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1>

(2022). Retrieved Mar 21, 2022, from EncoderPro: <https://www.encoderpro.com>

(2022). Retrieved Mar 21, 2022, from NCCN Guidelines: https://www.nccn.org/guidelines/category_1

(2022). Retrieved Mar 21, 2022, from Avalon: <https://www.avalonhcs.com/policies-optimahealth/>

(2022). Retrieved Mar 21, 2022, from AIM Specialty Health: https://guidelines.aimspecialtyhealth.com/?utm_source=AIMCorp&utm_medium=main_banner

(2022). Retrieved Mar 21, 2022, from DynaMed: https://www.dynamed.com/condition/diabetic-foot-ulcer#NEGATIVE_PRESSURE_WOUND_THERAPY

Clarification of Billing and Payment Policies for Negative Pressure Wound Therapy (NPWT) Using a Disposable Device. (2019, Jun 11). Retrieved Mar 21, 2022, from CMS 2: <https://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNMattersArticles/Downloads/SE17027.pdf>

Durable Medical Equipment Reference List - 280.1. (2005). Retrieved Feb 15, 2022, from CMS NCD: <https://www.cms.gov/medicare-coverage-database/view/ncd.aspx?ncdid=190&ncdver=2&keyword=durable%20medical%25>

Negative Pressure Wound Therapy for Chronic Wounds: Home Use - ARCHIVED Jan 15, 2022. (n.d.). Retrieved Mar 21, 2022, from Hayes: <https://evidence.hayesinc.com/search>

PICO negative pressure wound dressings for closed surgical incisions. (2019, May 9). Retrieved Mar 21, 2022, from National Institute for Health and Care Excellence (NICE): <https://www.nice.org.uk/guidance/mtg43/resources/pico-negative-pressure-wound-dressings-for-closed-surgical-incisions-pdf-64372054098373>

PICO Single Use Negative Pressure Wound Therapy System. (2022). Retrieved Mar 21, 2022, from Smith & Nephew: <https://www.smith-nephew.com/key-products/advanced-wound-management/pico/>

Technology Assessment: NEGATIVE PRESSURE WOUND THERAPY Technologies For Chronic Wound Care in the Home Setting. (2014). Retrieved Mar 21, 2022, from CMS -: <https://www.cms.gov/medicare-coverage-database/view/technology-assessments.aspx?taid=96&keyword=Negative%20pressure%20wound%20therapy&keywordType=starts&areald=all&docType=NCA,CAL,NCD,MEDCAC,TA,MCD,6,3,5,1,F,P&contractOption=all&sortBy=relevance&bc=1>

Traditional and single use NPWT: when to use and how to decide on the appropriate use? Recommendations of an expert panel. (2019). Retrieved Mar 21, 2022, from Wounds International: <https://www.woundsinternational.com/resources/details/traditional-and-single-use-npwt-use-and-how-decide-appropriate-use-recommendations-expert-panel>

Use of disposable negative pressure wound therapy on split-thickness skin graft recipient sites for peripheral arterial disease foot wounds: A case report. (2019, Dec 5). Retrieved Mar 21, 2022, from Wiley: <https://onlinelibrary.wiley.com/doi/epdf/10.1111/iwj.13291>

Special Notes: *

This medical policy express Sentara Health Plan's determination of medically necessity of services, and they are based upon a review of currently available clinical information. These policies are used when no specific guidelines for coverage are provided by the Department of Medical Assistance Services of Virginia (DMAS). Medical Policies may be superseded by state Medicaid Plan guidelines. Medical policies are not a substitute for clinical judgment or for any prior authorization requirements of the health plan. These policies are not an explanation of benefits.

Medical policies can be highly technical and complex and are provided here for informational purposes. These medical policies are intended for use by health care professionals. The medical policies do not constitute medical advice or medical care. Treating health care professionals are solely responsible for diagnosis, treatment and medical advice. Sentara Health Plan members should discuss the information in the medical policies with their treating health care professionals. Medical technology is constantly evolving and these medical policies are subject to change without notice, although Sentara Health Plan will notify providers as required in advance of changes that could have a negative impact on benefits.

The Early and Periodic Screening, Diagnostic and Treatment (EPSDT) covers services, products, or procedures for children, if those items are determined to be medically necessary to "correct or ameliorate" (make better) a defect, physical or mental illness, or condition (health problem) identified through routine medical screening or examination, regardless of whether coverage for the same service or support is an optional or limited service under the state plan. Children enrolled in the FAMIS Program are not eligible for all EPSDT treatment services. All requests for authorization for the services described by this medical policy will be reviewed per EPSDT guidelines. These services may be authorized under individual consideration for Medicaid members under the age of 21-years if the services are judged to be medically necessary to correct or ameliorate the member's condition. *Department of Medical Assistance Services (DMAS), Supplement B - EPSDT (Early and Periodic Screening, Diagnosis and Treatment) Manual.*

All medically necessary medical equipment and supplies under the Virginia Administrative Code (12VAC30-50-165) may be covered only if they are necessary to carry out a treatment prescribed by a practitioner. Only supplies, equipment, and appliances that are determined medically necessary may be covered for reimbursement by DMAS. (12VAC30-50-165) The following criteria must be satisfied through the submission of adequate and verifiable documentation satisfactory to DMAS, or its contractor. Medically necessary DME and supplies shall be:

- Ordered by the practitioner on the CMN/DMAS-352;
- A reasonable and medically necessary part of the individual's treatment plan;
- Consistent with the individual's diagnosis and medical condition, particularly the functional limitations and symptoms exhibited by the individual; • Not furnished for the safety or restraint of the individual, or solely for the convenience of the family, attending practitioner, or other practitioner or supplier;
- Consistent with generally accepted professional medical standards (i.e., not experimental or investigational);
- Furnished at a safe, effective, and cost-effective level; and
- Suitable for use, and consistent with 42 CFR 440.70(b)(3), that treats a diagnosed condition or assists the individual with functional limitations.

Keywords:

SHP Single Use Negative Pressure Wound Therapy System, SHP Durable Medical Equipment 241, DME, Wound Vac, NPWT, PICO, sNPWT, Disposable NPWT System, SNAP Therapy System, Smart Negative Pressure [SNaP], PocketDoc Micro Wound Therapy System