SENTARA HEALTH PLANS

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-800-750-9692. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If information provided is not complete, correct, or legible, authorization may be delayed.

Drug Requested: Isturisa[®] (osilodrostat)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name:	
Member Sentara #:	
Prescriber Name:	
Prescriber Signature:	
Office Contact Name:	
Phone Number:	Fax Number:
DEA OR NPI #:	
DRUG INFORMATION: Authorization may be delayed if incomplete.	
Drug Form/Strength:	
Dosing Schedule:	_ Length of Therapy:
Diagnosis:	_ ICD Code, if applicable:
Weight:	Date:
<u>Quantity Limits</u> : 180 tablets per 30 days (10 mg tabs); 120 tablets per 30 days (1 mg & 5 mg tabs)	
CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.	
Initial Authorization: 6 months	
□ Member must be 18 years of age or older	
Provider is an endocrinologist or neurosurgeon	
Member has a diagnosis of persistent or recurrent Cushing's disease	
 Member must meet at least <u>ONE</u> of the following (chart notes must be submitted to document diagnosis and surgical history or contraindication to surgery): Member has undergone pituitary surgery and must be at least 30 days post-surgery Member has undergone irradiation and must be at least 2 years (stereotactic radiosurgery) or 3 years (conventional radiation) post-pituitary irradiation Member is contraindicated to surgery AND irradiation 	

- □ Member must have failed <u>90 days</u> of therapy with <u>ONE</u> of the following medications (verified by chart notes or pharmacy paid claims):
 - □ ketoconazole
 - □ metyrapone
 - □ mitotane
- Member must have current mean urine free cortisol levels (mUFC) > 3 times the upper limit of normal (ULN)
- □ Member will <u>NOT</u> use concurrent Cushing's disease treatment with Isturisa[®] (e.g., ketoconazole, metyrapone, mifepristone, mitotane)
- □ Member has been assessed for QTc prolongation/Torsade de Pointes, hepatic and renal impairment
- □ Member is <u>NOT</u> taking glucocorticoids (e.g., prednisone, hydrocortisone)
- □ For members with diabetes and/or hypertension, disease is adequately controlled
- □ Member does <u>NOT</u> have a history of any of the following:
 - Congestive Heart Failure (CHF)
 - Unstable angina
 - Sustained ventricular tachycardia
 - Clinically significant bradycardia
 - Advanced heart block
 - Acute myocardial infarction <1 year prior to starting Isturisa
 - Clinically significant impairment in cardiovascular disease

<u>Reauthorization</u>: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

- □ Member's current 24-hour urinary free cortisol level is below the upper limit of normal (labs must be submitted)
- □ Improvements in quality of life have been maintained while on Isturisa[®] therapy
- □ Member will continue to be monitored for QTc prolongation, hepatic and renal impairment

Medication being provided by Specialty Pharmacy - PropriumRx

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

<u>Previous therapies will be verified through pharmacy paid claims or submitted chart notes.</u>