SENTARA COMMUNITY PLAN (MEDICAID)

MEDICAL PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; fax to 1-844-305-2331. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If information provided is not complete, correct, or legible, authorization can be delayed.

<u>Drug Requested</u>: Vimizim[®] IV (elosulfase alfa) (J1322) (Medical)

IV INFUSION PERFORMED AT SENTARA INFUSION CENTERS ONLY

N	MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.			
M	ember Name:			
Member Sentara #:				
Pr	escriber Name:			
Prescriber Signature:		Date:		
Of	fice Contact Name:			
Phone Number:		Fax Number:		
DI	EA OR NPI #:			
	PRUG INFORMATION: Authorization may be			
Dr	rug Form/Strength:			
Do	osing Schedule:	Length of Therapy:		
Di	agnosis:	ICD Code, if applicable:		
Weight:		Date:		
	Standard Review. In checking this box, the timefrator the member's ability to regain maximum function	me does not jeopardize the life or health of the member and would not subject the member to severe pain.		
	**If approved, max dose allowed is 2	mg/kg to be administered once weekly.		
•	Due to high risk of anaphylaxis and infusion administered ONLY by trained medical pr administration or for administration by home	ofessionals and will NOT be approved for self-		

(Continued on next page)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be

Initial Approval – 24 weeks. Documentation (chart notes, diagnostics, and/or lab results) must be

provided or request may be denied.

submitted within last 30 days.

	Prescriber is a metabolic geneticist or endocrinologist
	AND
	Member is at least 5 years of age
	AND
	Member has a diagnosis of mucopolysaccharidosis type IVA (MPS IVA) as verified by genetic testing (labs included)
	AND
	Member's current height (please note):
	Member's current weight (please note):
	AND
	Current FEV1 (labs included):
	Current MVV (within the last 30 days):
	AND
	Member's current normalized urine keratan sulfate levels (lab results within the last 30 days):
	AND
	Baseline 6 minute walk time of a distance of <u>at least</u> 30 meters is attached with date noted
	AND
	Chart notes are attached to document symptoms, prior medical procedures, and prior therapies used in the treatment of MPS IVA
sustai below	tinued Approval – 12 months. Continued approval will be based on member maintaining ined improved walk time above baseline walk time and evidence of clinical improvement. Check vall that apply. All criteria must be met for approval. To support each line checked, all mentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be d.
	Current 6 minute walk time of one within the last 30 days is attached with date noted:
	AND
	Member's 6 minute walk time has sustained improvement from baseline
	AND

(Continued on next page)

2

	Member's current height (please note):
	Member's current weight (please note):
	AND
	Current FEV ₁ (within last 30 days):
	Current MVV (within the last 30 days):
	AND
	Member's current normalized urine keratan sulfate levels (within the last 30 days):
	AND
	Chart notes are attached to document current disease status, any medical procedures performed since last approval of this medication, and evidence of clinical improvement from baseline
Med	lication being provided by Sentara Infusion Centers (please complete below):
	Location/site of administration:
	NPI or DEA # of administering location:
standa urgent	gent reviews: Practitioner should call Sentara Health Pre-Authorization Department if they believe a rd review would subject the member to adverse health consequences. Sentara Health's definition of is a lack of treatment that could seriously jeopardize the life or health of the member or the member's to regain maximum function.

Use of samples to initiate therapy does not meet step edit/preauthorization criteria.

Previous therapies will be verified through pharmacy paid claims or submitted chart notes.