



**INDIVIDUAL AND FAMILY PLANS
PRESCRIPTION DRUG FORMULARY
(NON-STANDARD PLAN)**

(Effective January 2025 – March 2025)

**PLEASE READ: This document contains information
about some of the drugs we cover in this plan.**

Members must use in-network pharmacies to fill their prescription drugs. Your benefits, drug list, pharmacy network, premium and/or copayments/coinsurance may sometimes change.

INTRODUCTION

This formulary was developed to serve as a guide for prescribers, pharmacists, health care professionals and members in the selection of cost-effective medication therapy. AvMed recognizes that medication therapy is an integral part of effective health management. Due to the vast availability of medication options, a reasonable program for medication selection and use is warranted.

The drugs represented have been reviewed by a National Pharmacy and Therapeutics (P&T) Committee and are approved for inclusion. This formulary is reflective of current medical practice as of the date of review.

The information contained in this formulary and its appendices is provided solely for the convenience of medical providers. We do not warrant or assure the accuracy of such information nor is it intended to be comprehensive in nature. This formulary is not intended to be a substitute for the knowledge, expertise, skill, and judgment of the medical provider in his or her choice of prescription drugs. All the information in this formulary is provided as a reference for drug therapy selection. Specific drug selection for an individual patient rests solely with the prescriber. The document is subject to state-specific regulations and rules, including, but not limited to, those regarding generic substitution, controlled substance schedules, preference for brands and mandatory generics whenever applicable.

We assume no responsibility for the actions or omissions of any medical provider based upon reliance, in whole or in part, on the information contained herein. The medical provider should consult the drug manufacturer's product literature or standard references for more detailed information.

National guidelines can be found on the National Guideline Clearinghouse site at www.ahrq.gov/gam/index.html on the websites listed under each therapeutic class and on the sites listed in the WEBSITES section of this publication.

This formulary is a fluid document, which is continually reviewed and modified. This dynamic process does not allow this document to be completely accurate at all times. To accommodate regular changes, an updated electronic version of this formulary is available online at www.avmed.org/prescriptions. AvMed welcomes your input and feedback on the information provided in this document.

PHARMACY AND THERAPEUTICS (P&T) COMMITTEE

The services of an independent National Pharmacy and Therapeutics Committee ("P&T Committee") are utilized to approve safe and clinically effective drug therapies. The P&T Committee is an external advisory body of clinical professionals from across the United States. The P&T Committee's voting members include physicians, pharmacists, a pharmacoeconomist and a medical ethicist, all of whom have a broad background of clinical and academic expertise regarding prescription drugs. Employees with significant clinical expertise are invited to meet with the P&T Committee, but no employee may vote on issues before the P&T Committee. Voting members of the P&T Committee must disclose any financial relationship or conflicts of interest with any pharmaceutical manufacturers.

DEFINITIONS

Brand Medication - A prescription medication that is usually manufactured and sold under a name or trademark by a pharmaceutical manufacturer, or a medication that is identified as a Brand medication by AvMed's Pharmacy Benefits Manager (PBM).

Brand Additional Charge - The additional charge that must be paid if you or your prescriber choose a brand medication when a generic equivalent is available. The charge is the difference between the cost of the brand medication and the generic medication. This charge must be paid in addition to the applicable copayment.

Cost-sharing Medications - Medications, as designated by AvMed, designed to improve the quality of life by treating relatively minor, non-life-threatening conditions. Such medications are subject to coinsurance and coverage is limited

Generic Medication - A prescription medication that has the same active ingredient as a brand medication or is identified as a generic medication by AvMed's Pharmacy Benefits Manager. Generic products approved by the United States Food and Drug Administration (FDA) are just as effective and safe as the brand-name products. Generic medications contain identical active ingredients, have the same indication for use, meet the same manufacturing standards, and are identical in strength and dosage form as brand-name medications.

Maintenance Medication - A medication that has been approved by the FDA, for which the duration of therapy can reasonably be expected to exceed one year.

Participating Pharmacy - A pharmacy (retail, mail service, or specialty pharmacy) that has entered into an agreement with AvMed to provide prescription drugs to AvMed members and has been designated by AvMed as a participating pharmacy

Preferred Medication List - The listing of preferred medications based on clinical efficacy, relative safety, and cost in comparison to similar medications within a therapeutic class. This multi-tiered list establishes different levels of copay for medications within therapeutic classes. As new medications become available, they may be considered excluded until they have been reviewed by the P&T Committee.

Prescription Medication - A medication that has been approved by the FDA and that can only be dispensed pursuant to a prescription according to state and federal law.

Prior Authorization - The process of obtaining approval for certain prescription drugs (prior to dispensing) according to AvMed's guidelines. The ordering prescriber must obtain approval from AvMed. The list of prescription drugs requiring prior authorization is subject to periodic review and modification by AvMed. To initiate a prior authorization, please visit our website at www.avmed.org/prescriptions/ to obtain the appropriate drug authorization request form.

Self-Administered Injectable Medication - A medication that has been approved by the FDA for self-injection and is administered by subcutaneous injection. Prior authorization is required for most self-administered injectable medications, except insulin.

Specialty Medication - A self-injectable or high-cost oral medication approved by the FDA. These medications must be prescribed by a physician and dispensed by either a retail or participating specialty pharmacy, depending on the medication. The co-payment levels for Specialty Medications apply regardless of provider. This means that you may be responsible for the appropriate co-payment whether you receive your Specialty Medication from the pharmacy, at the physician's office or during home health visits. Specialty Medications are limited to a 30-day supply.

Quantity Limit - Medications included in this program allow a maximum quantity per prescription and/or time period for one copay or coinsurance. Quantity limits are developed based upon FDA approved medication labeling and nationally recognized therapeutic clinical guidelines. If your prescription exceeds the quantity limit, prior authorization will be required.

BENEFIT COVERAGE AND LIMITATIONS

This medication formulary is for reference purposes only and does not guarantee nor define benefit coverage and limitations. Many members have specific benefits, which are not reflected in this formulary. You may contact AvMed's Member Engagement Department regarding any coverage questions by calling the number listed on the back of your card. Please note that the formulary process is dynamic and generally changes throughout the year. These changes typically occur due to, but not limited to, the following reasons: approval of new medications, availability of newly approved generics, changes in clinical data, and medication safety concerns. AvMed is not held responsible for payment if either a medication was omitted or included in error, or that a medication was placed at an incorrect tier on this formulary. The following topics may or may not be applicable to individual members depending on member-specific benefit parameters.

Coverage

Your prescription medication coverage includes medications that require a prescription, are filled by a participating AvMed pharmacy, and are prescribed by your provider in accordance with AvMed's coverage criteria. AvMed reserves the right to make changes in coverage criteria for covered products and services. Coverage criteria are medical and pharmaceutical protocols used to determine payment of products and services and are based on independent clinical practice guidelines and standards of care established by government agencies and medical/pharmaceutical societies.

Your retail prescription medication coverage includes up to a 30-day supply of a

medication for the listed copay. In most cases, your prescription may be refilled after 75% of your previous fill has been used and is subject to a maximum of 13 refills per year. Many plans may provide the option to obtain a 90-day supply of a medication at a retail or mail pharmacy for a reduced amount. Please refer to your specific pharmacy benefits.

Your mail-service prescription medication coverage includes up to a 90-day supply of most medications for the listed copay per your prescription benefits. If the amount of medication is less than a 90-day supply, such as a 75-day supply, you will still be charged the listed mail-service copay per your prescription benefits.

Your specialty medication coverage extends to many self-injectable and high-cost oral medications approved by the FDA. These medications must be ordered by a prescriber and dispensed by a retail or specialty pharmacy, depending on the type of medication. The copayment levels for specialty medications apply regardless of provider. This means that you may be responsible for the appropriate copayment whether you receive your Specialty Medication from the pharmacy, at the physician's office or during home health visits. Specialty Medications are limited to a 30-day supply.

Quantity limits are set in accordance with FDA approved prescribing limitations, general practice guidelines supported by medical specialty organizations, and/or evidence-based, statistically valid, clinical studies. This means that a medication-specific quantity limit may apply for medications that have an increased potential for over-utilization or an increased potential for a member to experience an adverse event at higher doses.

What if my drug is not listed in the formulary?

If you are unsure if a drug is covered by your plan, please call Member Engagement for assistance. If you learn your plan does not cover your drug, here are some steps you may take:

- Visit www.avmed.org/prescriptions to find your plans prescription drug list and review it with your doctor to determine if any of the covered drugs are viable alternatives.
- If the formulary alternatives are not appropriate to treat your condition, you may request an exception for coverage of the non-formulary drug. Please note that although an exception can be granted to cover the non-formulary drug it will be considered a non-preferred drug and may be more expensive than the covered alternatives.

How do I ask for an exception to AvMed's drug list?

You may request an exception to your prescription drug coverage for drugs that are not included on your plans prescription drug list. To make a request for an exception to your prescription drug coverage, you or your doctor must submit a completed Pharmacy Drug Authorization Request form available at www.avmed.org/prescriptions or you may call the number on the back of your card to initiate this request.

How likely is it that an exception request is approved?

AvMed may approve your request for an exception to your prescription drug coverage if the preferred formulary drugs included on your plans prescription drug list would not be as effective in treating your condition or cause you to experience adverse medical effects

How do I find out if my exception request is approved?

AvMed will process your request and provide a decision within 72 hours of receipt of the information necessary to make a decision. You can ask for an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to three business days for a decision. If your expedited request is granted, we will provide a decision within 24 hours of receipt of the information necessary to make a decision. You and your doctor will be notified in writing of the decision. You may also contact Member Engagement to inquire about the status of your exception request.

Prior Authorization Process

The prior authorization process requires the practitioner to provide information to support the clinical criteria that must be met for approval. The completed drug authorization request form and supporting clinical documentation must be submitted to AvMed by fax to 1-305-671-0200. The pharmacy drug authorization request forms are available at www.avmed.org/prescriptions or www.avmed.org/forms/provider.

Member Initiated Prior Authorization Process

Members may request a prior authorization by directly contacting the AvMed Member Engagement Department at the number on their membership card. The member should have the prescriber information (phone number) and any pertinent information related to the request to provide to the Member Engagement Department. Members may also initiate the prior authorization process by logging into www.avmed.org and then clicking the link "Prescriptions".

Quantity Limit Exception

Certain medications allow for a maximum quantity per prescription and/or time period for one copay or coinsurance. Medications with applicable quantity limits are noted on the formulary. Quantity limits are developed based upon FDA-approved medication labeling and nationally recognized therapeutic clinical guidelines. If a prescription exceeds the quantity limit, the prescriber should provide a statement of medical necessity and request a prior authorization for the quantity limit exception as described above.

Non-formulary Medication Requests

A request for a non-formulary medication requires documentation from the member's medical records and/or prescription claims history verifying the following: statement of medical necessity; contraindications to ALL other formulary alternatives; or therapeutic failure of adequate trials of one to three months of each and ALL other formulary alternatives. Non-formulary requests may be requested by the prescriber through the prior authorization process as described above.

Tier Description

Each copay tier is assigned an established co-payment, which is the amount you pay when you fill a prescription. Consult your benefit documents to determine your specific co-payments, coinsurance, and/or deductibles that are part of your plan. You and your doctor decide which medication is most appropriate for you.

Tier	Definition
1	Preferred Generic - These are preferred generic medications and are in the low range for out-of-pocket expense. You should always consider Tier 1 medications if you and your doctor decide they are appropriate to treat your condition.
2	Generics - These are generic medications or higher cost generic medications and are in the low to midrange for out-of-pocket expense. Sometimes there are alternatives available in Tier 1 that may be appropriate to treat your condition. If you are currently taking a Tier 2 medication, ask your doctor whether there are lower copayment alternatives that may be right for your treatment.
3	Preferred Brands - These are preferred brand medications and are in the mid to higher range for out-of-pocket expense. Sometimes there are alternatives available in Tier 1 or Tier 2 that may be appropriate to treat your condition. If you are currently taking a Tier 3 medication, ask your doctor whether there are lower copayment alternatives that may be right for your treatment.
4	Non-Preferred Brands - These are non-preferred brand medications and are in the higher range for out-of-pocket expense.
5	Specialty Drugs - These are brand or generic-name specialty medications or high-cost medications and are typically the highest out-of-pocket expense. Distribution of specialty medications is limited to our specialty pharmacy.
9	Zero Cost Share Preventative Drugs - These are drugs covered under the Patient Protection and Affordable Care Act (PPACA) at no cost-share (\$0), to you.

*Please note that **Brand** products are listed in CAPITALS and **Generic** products are listed in *lowercase italics*.

What's Not Covered: Common Exclusions

Certain items may be excluded from your pharmacy benefit coverage. Prior authorization is generally not available for medications specifically excluded by benefit design. Commonly excluded products may include, but are not limited to:

- Over-the-counter (OTC) medications or their equivalents unless otherwise specified in the medication formulary listing.
- Experimental medication products or any medication product used in an experimental manner.
- Foreign medications or medications not approved by the United States Food and Drug Administration (FDA).
- Replacement prescription drug products resulting from a lost, stolen, expired, broken, or destroyed prescription order or refill, unless otherwise specified in the member's specific benefit plan.
- Fertility drugs, unless otherwise specified in the member's specific benefit plan.

- Medications or devices for the diagnosis or treatment of sexual dysfunction, unless otherwise specified in the member's specific benefit plan.
- Dental-specific medications, including fluoride medications for adults.
- Prescription and non-prescription vitamins and minerals, except prenatal vitamins.
- Nutritional supplements and Medical Foods.
- Cosmetic products, including, but not limited to, hair growth, skin bleaching, sun damage and anti-wrinkle medications.
- Prescription and non-prescription appetite suppressants and products for the purpose of weight loss, unless otherwise specified in the member's specific benefit plan.
- Compounded prescriptions, except pediatric preparations.
- Pharmaceuticals that would be covered under the medical benefit. These may include, but are not limited to, immunizations, allergy serums, medical supplies (including therapeutic devices, dressings, appliances, and support garments), medications administered by the attending physician to treat an acute phase of an illness, and chemotherapy for cancer patients. Such benefits are covered in accordance with the Group Medical and Hospital Service Contract and may be subject to copay or coinsurance and prior authorization requirements, as outlined on the Schedule of Benefits.

Mandated Generic Substitution

AvMed advocates the use of cost-effective generic medications where FDA-labeled brand-equivalent medications are available. A generic medication is approved by the FDA once the manufacturer has proven that it has the same active ingredient(s) as the brand-name medication. Generally, generic medications cost less than brand-name medications. If a member or a prescriber requests a brand-name product in lieu of an approved generic, the member, based upon his/her coverage, will typically be required to pay the Non-Preferred Brand Copay plus the Brand Additional Charge.

Health Care Reform – Preventive Medications

The Patient Protection and Affordable Care Act of 2010 allows members to receive some preventative, evidence-based items, and services at no cost to the member with certain stipulations. Examples of categories of medications that may be subject to limited, or \$0 cost share include aspirin, breast cancer preventative, fluoride supplements, folic acid supplements, iron supplements, tobacco cessation products, immunizations, bowel preparation for colonoscopy, and some contraceptive medications and devices.

Some of the limitations for receiving these medications at no cost to the member require that: (1) the medication is covered as part of the prescription benefits, (2) a prescription is required, and (3) this coverage will only apply in a retail pharmacy. As new guidance continues to be released for coverage of preventive medications, the list and/or restrictions will be updated accordingly.

HOW CAN I SAVE MONEY ON PRESCRIPTIONS?

Always ask your doctor to consider choosing an appropriate medication from the formulary that is on the lower tier selections, such as Tier 1 or Tier 2. Medications within these tiers have the lowest out-of-pocket cost for you. If you are currently taking a Tier 3 or 4 medication, you should consult with your physician to see if there are other medication alternatives that are on a lower tier.

MEDICATIONS PRE-PACKAGED AS A 90-DAY SUPPLY

Our pharmacy benefit covers some medications that are pre-packaged, dispensed and sold as a 90-day supply. Members who are prescribed these medications will be charged the applicable tier co-payment for a 90-day supply whether the prescription is filled at retail or through the mail-service option. Examples of medications packaged as 90-day supplies include: Estrin, Femring, and Seasonique. Please consult our website for an up-to-date list of medications or call Member Engagement at the number on the back of your card for more information on coverage.

CONTACT INFORMATION

This formulary is designed to assist prescribers, members, and other health care professionals in the selection of cost-effective medications. AvMed encourages your input and feedback on how we can assist in improving this document and the formulary management process. You may contact AvMed's Member Engagement Department by calling the number listed on the back of your card. For additional information, please visit our website at:

www.avmed.org/prescriptions.

NOTICE

The information contained in this document is proprietary. The information may not be copied in whole or in part without written permission. ©2024. All rights reserved. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers.

AvMed and Express Scripts do not operate the websites/organizations listed here, nor are they responsible for the availability or reliability of the websites' content. These listings do not imply or constitute an endorsement, sponsorship, or recommendation by AvMed or Express Script.

When viewing this formulary via the Internet, please be advised that this formulary is updated periodically, and changes may appear prior to their effective date to allow for client notification.

This Guidebook includes information accurate at the time it was collected from Express Scripts' systems and may not reflect actual benefit setup details at later times.

Table of Contents

ANTI - INFECTIVES	3
ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS	10
AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH	18
CARDIOVASCULAR, HYPERTENSION & LIPIDS	37
DERMATOLOGICALS/TOPICAL THERAPY	43
DIAGNOSTICS & MISCELLANEOUS AGENTS	49
EAR, NOSE & THROAT MEDICATIONS	51
ENDOCRINE/DIABETES	52
GASTROENTEROLOGY	59
IMMUNOLOGY, VACCINES & BIOTECHNOLOGY	64
IMMUNOLOGY	70
MUSCULOSKELETAL & RHEUMATOLOGY	70
OBSTETRICS & GYNECOLOGY	72
OPHTHALMOLOGY	79
RESPIRATORY, ALLERGY, COUGH & COLD	82
UROLOGICALS	87
VITAMINS, HEMATINICS & ELECTROLYTES	88

List of Abbreviations

1: Preferred-Generic

2: Generic

3: Preferred Brand

4: Non-Preferred Brand

5: Specialty Drugs

9: Zero Cost Share Preventive Drugs

ACA: Affordable Care Act (ACA) preventive prescription drugs and over the counter items identified as an A or B recommendation by the United States Preventive Services Task Force. Please use this link for a list of Covered preventive care services: [healthcare.gov/what-are-my-preventive-care-benefits](https://www.healthcare.gov/what-are-my-preventive-care-benefits)

CGM: Continuous Glucose Monitor

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

OTC: Over the Counter. An OTC drug is a non-prescription drug.

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

SP: Specialty Drug

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

Drug Name	Drug Tier	Requirements / Limits
ANTI - INFECTIVES		
ANTIFUNGAL AGENTS		
BREXAFEMME	4	PA
<i>clotrimazole mucous membrane</i>	2	QL (5 per 1 day)
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>	2	QL (40 per 1 day)
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	2	QL (10 per 1 day)
<i>fluconazole oral tablet 100 mg, 200 mg</i>	2	QL (4 per 1 day)
<i>fluconazole oral tablet 150 mg</i>	2	QL (4 per 30 days)
<i>fluconazole oral tablet 50 mg</i>	2	QL (8 per 1 day)
<i>flucytosine</i>	3	PA
<i>griseofulvin microsize oral suspension</i>	2	QL (40 per 1 day)
<i>griseofulvin microsize oral tablet</i>	2	QL (2 per 1 day)
<i>griseofulvin ultramicrosize</i>	2	QL (3 per 1 day)
<i>itraconazole oral capsule</i>	3	QL (4 per 1 day)
<i>ketoconazole oral</i>	2	QL (2 per 1 day)
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON	4	PA; QL (1 per 1 day)
<i>nystatin oral suspension</i>	2	QL (24 per 1 day)
<i>nystatin oral tablet</i>	2	QL (6 per 1 day)
<i>posaconazole oral suspension</i>	3	PA; QL (20 per 1 day)
<i>posaconazole oral tablet, delayed release (dr/ec)</i>	3	PA; QL (8 per 1 day)
<i>terbinafine hcl oral</i>	2	QL (1 per 1 day)
VIVJOA	4	PA; QL (18 per 84 days)
<i>voriconazole oral tablet 200 mg</i>	3	QL (2 per 1 day)
<i>voriconazole oral tablet 50 mg</i>	3	QL (4 per 1 day)
ANTIVIRALS		
<i>abacavir</i>	2	SP
<i>abacavir-lamivudine</i>	3	SP
<i>acyclovir oral capsule</i>	2	
<i>acyclovir oral suspension 200 mg/5 ml</i>	2	
<i>acyclovir oral tablet</i>	2	
<i>adefovir</i>	5	PA; SP; QL (1 per 1 day)
<i>amantadine hcl</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
APRETUDE	5	SP; ACA; QL (3 per 30 days)
APTIVUS	5	SP
<i>atazanavir</i>	3	SP
BARACLUDE ORAL SOLUTION	5	SP; QL (20 per 1 day)
BIKTARVY	5	SP
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML	5	PA; SP; QL (4 per 28 days)
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML- 900 MG/3 ML	5	PA; SP; QL (6 per 28 days)
CIMDUO	5	SP
COMPLERA	5	SP
<i>darunavir</i>	5	SP
DELSTRIGO	5	SP
DESCOVY	5	SP; ACA
DOVATO	5	SP; QL (1 per 1 day)
EDURANT	5	SP
<i>efavirenz</i>	3	SP
<i>efavirenz-emtricitabin-tenofof</i>	5	SP
<i>efavirenz-lamivu-tenofof disop</i>	2	SP
<i>emtricitabine</i>	3	SP
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	5	SP
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i>	5	SP; ACA
EMTRIVA ORAL SOLUTION	5	SP
<i>entecavir</i>	5	SP; QL (1 per 1 day)
EPCLUSA	5	PA; SP; QL (1 per 1 day)
<i>etravirine</i>	5	SP
EVOTAZ	5	SP
<i>famciclovir</i>	2	
<i>fosamprenavir</i>	3	SP
FUZEON SUBCUTANEOUS RECON SOLN	5	SP
GENVOYA	5	SP
HARVONI	5	PA; SP

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
INTELENCE ORAL TABLET 25 MG	5	SP
ISENTRESS	5	SP
ISENTRESS HD	5	SP
JULUCA	5	SP
LAGEVRIO (EUA)	4	8 caps per day; 80 caps in 365 days
<i>lamivudine oral solution</i>	2	SP
<i>lamivudine oral tablet 100 mg</i>	5	SP; QL (1 per 1 day)
<i>lamivudine oral tablet 150 mg, 300 mg</i>	2	SP
<i>lamivudine-zidovudine</i>	3	SP
LEDIPASVIR-SOFOSBUVIR	5	PA; SP
LIVTENCITY	5	PA; SP; QL (4 per 1 day)
<i>lopinavir-ritonavir oral solution</i>	3	SP
<i>lopinavir-ritonavir oral tablet</i>	5	SP
<i>maraviroc</i>	5	SP
MAVYRET ORAL PELLETS IN PACKET	3	PA; SP; QL (6 per 1 day)
MAVYRET ORAL TABLET	3	PA; SP; QL (3 per 1 day)
<i>nevirapine</i>	3	SP
NORVIR ORAL POWDER IN PACKET	5	SP
ODEFSEY	5	SP
<i>oseltamivir</i>	2	
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG	3	QL (40 per 365 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	3	QL (60 per 365 days)
PIFELTRO	5	SP
PREVYMIS ORAL	5	PA; SP; QL (1 per 1 day)
PREZCOBIX	5	SP
PREZISTA ORAL SUSPENSION	5	SP
PREZISTA ORAL TABLET 150 MG, 75 MG	5	SP
REYATAZ ORAL POWDER IN PACKET	5	SP
<i>ribavirin inhalation</i>	5	SP
<i>rimantadine</i>	2	
<i>ritonavir</i>	2	SP
RUKOBIA	5	PA; SP; QL (2 per 1 day)
SELZENTRY ORAL SOLUTION	5	SP

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
SOFOSBUVIR-VELPATASVIR	5	PA; SP; QL (1 per 1 day)
SOVALDI	5	PA; SP
<i>stavudine oral capsule 40 mg</i>	3	SP
STRIBILD	5	SP
SUNLENCA ORAL	5	PA; SP; QL (1 per 365 days)
SUNLENCA SUBCUTANEOUS	5	PA; SP; QL (3 per 126 days)
SYMTUZA	5	SP
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML	5	PA; SP; LA; QL (1 per 28 days)
SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML	5	PA; SP; LA; QL (0.5 per 28 days)
<i>tenofovir disoproxil fumarate</i>	3	SP; QL (1 per 1 day)
TIVICAY ORAL TABLET 50 MG	5	SP
TIVICAY PD	5	SP; QL (6 per 1 day)
TRIUMEQ	5	SP
TRIUMEQ PD	5	SP
TYBOST	5	SP
<i>valacyclovir</i>	2	
<i>valganciclovir oral recon soln</i>	5	PA for Age greater than or equal to 8 year(s); SP
<i>valganciclovir oral tablet</i>	5	SP
VEMLIDY	5	PA; SP; QL (1 per 1 day)
VIRACEPT ORAL TABLET	5	SP
VIREAD ORAL POWDER	5	SP; QL (8 per 1 day)
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	SP; QL (1 per 1 day)
VOSEVI	5	PA; SP
XOFLUZA ORAL TABLET 40 MG, 80 MG	4	QL (1 per 183 days)
ZEPATIER	5	PA; SP
<i>zidovudine</i>	2	SP
CEPHALOSPORINS		
<i>cefaclor oral capsule</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr</i>	3	
<i>cefadroxil oral capsule</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet</i>	2	
<i>cefdinir</i>	2	
<i>cefixime</i>	3	
<i>cefpodoxime</i>	2	
<i>cefprozil</i>	2	
<i>cefuroxime axetil oral tablet</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg</i>	2	
<i>cephalexin oral capsule 750 mg</i>	3	
<i>cephalexin oral suspension for reconstitution</i>	2	
ERYTHROMYCINS & OTHER MACROLIDES		
<i>azithromycin oral</i>	2	
<i>clarithromycin</i>	2	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION	4	PA; 100 mL per fill
DIFICID ORAL TABLET	4	PA; 20 tabs per fill
<i>e.e.s. 400 oral tablet</i>	2	
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i>	3	
<i>erythrocin (as stearate) oral tablet 250 mg</i>	3	
<i>erythromycin ethylsuccinate oral suspension for reconstitution</i>	3	PA for Age greater than or equal to 8 year(s)
<i>erythromycin ethylsuccinate oral tablet</i>	2	
<i>erythromycin oral capsule, delayed release (dr/ec)</i>	2	
<i>erythromycin oral tablet</i>	3	
<i>erythromycin oral tablet, delayed release (dr/ec)</i>	3	
MISCELLANEOUS ANTIINFECTIVES		
<i>albendazole</i>	3	4 tabs per fill
ALINIA ORAL SUSPENSION FOR RECONSTITUTION	4	PA; QL (180 per 1 day)
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	2	
ARIKAYCE	5	PA; SP; LA; QL (8.4 per 1 day)
<i>atovaquone</i>	3	
<i>atovaquone-proguanil</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
BENZNIDAZOLE	4	PA
CAYSTON	5	SP; LA
<i>chloroquine phosphate</i>	2	
<i>clindamycin hcl</i>	2	
<i>clindamycin pediatric</i>	2	
COARTEM	4	
CYCLOSERINE	4	
<i>dapsone oral</i>	2	
EMVERM	4	PA; 2 tabs per fill
<i>ethambutol</i>	2	
<i>hydroxychloroquine oral tablet 200 mg, 300 mg, 400 mg</i>	2	
<i>isoniazid oral</i>	2	
<i>ivermectin oral</i>	2	PA; QL (20 per 90 days)
KRINTAFEL	4	QL (2 per 365 days)
LAMPIT	4	PA
<i>linezolid</i>	2	
<i>mefloquine</i>	2	
<i>meropenem intravenous recon soln 1 gram</i>	5	
<i>metronidazole oral tablet</i>	2	
<i>neomycin</i>	2	
<i>nitazoxanide</i>	3	PA; QL (6 per 1 day)
<i>paromomycin</i>	2	
PASER	4	
<i>pentamidine inhalation</i>	3	
<i>praziquantel</i>	3	
PRETOMANID	4	PA; QL (1 per 1 day)
PRIFTIN	4	
<i>primaquine</i>	2	
<i>pyrazinamide</i>	3	
<i>pyrimethamine</i>	5	PA; SP; QL (3 per 1 day)
<i>quinine sulfate</i>	3	
<i>rifabutin</i>	3	
<i>rifampin oral</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
SIVEXTRO ORAL	5	SP
<i>tinidazole</i>	2	
TOBI PODHALER	5	ST; SP
<i>tobramycin in 0.225 % nacl</i>	5	SP
<i>tobramycin inhalation</i>	5	SP
TRECTOR	4	
VABOMERE	5	
XIFAXAN ORAL TABLET 200 MG	4	QL (9 per 365 days)
XIFAXAN ORAL TABLET 550 MG	4	PA; QL (42 per 120 days)
PENICILLINS		
<i>amoxicillin oral capsule</i>	2	
<i>amoxicillin oral suspension for reconstitution</i>	2	
<i>amoxicillin oral tablet</i>	2	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	
<i>amoxicillin-pot clavulanate</i>	2	
<i>ampicillin oral capsule 500 mg</i>	2	
<i>dicloxacillin</i>	2	
<i>penicillin v potassium</i>	2	
QUINOLONES		
<i>ciprofloxacin hcl oral</i>	2	
<i>levofloxacin oral solution</i>	3	
<i>levofloxacin oral tablet</i>	2	
<i>moxifloxacin oral</i>	3	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	
SULFA'S & RELATED AGENTS		
<i>sulfadiazine</i>	3	
<i>sulfamethoxazole-trimethoprim oral</i>	2	
<i>sulfatrim</i>	2	
TETRACYCLINES		
<i>avidoxy</i>	2	
<i>demeclocycline</i>	2	
<i>doxycycline hyclate oral capsule</i>	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	
<i>doxycycline monohydrate oral suspension for reconstitution</i>	2	
<i>doxycycline monohydrate oral tablet 100 mg, 50 mg</i>	2	
<i>minocycline oral capsule</i>	2	
<i>mondoxyne nl oral capsule 100 mg</i>	2	
<i>tetracycline oral capsule</i>	2	

URINARY TRACT AGENTS

<i>fosfomycin tromethamine</i>	3	
<i>methenamine hippurate</i>	3	
<i>methenamine mandelate</i>	3	QL (4 per 1 day)
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	2	
<i>nitrofurantoin macrocrystal oral capsule 25 mg</i>	3	
<i>nitrofurantoin monohyd/m-cryst</i>	2	
<i>nitrofurantoin oral suspension 25 mg/5 ml</i>	3	
<i>trimethoprim</i>	2	

VANCOMYCIN

<i>vancomycin oral capsule</i>	3	
--------------------------------	---	--

ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS

ADJUNCTIVE AGENTS

<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg</i>	3	
<i>leucovorin calcium oral tablet 5 mg</i>	2	
MESNEX ORAL	5	SP

ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS

<i>abiraterone oral tablet 250 mg</i>	5	PA; SP; QL (4 per 1 day)
AKEEGA	5	PA; SP; QL (2 per 1 day)
ALECENSA	5	PA; SP; QL (8 per 1 day)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA; SP; QL (1 per 1 day)
ALUNBRIG ORAL TABLET 30 MG	5	PA; SP; QL (4 per 1 day)
ALUNBRIG ORAL TABLETS,DOSE PACK	5	PA; SP; QL (30 per 365 days)
<i>anastrozole</i>	2	ACA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
AUGTYRO	5	PA; SP; QL (8 per 1 day)
AYVAKIT	5	PA; SP; LA; QL (1 per 1 day)
<i>azathioprine oral tablet 50 mg</i>	2	
BALVERSA ORAL TABLET 3 MG	5	PA; SP; LA; QL (3 per 1 day)
BALVERSA ORAL TABLET 4 MG	5	PA; SP; LA; QL (2 per 1 day)
BALVERSA ORAL TABLET 5 MG	5	PA; SP; LA; QL (1 per 1 day)
<i>bexarotene</i>	5	PA; SP
<i>bicalutamide</i>	2	
BOSULIF ORAL CAPSULE 100 MG	5	PA; SP; QL (3 per 1 day)
BOSULIF ORAL CAPSULE 50 MG	5	PA; SP; QL (1 per 1 day)
BOSULIF ORAL TABLET 100 MG	5	PA; SP; QL (3 per 1 day)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA; SP; QL (1 per 1 day)
BRAFTOVI	5	PA; SP; LA; QL (6 per 1 day)
BRUKINSA	5	PA; SP; LA; QL (4 per 1 day)
CABOMETYX	5	PA; SP; LA; QL (1 per 1 day)
CALQUENCE (ACALABRUTINIB MAL)	5	PA; SP; LA; QL (2 per 1 day)
<i>capecitabine oral tablet 150 mg</i>	5	PA; SP; QL (4 per 1 day)
<i>capecitabine oral tablet 500 mg</i>	5	PA; SP; QL (10 per 1 day)
CAPRELSA ORAL TABLET 100 MG	5	PA; SP; LA; QL (2 per 1 day)
CAPRELSA ORAL TABLET 300 MG	5	PA; SP; LA; QL (1 per 1 day)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	5	PA; SP; QL (56 per 28 days)
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA; SP; QL (112 per 28 days)
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	5	PA; SP; QL (84 per 28 days)
COPIKTRA	5	PA; SP; LA; QL (2 per 1 day)
COTELLIC	5	PA; SP; LA; QL (3 per 1 day)
<i>cyclophosphamide oral capsule</i>	5	SP
CYCLOPHOSPHAMIDE ORAL TABLET	5	SP
<i>cyclosporine modified</i>	2	SP
<i>cyclosporine oral capsule</i>	2	SP
DAURISMO ORAL TABLET 100 MG	5	PA; SP; QL (1 per 1 day)
DAURISMO ORAL TABLET 25 MG	5	PA; SP; QL (2 per 1 day)
DROXIA	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
ELIGARD	5	PA; SP; QL (1 per 28 days)
ELIGARD (3 MONTH)	5	PA; SP; QL (1 per 63 days)
ELIGARD (4 MONTH)	5	PA; SP; QL (1 per 112 days)
ELIGARD (6 MONTH)	5	PA; SP; QL (1 per 126 days)
ENSPRYNG	5	PA; SP; QL (1 per 28 days)
ERIVEDGE	5	PA; SP; QL (1 per 1 day)
ERLEADA ORAL TABLET 240 MG	5	PA; SP; QL (1 per 1 day)
ERLEADA ORAL TABLET 60 MG	5	PA; SP; QL (4 per 1 day)
<i>erlotinib oral tablet 100 mg, 150 mg</i>	5	PA; SP; QL (1 per 1 day)
<i>erlotinib oral tablet 25 mg</i>	5	PA; SP; QL (3 per 1 day)
<i>etoposide oral</i>	5	PA; SP
<i>everolimus (antineoplastic) oral tablet</i>	5	PA; SP; QL (1 per 1 day)
<i>everolimus (antineoplastic) oral tablet for suspension</i>	5	PA; SP
<i>exemestane</i>	2	ACA
FENSOLVI	5	PA; SP; QL (1 per 126 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA; SP; QL (2 per 365 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	5	PA; SP; QL (1 per 30 days)
FOTIVDA	5	PA; SP; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA; SP; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA; SP; QL (21 per 28 days)
GAVRETO	5	PA; SP; LA; QL (4 per 1 day)
<i>gengraf</i>	2	SP
GILOTRIF	5	PA; SP; QL (1 per 1 day)
GLEOSTINE	5	PA; SP
HYCAMTIN ORAL	5	PA; SP
<i>hydroxyurea</i>	2	
IBRANCE	5	PA; SP; QL (1 per 1 day)
ICLUSIG	5	PA; SP; QL (1 per 1 day)
IDHIFA	5	PA; SP; LA; QL (1 per 1 day)
<i>imatinib oral tablet 100 mg</i>	5	PA; SP; QL (3 per 1 day)
<i>imatinib oral tablet 400 mg</i>	5	PA; SP; QL (2 per 1 day)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA; SP; QL (3 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
IMBRUVICA ORAL CAPSULE 70 MG	5	PA; SP; QL (1 per 1 day)
IMBRUVICA ORAL SUSPENSION	5	PA; SP; QL (6 per 1 day)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA; SP; QL (1 per 1 day)
INLYTA ORAL TABLET 1 MG	5	PA; SP; QL (6 per 1 day)
INLYTA ORAL TABLET 5 MG	5	PA; SP; QL (4 per 1 day)
INQOVI	5	PA; SP; QL (5 per 28 days)
INREBIC	5	PA; SP; LA; QL (4 per 1 day)
IWILFIN	5	PA; SP; LA; QL (8 per 1 day)
JAKAFI	5	PA; SP; QL (2 per 1 day)
JAYPIRCA ORAL TABLET 100 MG	5	PA; SP; QL (2 per 1 day)
JAYPIRCA ORAL TABLET 50 MG	5	PA; SP; QL (1 per 1 day)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA; SP; QL (21 per 30 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA; SP; QL (42 per 30 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA; SP; QL (63 per 30 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA; SP; QL (8 per 1 day)
KOSELUGO ORAL CAPSULE 25 MG	5	PA; SP; QL (4 per 1 day)
KRAZATI	5	PA; SP; QL (6 per 1 day)
<i>lapatinib</i>	5	PA; SP; QL (6 per 1 day)
<i>lenalidomide</i>	5	PA; SP; QL (1 per 1 day)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG	5	PA; SP; QL (30 per 30 days)
LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1)	5	PA; SP; QL (90 per 30 days)
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2)	5	PA; SP; QL (60 per 30 days)
<i>letrozole</i>	2	
LEUKERAN	5	PA; SP
LEUPROLIDE (3 MONTH)	5	PA; SP; QL (1 per 63 days)
<i>leuprolide subcutaneous kit</i>	5	PA; SP; QL (2 per 28 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA; SP; QL (6 per 1 day)
LONSURF ORAL TABLET 20-8.19 MG	5	PA; SP; QL (8 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
LORBRENA ORAL TABLET 100 MG	5	PA; SP; QL (1 per 1 day)
LORBRENA ORAL TABLET 25 MG	5	PA; SP; QL (3 per 1 day)
LUMAKRAS ORAL TABLET 120 MG	5	PA; SP; QL (4 per 1 day)
LUMAKRAS ORAL TABLET 320 MG	5	PA; SP; QL (3 per 1 day)
LUPKYNIS	5	PA; SP; QL (6 per 1 day)
LUPRON DEPOT	5	PA; SP; QL (1 per 28 days)
LUPRON DEPOT (3 MONTH)	5	PA; SP; QL (1 per 63 days)
LUPRON DEPOT (4 MONTH)	5	PA; SP; QL (1 per 84 days)
LUPRON DEPOT (6 MONTH)	5	PA; SP; QL (1 per 126 days)
LUPRON DEPOT-PED (3 MONTH)	5	PA; SP; QL (1 per 63 days)
LUPRON DEPOT-PED INTRAMUSCULAR KIT	5	PA; SP; QL (1 per 28 days)
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT	5	PA; SP; QL (1 per 126 days)
LYNPARZA	5	PA; SP; QL (4 per 1 day)
LYSODREN	5	PA; SP
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA; SP; LA; QL (4 per 28 days)
MATULANE	5	PA; SP
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	
<i>megestrol oral tablet</i>	2	
MEKINIST ORAL RECON SOLN	5	PA; SP; QL (23 per 1 day)
MEKINIST ORAL TABLET 0.5 MG	5	PA; SP; QL (3 per 1 day)
MEKINIST ORAL TABLET 2 MG	5	PA; SP; QL (1 per 1 day)
MEKTOVI	5	PA; SP; LA; QL (6 per 1 day)
<i>mercaptopurine</i>	2	
<i>methotrexate sodium</i>	2	
<i>methotrexate sodium (pf) injection solution</i>	2	
MYCAPSSA	5	PA; SP; LA; QL (4 per 1 day)
<i>mycophenolate mofetil oral capsule</i>	2	SP
<i>mycophenolate mofetil oral suspension for reconstitution</i>	3	SP
<i>mycophenolate mofetil oral tablet</i>	2	SP
<i>mycophenolate sodium</i>	2	SP
MYHIBBIN	5	SP; QL (350 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
MYLERAN	5	PA; SP
NERLYNX	5	PA; SP; LA; QL (6 per 1 day)
<i>nilutamide</i>	5	PA; SP; QL (1 per 1 day)
NINLARO	5	PA; SP; QL (3 per 30 days)
NUBEQA	5	PA; SP; LA; QL (4 per 1 day)
ODOMZO	5	PA; SP; LA; QL (1 per 1 day)
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA; SP; QL (2 per 1 day)
OGSIVEO ORAL TABLET 50 MG	5	PA; SP; QL (6 per 1 day)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION	5	PA; SP; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)	5	PA; SP; QL (16 per 28 days)
OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5)	5	PA; SP; QL (20 per 28 days)
OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6)	5	PA; SP; QL (24 per 28 days)
OJJAARA	5	PA; SP; QL (1 per 1 day)
ONUREG	5	PA; SP; QL (14 per 28 days)
ORGOVYX	5	PA; SP; LA; QL (1 per 1 day)
ORSERDU ORAL TABLET 345 MG	5	PA; SP; QL (1 per 1 day)
ORSERDU ORAL TABLET 86 MG	5	PA; SP; QL (3 per 1 day)
<i>pazopanib</i>	5	PA; SP; QL (4 per 1 day)
PEMAZYRE	5	PA; SP; LA; QL (14 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA; SP; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1)	5	PA; SP; QL (56 per 30 days)
PIQRAY ORAL TABLET 300 MG/DAY (150 MG X 2)	5	PA; SP; QL (56 per 28 days)
POMALYST	5	PA; SP; LA; QL (1 per 1 day)
QINLOCK	5	PA; SP; LA; QL (3 per 1 day)
RETEVMO ORAL CAPSULE 40 MG	5	PA; SP; LA; QL (6 per 1 day)
RETEVMO ORAL CAPSULE 80 MG	5	PA; SP; LA; QL (4 per 1 day)
RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG	5	PA; SP; LA; QL (2 per 1 day)
RETEVMO ORAL TABLET 40 MG	5	PA; SP; LA; QL (3 per 1 day)
REVLIMID	5	PA; SP; LA; QL (1 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
REZLIDHIA	5	PA; SP; QL (2 per 1 day)
REZUROCK	5	PA; SP; QL (1 per 1 day)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA; SP; LA; QL (1 per 1 day)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA; SP; LA; QL (3 per 1 day)
ROZLYTREK ORAL PELLETS IN PACKET	5	PA; SP; LA; QL (12 per 1 day)
RUBRACA	5	PA; SP; LA; QL (4 per 1 day)
RYDAPT	5	PA; SP; QL (8 per 1 day)
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON	5	PA; SP
SCEMBLIX ORAL TABLET 100 MG	5	PA; SP
SCEMBLIX ORAL TABLET 20 MG	5	PA; SP; QL (2 per 1 day)
SCEMBLIX ORAL TABLET 40 MG	5	PA; SP; QL (10 per 1 day)
SIGNIFOR	5	PA; SP
<i>sirolimus</i>	3	SP
SOLTAMOX	4	
<i>sorafenib</i>	5	PA; SP; QL (4 per 1 day)
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA; SP; QL (1 per 1 day)
SPRYCEL ORAL TABLET 20 MG	5	PA; SP; QL (3 per 1 day)
STIVARGA	5	PA; SP; QL (84 per 30 days)
<i>sunitinib malate</i>	5	PA; SP; QL (1 per 1 day)
SUPPRELIN LA	5	PA; SP; QL (1 per 365 days)
TABLOID	5	PA; SP
TABRECTA	5	PA; SP; QL (4 per 1 day)
<i>tacrolimus oral capsule</i>	2	SP
TAFINLAR ORAL CAPSULE	5	PA; SP; QL (4 per 1 day)
TAFINLAR ORAL TABLET FOR SUSPENSION	5	PA; SP; QL (30 per 1 day)
TAGRISSE	5	PA; SP; LA; QL (1 per 1 day)
TALZENNA	5	PA; SP; QL (1 per 1 day)
<i>tamoxifen</i>	2	ACA
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA; SP; QL (4 per 1 day)
TASIGNA ORAL CAPSULE 50 MG	5	PA; SP; QL (2 per 1 day)
TAZVERIK	5	PA; SP; LA; QL (8 per 1 day)
<i>temozolomide</i>	5	PA; SP

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
TEPMETKO	5	PA; SP; QL (2 per 1 day)
THALOMID ORAL CAPSULE 100 MG, 50 MG	5	SP; QL (1 per 1 day)
TIBSOVO	5	PA; SP; QL (2 per 1 day)
<i>toremifene</i>	3	QL (1 per 1 day)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	PA; SP; QL (1 per 63 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	PA; SP; QL (1 per 126 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	PA; SP; QL (1 per 28 days)
<i>tretinoin (antineoplastic)</i>	5	PA; SP
TRIPTODUR	5	PA; SP; QL (1 per 126 days)
TRUQAP	5	PA; SP; QL (64 per 28 days)
TUKYSA	5	PA; SP; LA; QL (4 per 1 day)
TURALIO ORAL CAPSULE 125 MG	5	PA; SP; LA; QL (4 per 1 day)
VANFLYTA	4	PA; SP; QL (2 per 1 day)
VENCLEXTA ORAL TABLET 10 MG	5	PA; SP; LA; QL (2 per 1 day)
VENCLEXTA ORAL TABLET 100 MG	5	PA; SP; LA; QL (6 per 1 day)
VENCLEXTA ORAL TABLET 50 MG	5	PA; SP; LA; QL (1 per 1 day)
VENCLEXTA STARTING PACK	5	PA; SP; QL (42 per 365 days)
VERZENIO	5	PA; SP; LA; QL (2 per 1 day)
VIJOICE ORAL GRANULES IN PACKET	5	PA; SP; QL (1 per 1 day)
VIJOICE ORAL TABLET 125 MG, 50 MG	5	PA; SP; QL (1 per 1 day)
VIJOICE ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1)	5	PA; SP; QL (56 per 30 days)
VITRAKVI ORAL CAPSULE 100 MG	5	PA; SP; LA; QL (2 per 1 day)
VITRAKVI ORAL CAPSULE 25 MG	5	PA; SP; LA; QL (6 per 1 day)
VITRAKVI ORAL SOLUTION	5	PA; SP; LA; QL (10 per 1 day)
VIZIMPRO	5	PA; SP; QL (1 per 1 day)
VONJO	5	PA; SP; QL (4 per 1 day)
WELIREG	5	PA; SP; LA; QL (3 per 1 day)
XALKORI ORAL CAPSULE	5	PA; SP; QL (4 per 1 day)
XALKORI ORAL PELLETT 150 MG	5	PA; SP; QL (6 per 1 day)
XALKORI ORAL PELLETT 20 MG, 50 MG	5	PA; SP; QL (4 per 1 day)
XOSPATA	5	PA; SP; LA; QL (3 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2)	5	PA; SP; LA; QL (8 per 30 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 80 MG/WEEK (40 MG X 2)	5	PA; SP; LA; QL (4 per 30 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA; SP; LA; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA; SP; LA; QL (32 per 28 days)
XTANDI ORAL CAPSULE	5	PA; SP; QL (4 per 1 day)
XTANDI ORAL TABLET 40 MG	5	PA; SP; QL (4 per 1 day)
XTANDI ORAL TABLET 80 MG	5	PA; SP; QL (2 per 1 day)
YONSA	5	PA; SP; QL (4 per 1 day)
ZEJULA ORAL TABLET	4	PA; SP; LA; QL (1 per 1 day)
ZELBORAF	5	PA; SP; QL (8 per 1 day)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	5	PA; SP; QL (1 per 63 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	5	PA; SP; QL (1 per 28 days)
ZOLINZA	5	PA; SP; QL (4 per 1 day)
ZYDELIG	5	PA; SP; QL (2 per 1 day)
ZYKADIA	5	PA; SP; QL (3 per 1 day)

AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH

ANTICONVULSANTS

APTIOM	4	PA; QL (99 per 99 days)
BRIVIACT ORAL	4	PA; QL (99 per 99 days)
<i>carbamazepine oral capsule, er multiphase 12 hr</i>	3	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	3	
<i>carbamazepine oral tablet</i>	2	
<i>carbamazepine oral tablet extended release 12 hr</i>	3	
<i>carbamazepine oral tablet, chewable</i>	2	
<i>clobazam oral suspension</i>	3	PA
<i>clobazam oral tablet</i>	3	
<i>clonazepam oral tablet</i>	2	
<i>clonazepam oral tablet, disintegrating</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
DIACOMIT ORAL CAPSULE 250 MG	5	PA; SP; QL (12 per 1 day)
DIACOMIT ORAL CAPSULE 500 MG	5	PA; SP; QL (6 per 1 day)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA; SP; QL (12 per 1 day)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA; SP; QL (6 per 1 day)
<i>diazepam rectal</i>	3	
DILANTIN	4	PA; QL (99 per 99 days)
<i>divalproex oral capsule, delayed rel sprinkle</i>	3	
<i>divalproex oral tablet extended release 24 hr</i>	3	
<i>divalproex oral tablet, delayed release (dr/ec)</i>	2	
EPIDIOLEX	5	PA; SP; LA
<i>epitol</i>	2	
EQUETRO	4	PA
<i>ethosuximide</i>	3	
<i>felbamate</i>	3	PA
FINTEPLA	5	PA; SP; LA; QL (12 per 1 day)
FYCOMPA	4	PA; QL (99 per 99 days)
<i>gabapentin oral capsule</i>	2	
<i>gabapentin oral solution 250 mg/5 ml, 300 mg/6 ml (6 ml)</i>	3	
<i>gabapentin oral tablet 600 mg, 800 mg</i>	2	
<i>lacosamide oral</i>	3	PA
<i>lamotrigine oral tablet</i>	2	
<i>lamotrigine oral tablet, chewable dispersible</i>	2	
<i>levetiracetam oral</i>	2	
LIBERVANT	4	PA; QL (10 per 30 days)
<i>methsuximide</i>	3	
NAYZILAM	4	PA; QL (10 per 30 days)
<i>oxcarbazepine oral suspension</i>	3	
<i>oxcarbazepine oral tablet</i>	2	
OXTELLAR XR	4	PA; QL (99 per 99 days)
<i>phenobarbital</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	
<i>phenytoin oral tablet, chewable</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>phenytoin sodium extended oral capsule 100 mg</i>	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i>	3	
<i>pregabalin oral capsule</i>	2	
<i>pregabalin oral solution</i>	3	
<i>primidone oral tablet 250 mg, 50 mg</i>	2	
<i>rufinamide</i>	3	PA
<i>subvenite</i>	2	
<i>tiagabine oral tablet 12 mg, 16 mg, 4 mg</i>	3	PA
<i>tiagabine oral tablet 2 mg</i>	3	
<i>topiramate oral capsule, sprinkle</i>	3	
<i>topiramate oral tablet</i>	2	
<i>valproic acid</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml, 500 mg/10 ml (10 ml)</i>	2	
VALTOCO	4	PA; QL (10 per 30 days)
<i>vigabatrin</i>	5	PA; SP; LA
<i>vigadrone oral powder in packet</i>	5	PA; SP
<i>vigpoder</i>	5	PA; SP
XCOPRI MAINTENANCE PACK	4	PA; QL (2 per 1 day)
XCOPRI ORAL TABLET 100 MG, 150 MG, 25 MG, 50 MG	4	PA; QL (1 per 1 day)
XCOPRI ORAL TABLET 200 MG	4	PA; QL (2 per 1 day)
XCOPRI TITRATION PACK	4	PA; 1 tab per day; 28 tabs in 365 days
<i>zonisamide</i>	2	
ZTALMY	4	PA; SP; LA; QL (10 per 30 days)
ANTIPARKINSONISM AGENTS		
<i>apomorphine</i>	5	PA; SP; QL (3 per 1 day)
<i>benztropine oral</i>	2	
<i>bromocriptine</i>	2	
<i>carbidopa</i>	3	
<i>carbidopa-levodopa</i>	2	
<i>carbidopa-levodopa-entacapone</i>	2	
<i>entacapone</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE	5	PA; SP; QL (10 per 1 day)
NEUPRO	4	ST
NOURIANZ	4	PA; LA; QL (1 per 1 day)
ONGENTYS	4	PA; QL (1 per 1 day)
<i>pramipexole oral tablet</i>	2	
<i>rasagiline</i>	3	
<i>ropinirole oral tablet</i>	2	
<i>ropinirole oral tablet extended release 24 hr</i>	3	
<i>selegiline hcl</i>	2	
<i>tolcapone</i>	3	PA; QL (6 per 1 day)
<i>trihexyphenidyl</i>	2	
XADAGO	4	ST
MIGRAINE & CLUSTER HEADACHE THERAPY		
AIMOVIG AUTOINJECTOR	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR	4	PA; QL (1.5 per 30 days)
AJOVY SYRINGE	4	PA; QL (1.5 per 30 days)
<i>almotriptan malate</i>	3	QL (12 per 30 days)
<i>dihydroergotamine injection</i>	3	PA; QL (8 per 30 days)
<i>dihydroergotamine nasal</i>	3	PA; QL (8 per 28 days)
<i>eletriptan</i>	3	QL (12 per 30 days)
EMGALITY PEN	3	PA; QL (1 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (1 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR	4	QL (20 per 28 days)
<i>ergotamine-caffeine</i>	3	
<i>frovatriptan</i>	3	QL (12 per 30 days)
<i>naratriptan</i>	2	QL (9 per 30 days)
NURTEC ODT	3	PA; QL (8 per 30 days)
QULIPTA	3	PA; QL (1 per 1 day)
REYVOW	4	PA; QL (4 per 30 days)
<i>rizatriptan</i>	2	QL (12 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	2	QL (6 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i>	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i>	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge</i>	2	QL (6 per 30 days)
<i>sumatriptan succinate subcutaneous pen injector</i>	2	QL (6 per 30 days)
<i>sumatriptan succinate subcutaneous solution</i>	2	QL (6 per 30 days)
UBRELVY	4	PA; QL (10 per 30 days)
ZAVZPRET	5	PA; QL (1 per 30 days)
<i>zolmitriptan oral tablet</i>	2	QL (12 per 30 days)
MISCELLANEOUS NEUROLOGICAL THERAPY		
AUSTEDO	3	PA; SP; LA; QL (4 per 1 day)
AUSTEDO XR	3	PA; SP; QL (1 per 1 day)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG	3	PA; SP; QL (28 per 365 days)
<i>dalfampridine</i>	3	SP; QL (2 per 1 day)
<i>dichlorphenamide</i>	5	PA; SP; QL (4 per 1 day)
<i>donepezil oral tablet 10 mg, 5 mg</i>	2	
<i>donepezil oral tablet 23 mg</i>	3	
<i>donepezil oral tablet,disintegrating</i>	2	
EVRYSDI	5	PA; SP; LA; QL (6.7 per 1 day)
FIRDAPSE	5	PA; SP; LA; QL (8 per 1 day)
<i>galantamine oral capsule,ext rel. pellets 24 hr</i>	3	
<i>galantamine oral tablet</i>	3	
INGREZZA	3	PA; SP; LA; QL (1 per 1 day)
INGREZZA INITIATION PK(TARDIV)	3	PA; SP; QL (28 per 365 days)
INGREZZA SPRINKLE	3	PA; LA; QL (1 per 1 day)
<i>memantine oral capsule,sprinkle,er 24hr</i>	3	
<i>memantine oral tablet</i>	2	
NUEDEXTA	5	PA; SP; QL (2 per 1 day)
NULIBRY	5	PA; SP
RADICAVA ORS STARTER KIT SUSP	5	PA; SP

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
RELYVRIO	5	PA; SP; QL (2 per 1 day)
<i>rivastigmine</i>	2	
<i>rivastigmine tartrate</i>	2	
SKYCLARYS	4	PA; SP; LA; QL (3 per 1 day)
<i>tetrabenazine oral tablet 12.5 mg</i>	5	PA; SP; QL (8 per 1 day)
<i>tetrabenazine oral tablet 25 mg</i>	5	PA; SP; QL (4 per 1 day)
WAINUA	5	PA; SP; QL (1 per 28 days)
ZEPOSIA	5	PA; SP; QL (1 per 1 day)
ZEPOSIA STARTER KIT (28-DAY)	5	PA; SP; QL (28 per 365 days)
ZEPOSIA STARTER PACK (7-DAY)	5	PA; SP; QL (7 per 365 days)
MUSCLE RELAXANTS & ANTISPASMODIC THERAPY		
<i>baclofen oral tablet 20 mg</i>	2	
<i>carisoprodol oral tablet 350 mg</i>	2	QL (4 per 1 day)
<i>carisoprodol-aspirin-codeine</i>	2	PA
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	
<i>dantrolene oral</i>	3	QL (99 per 99 days)
<i>meprobamate</i>	2	
<i>metaxalone oral tablet 800 mg</i>	3	PA; QL (99 per 99 days)
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	
<i>orphenadrine citrate oral</i>	2	
PYRIDOSTIGMINE BROMIDE ORAL TABLET 30 MG	2	
<i>pyridostigmine bromide oral tablet 60 mg</i>	2	
<i>pyridostigmine bromide oral tablet extended release</i>	2	
<i>tizanidine oral capsule</i>	3	
<i>tizanidine oral tablet</i>	2	
<i>vanadom</i>	2	QL (4 per 1 day)
ZILBRYSQ	5	PA; SP; LA; QL (1 per 1 day)
NARCOTIC ANALGESICS		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	PA; QL (150 per 1 day)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	PA; QL (12 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	PA; QL (6 per 1 day)
<i>ascomp with codeine</i>	2	PA; QL (6 per 1 day)
BELBUCA	4	PA; QL (2 per 1 day)
BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 128 MG/0.36 ML	5	PA; SP; QL (0.36 per 28 days)
BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 16 MG/0.32 ML	5	PA; SP; QL (1.28 per 28 days)
BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 24 MG/0.48 ML	5	PA; SP; QL (1.92 per 28 days)
BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 32 MG/0.64 ML	5	PA; SP; QL (2.56 per 28 days)
BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 64 MG/0.18 ML	5	PA; SP; QL (0.18 per 28 days)
BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 8 MG/0.16 ML	5	PA; SP; QL (0.64 per 28 days)
BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 96 MG/0.27 ML	5	PA; SP; QL (0.27 per 28 days)
<i>buprenorphine</i>	3	PA; QL (4 per 28 days)
<i>buprenorphine hcl sublingual tablet 2 mg</i>	2	QL (12 per 1 day)
<i>buprenorphine hcl sublingual tablet 8 mg</i>	2	QL (3 per 1 day)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	2	PA; QL (6 per 1 day)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	2	QL (6 per 1 day)
<i>butalbital-acetaminophen-caff oral tablet</i>	2	QL (6 per 1 day)
<i>butalbital-aspirin-caffeine oral capsule</i>	2	
<i>codeine sulfate oral tablet 15 mg</i>	2	PA; QL (24 per 1 day)
<i>codeine sulfate oral tablet 30 mg</i>	2	PA; QL (12 per 1 day)
<i>codeine sulfate oral tablet 60 mg</i>	2	PA; QL (6 per 1 day)
<i>codeine-bitalbital-asa-caff</i>	2	PA; QL (6 per 1 day)
<i>endocet oral tablet 10-325 mg</i>	2	PA; QL (6 per 1 day)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	PA; QL (12 per 1 day)
<i>endocet oral tablet 7.5-325 mg</i>	2	PA; QL (8 per 1 day)
<i>fentanyl citrate buccal lozenge on a handle</i>	2	PA; QL (4 per 1 day)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	2	PA; QL (10 per 30 days)
FENTORA	4	PA; QL (4 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>hydrocodone bitartrate oral capsule, oral only, er 12hr</i>	3	PA; QL (2 per 1 day)
<i>hydrocodone bitartrate oral tablet,oral only,ext.rel.24 hr</i>	3	PA; QL (1 per 1 day)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	PA; QL (180 per 1 day)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg</i>	2	PA; QL (9 per 1 day)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg</i>	2	PA; QL (12 per 1 day)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i>	3	PA; QL (5 per 1 day)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	PA; QL (5 per 1 day)
<i>hydromorphone oral liquid</i>	2	PA; QL (22 per 1 day)
<i>hydromorphone oral tablet 2 mg</i>	2	PA; QL (11 per 1 day)
<i>hydromorphone oral tablet 4 mg</i>	2	PA; QL (5 per 1 day)
<i>hydromorphone oral tablet 8 mg</i>	2	PA; QL (2 per 1 day)
<i>hydromorphone oral tablet extended release 24 hr</i>	3	PA; QL (1 per 1 day)
<i>hydromorphone rectal</i>	2	PA; QL (4 per 1 day)
<i>meperidine oral solution</i>	2	PA; QL (90 per 1 day)
<i>meperidine oral tablet 50 mg</i>	2	PA; QL (18 per 1 day)
<i>methadone oral concentrate</i>	2	PA; QL (3 per 1 day)
<i>methadone oral solution 10 mg/5 ml</i>	2	PA; QL (15 per 1 day)
<i>methadone oral solution 5 mg/5 ml</i>	2	PA; QL (30 per 1 day)
<i>methadone oral tablet 10 mg</i>	2	PA; QL (3 per 1 day)
<i>methadone oral tablet 5 mg</i>	2	PA; QL (6 per 1 day)
<i>methadose oral concentrate</i>	2	PA; QL (3 per 1 day)
<i>morphine concentrate oral solution</i>	2	PA; QL (4 per 1 day)
<i>morphine oral solution 10 mg/5 ml</i>	2	PA; QL (45 per 1 day)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	PA; QL (22 per 1 day)
<i>morphine oral tablet 15 mg</i>	2	PA; QL (6 per 1 day)
<i>morphine oral tablet 30 mg</i>	2	PA; QL (3 per 1 day)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	2	PA; QL (2 per 1 day)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	2	PA; QL (3 per 1 day)
<i>morphine rectal suppository 10 mg, 5 mg</i>	3	PA; QL (6 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>morphine rectal suppository 20 mg</i>	3	PA; QL (4 per 1 day)
<i>morphine rectal suppository 30 mg</i>	3	PA; QL (3 per 1 day)
<i>oxycodone oral capsule</i>	2	PA; QL (12 per 1 day)
<i>oxycodone oral concentrate</i>	2	PA; QL (3 per 1 day)
<i>oxycodone oral solution</i>	2	PA; QL (60 per 1 day)
<i>oxycodone oral tablet 10 mg</i>	2	PA; QL (6 per 1 day)
<i>oxycodone oral tablet 15 mg</i>	2	PA; QL (4 per 1 day)
<i>oxycodone oral tablet 20 mg</i>	2	PA; QL (3 per 1 day)
<i>oxycodone oral tablet 30 mg</i>	2	PA; QL (2 per 1 day)
<i>oxycodone oral tablet 5 mg</i>	2	PA; QL (12 per 1 day)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	2	PA; QL (6 per 1 day)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	PA; QL (12 per 1 day)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	PA; QL (8 per 1 day)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR	3	PA; QL (2 per 1 day)
<i>oxymorphone oral tablet 10 mg</i>	2	PA; QL (3 per 1 day)
<i>oxymorphone oral tablet 5 mg</i>	2	PA; QL (6 per 1 day)
<i>oxymorphone oral tablet extended release 12 hr</i>	3	PA; QL (2 per 1 day)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	PA; SP; QL (0.5 per 28 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	PA; SP; QL (1.5 per 28 days)
<i>tencon</i>	2	QL (6 per 1 day)
XTAMPZA ER	4	PA; QL (2 per 1 day)
NON-NARCOTIC ANALGESICS		
<i>adult aspirin regimen</i>	2	ACA; OTC
<i>aspirin childrens</i>	2	ACA; OTC
<i>aspirin oral tablet,chewable</i>	2	ACA; OTC
<i>aspirin oral tablet,delayed release (dr/ec) 81 mg</i>	2	ACA; OTC
<i>bayer low dose aspirin</i>	2	ACA; OTC
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	3	QL (2 per 1 day)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg</i>	3	QL (12 per 1 day)
<i>buprenorphine-naloxone sublingual film 4-1 mg</i>	3	QL (6 per 1 day)
<i>buprenorphine-naloxone sublingual film 8-2 mg</i>	3	QL (3 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>	2	QL (12 per 1 day)
<i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>	2	QL (3 per 1 day)
<i>butorphanol nasal</i>	2	PA; QL (5 per 30 days)
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i>	2	QL (2 per 1 day)
<i>celecoxib oral capsule 400 mg</i>	2	QL (1 per 1 day)
<i>diclofenac potassium oral tablet 50 mg</i>	3	QL (4 per 1 day)
<i>diclofenac sodium oral tablet extended release 24 hr</i>	3	QL (2 per 1 day)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	3	QL (4 per 1 day)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	QL (4 per 1 day)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	QL (2 per 1 day)
<i>diclofenac-misoprostol</i>	3	PA; QL (4 per 1 day)
<i>diflunisal</i>	3	QL (3 per 1 day)
<i>ecotrin low strength</i>	2	ACA; OTC
<i>etodolac oral capsule 200 mg</i>	3	QL (4 per 1 day)
<i>etodolac oral capsule 300 mg</i>	3	QL (3 per 1 day)
<i>etodolac oral tablet</i>	2	QL (2 per 1 day)
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg</i>	3	QL (2 per 1 day)
<i>etodolac oral tablet extended release 24 hr 600 mg</i>	3	QL (1 per 1 day)
<i>flurbiprofen oral tablet 100 mg</i>	2	QL (3 per 1 day)
<i>ibu</i>	2	
<i>ibuprofen oral suspension</i>	2	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	2	
<i>indomethacin oral capsule 25 mg</i>	2	QL (3 per 1 day)
<i>indomethacin oral capsule 50 mg</i>	2	QL (4 per 1 day)
<i>indomethacin oral capsule, extended release</i>	2	QL (2 per 1 day)
<i>ketoprofen oral capsule 25 mg</i>	3	PA; QL (4 per 1 day)
<i>ketorolac oral</i>	2	QL (20 per 30 days)
KLOXXADO	3	2 sprays per fill
<i>mefenamic acid</i>	3	PA; 29 caps per fill
<i>meloxicam oral tablet</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>nabumetone oral tablet 500 mg</i>	2	QL (4 per 1 day)
<i>nabumetone oral tablet 750 mg</i>	2	QL (2 per 1 day)
<i>naloxone injection solution</i>	2	
<i>naloxone injection syringe</i>	2	
<i>naloxone nasal</i>	3	2 sprays per fill
<i>naltrexone</i>	2	
<i>naproxen oral tablet 250 mg</i>	2	QL (6 per 1 day)
<i>naproxen oral tablet 375 mg</i>	2	QL (4 per 1 day)
<i>naproxen oral tablet 500 mg</i>	2	QL (3 per 1 day)
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i>	2	QL (4 per 1 day)
<i>naproxen oral tablet, delayed release (dr/ec) 500 mg</i>	3	QL (2 per 1 day)
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	3	
NUCYNTA	4	PA; QL (4 per 1 day)
NUCYNTA ER	4	PA; QL (2 per 1 day)
OPVEE	4	2 units per fill
<i>oxaprozin oral tablet</i>	2	QL (2 per 1 day)
<i>pentazocine-naloxone</i>	3	PA; QL (4 per 1 day)
<i>piroxicam</i>	2	QL (1 per 1 day)
REXTOVY	4	2 sprays per fill
<i>salsalate</i>	2	
<i>st joseph aspirin</i>	2	ACA; OTC
<i>st. joseph aspirin</i>	2	ACA; OTC
<i>sulindac</i>	2	QL (2 per 1 day)
<i>tolmetin oral capsule</i>	3	
<i>tramadol oral tablet 50 mg</i>	2	PA; QL (8 per 1 day)
<i>tramadol oral tablet extended release 24 hr</i>	3	PA; QL (1 per 1 day)
<i>tramadol oral tablet, er multiphase 24 hr</i>	3	PA; QL (1 per 1 day)
<i>tramadol-acetaminophen</i>	2	PA; QL (8 per 1 day)
VIVITROL	5	SP
ZIMHI	4	2 syringes per fill
PSYCHOTHERAPEUTIC DRUGS		
ABILIFY MAINTENA	3	PA for Age less than or equal to 17 year(s); QL (1 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
ADDYI	4	PA; QL (1 per 1 day)
<i>alprazolam oral tablet</i>	2	
<i>alprazolam oral tablet extended release 24 hr</i>	2	
<i>alprazolam oral tablet,disintegrating</i>	3	
<i>amitriptyline</i>	2	
<i>amitriptyline-chlordiazepoxide</i>	3	
<i>amoxapine</i>	3	
<i>aripiprazole oral tablet</i>	2	PA for Age less than or equal to 17 year(s); QL (1 per 1 day)
ARISTADA INITIO	3	PA for Age less than or equal to 17 year(s); QL (2.4 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	3	PA for Age less than or equal to 17 year(s); QL (3.9 per 42 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	3	PA for Age less than or equal to 17 year(s); QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	3	PA for Age less than or equal to 17 year(s); QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	3	PA for Age less than or equal to 17 year(s); QL (3.2 per 28 days)
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg</i>	3	QL (1 per 1 day)
<i>armodafinil oral tablet 50 mg</i>	3	QL (2 per 1 day)
<i>asenapine maleate</i>	3	PA; QL (2 per 1 day)
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	2	QL (2 per 1 day)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	2	QL (1 per 1 day)
<i>bupropion hcl oral tablet 100 mg</i>	2	QL (4.5 per 1 day)
<i>bupropion hcl oral tablet 75 mg</i>	2	QL (6 per 1 day)
<i>bupropion hcl oral tablet extended release 24 hr 150 mg</i>	2	QL (3 per 1 day)
<i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>	2	QL (1 per 1 day)
<i>bupropion hcl oral tablet sustained-release 12 hr</i>	2	QL (2 per 1 day)
<i>bupirone</i>	2	
<i>chlordiazepoxide hcl</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>chlorpromazine oral tablet</i>	3	PA for Age less than or equal to 17 year(s); QL (4 per 1 day)
<i>citalopram oral solution</i>	3	QL (20 per 1 day)
<i>citalopram oral tablet 10 mg, 20 mg</i>	2	QL (1.5 per 1 day)
<i>citalopram oral tablet 40 mg</i>	2	QL (1 per 1 day)
<i>clomipramine</i>	3	
<i>clonidine hcl oral tablet extended release 12 hr</i>	2	
<i>clorazepate dipotassium</i>	3	
<i>clozapine oral tablet 100 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (9 per 1 day)
<i>clozapine oral tablet 200 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (4.5 per 1 day)
<i>clozapine oral tablet 25 mg, 50 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (3 per 1 day)
<i>desipramine</i>	3	
<i>desvenlafaxine succinate</i>	3	QL (1 per 1 day)
<i>dexmethylphenidate oral capsule,er biphasic 50-50</i>	3	PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)
<i>dexmethylphenidate oral tablet</i>	2	PA for Age greater than or equal to 19 year(s); QL (2 per 1 day)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg</i>	3	PA for Age greater than or equal to 19 year(s); QL (4 per 1 day)
<i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>	3	PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)
<i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i>	2	PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr</i>	2	PA for Age greater than or equal to 19 year(s); QL (2 per 1 day)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg</i>	2	PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)
<i>dextroamphetamine-amphetamine oral tablet 30 mg</i>	2	PA for Age greater than or equal to 19 year(s); QL (2 per 1 day)
<i>diazepam intensol</i>	3	
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	
<i>diazepam oral tablet</i>	2	
<i>doxepin oral capsule</i>	2	
<i>doxepin oral concentrate</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	2	QL (2 per 1 day)
<i>ergoloid</i>	3	
<i>escitalopram oxalate oral solution</i>	3	QL (20 per 1 day)
<i>escitalopram oxalate oral tablet 10 mg, 5 mg</i>	2	QL (1.5 per 1 day)
<i>escitalopram oxalate oral tablet 20 mg</i>	2	QL (1 per 1 day)
<i>estazolam</i>	2	
<i>eszopiclone</i>	2	QL (1 per 1 day)
<i>fluoxetine oral capsule</i>	2	QL (2 per 1 day)
<i>fluoxetine oral solution</i>	3	QL (20 per 1 day)
<i>fluoxetine oral tablet 10 mg, 20 mg</i>	3	QL (1 per 1 day)
<i>fluphenazine decanoate</i>	3	PA for Age less than or equal to 17 year(s); QL (5 per 30 days)
<i>fluphenazine hcl injection</i>	3	PA for Age less than or equal to 17 year(s); QL (5 per 30 days)
<i>fluphenazine hcl oral concentrate</i>	3	PA for Age less than or equal to 17 year(s); QL (8 per 1 day)
<i>fluphenazine hcl oral elixir</i>	3	PA for Age less than or equal to 17 year(s); QL (80 per 1 day)
<i>fluphenazine hcl oral tablet</i>	3	PA for Age less than or equal to 17 year(s); QL (4 per 1 day)
<i>flurazepam</i>	2	QL (1 per 1 day)
<i>fluvoxamine oral tablet 100 mg</i>	3	QL (3 per 1 day)
<i>fluvoxamine oral tablet 25 mg, 50 mg</i>	3	QL (1.5 per 1 day)
FOCALIN	4	PA for Age greater than or equal to 19 year(s); QL (2 per 1 day)
FOCALIN XR	4	PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)
<i>guanfacine oral tablet extended release 24 hr</i>	2	
<i>haloperidol decanoate</i>	3	PA for Age less than or equal to 17 year(s)
<i>haloperidol lactate injection</i>	2	PA for Age less than or equal to 17 year(s)
<i>haloperidol lactate intramuscular</i>	2	PA for age 17 and younger
<i>haloperidol lactate oral</i>	2	PA for Age less than or equal to 17 year(s); QL (15 per 1 day)
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 5 mg</i>	2	PA for Age less than or equal to 17 year(s); QL (3 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>haloperidol oral tablet 20 mg</i>	2	PA for Age less than or equal to 17 year(s); QL (1.5 per 1 day)
HETLIOZ LQ	5	PA; SP
<i>imipramine hcl</i>	2	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	3	PA for Age less than or equal to 17 year(s); QL (3.5 per 135 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	3	PA for Age less than or equal to 17 year(s); QL (5 per 135 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	3	PA for Age less than or equal to 17 year(s); QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	3	PA for Age less than or equal to 17 year(s); QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	3	PA for Age less than or equal to 17 year(s); QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	PA for Age less than or equal to 17 year(s); QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	3	PA for Age less than or equal to 17 year(s); QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	3	PA for Age less than or equal to 17 year(s); QL (0.88 per 63 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	3	PA for Age less than or equal to 17 year(s); QL (1.32 per 63 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	3	PA for Age less than or equal to 17 year(s); QL (1.75 per 63 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	3	PA for Age less than or equal to 17 year(s); QL (2.63 per 63 days)
<i>lisdexamfetamine</i>	3	PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)
<i>lithium carbonate</i>	2	
<i>lithium citrate</i>	2	
<i>lorazepam intensol</i>	3	
<i>lorazepam oral concentrate</i>	3	
<i>lorazepam oral tablet</i>	2	
<i>loxapine succinate oral capsule 10 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (8 per 1 day)
<i>loxapine succinate oral capsule 25 mg, 5 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (4 per 1 day)
<i>loxapine succinate oral capsule 50 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (5 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
LUMRYZ	4	PA; SP; QL (1 per 1 day)
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>	3	PA; QL (1 per 1 day)
<i>lurasidone oral tablet 80 mg</i>	3	PA; QL (2 per 1 day)
MARPLAN	4	PA
<i>methamphetamine</i>	3	PA for Age greater than or equal to 19 year(s); QL (5 per 1 day)
<i>methylphenidate hcl oral capsule, er biphasic 30-70</i>	3	PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 30 mg, 40 mg</i>	3	PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)
<i>methylphenidate hcl oral solution 10 mg/5 ml</i>	3	PA for Age greater than or equal to 19 year(s); QL (30 per 1 day)
<i>methylphenidate hcl oral solution 5 mg/5 ml</i>	3	PA for Age greater than or equal to 19 year(s); QL (60 per 1 day)
<i>methylphenidate hcl oral tablet</i>	2	PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)
<i>methylphenidate hcl oral tablet extended release</i>	2	PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>	3	PA for Age greater than or equal to 19 year(s); QL (1 per 1 day)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>	3	PA for Age greater than or equal to 19 year(s); QL (2 per 1 day)
MIDAZOLAM ORAL SYRUP 10 MG/5 ML (2 MG/ML)	4	
<i>midazolam oral syrup 2 mg/ml</i>	2	
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg</i>	2	QL (1 per 1 day)
<i>mirtazapine oral tablet 7.5 mg</i>	3	QL (1 per 1 day)
<i>mirtazapine oral tablet,disintegrating</i>	3	QL (1 per 1 day)
<i>modafinil</i>	3	QL (1 per 1 day)
<i>nefazodone oral tablet 100 mg, 150 mg, 250 mg, 50 mg</i>	3	QL (2 per 1 day)
<i>nefazodone oral tablet 200 mg</i>	3	QL (3 per 1 day)
<i>nortriptyline oral capsule</i>	2	
<i>nortriptyline oral solution</i>	3	
NUPLAZID	5	PA; SP; QL (1 per 1 day)
<i>olanzapine oral tablet</i>	2	PA for Age less than or equal to 17 year(s); QL (1 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>olanzapine-fluoxetine</i>	3	PA for Age less than or equal to 17 year(s)
<i>oxazepam</i>	3	
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>	3	PA; QL (1 per 1 day)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	3	PA; QL (2 per 1 day)
<i>paroxetine hcl oral tablet 10 mg, 40 mg</i>	2	QL (1.5 per 1 day)
<i>paroxetine hcl oral tablet 20 mg</i>	2	QL (1 per 1 day)
<i>paroxetine hcl oral tablet 30 mg</i>	2	QL (2 per 1 day)
<i>perphenazine oral tablet 16 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (2 per 1 day)
<i>perphenazine oral tablet 2 mg, 4 mg, 8 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (4 per 1 day)
<i>perphenazine-amitriptyline</i>	3	PA for Age less than or equal to 17 year(s)
PERSERIS	3	PA for Age less than or equal to 17 year(s); QL (1 per 28 days)
<i>phenelzine</i>	2	
<i>pimozide oral tablet 1 mg</i>	3	QL (10 per 1 day)
<i>pimozide oral tablet 2 mg</i>	3	QL (5 per 1 day)
<i>protriptyline</i>	3	
QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 150 MG	4	PA; QL (1 per 1 day)
QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 200 MG	4	PA; QL (2 per 1 day)
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	2	PA for Age less than or equal to 17 year(s); QL (3 per 1 day)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	PA for Age less than or equal to 17 year(s); QL (2 per 1 day)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (1 per 1 day)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (2 per 1 day)
<i>ramelteon</i>	3	ST; QL (1 per 1 day)
REXULTI ORAL TABLET	4	PA; QL (1 per 1 day)
<i>risperidone microspheres</i>	3	PA for Age less than or equal to 17 year(s); QL (2 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>risperidone oral solution</i>	2	PA for Age less than or equal to 17 year(s); QL (8 per 1 day)
<i>risperidone oral tablet</i>	2	PA for Age less than or equal to 17 year(s); QL (2 per 1 day)
RYKINDO	3	PA for Age less than or equal to 17 year(s); QL (2 per 28 days)
<i>sertraline oral concentrate</i>	3	QL (10 per 1 day)
<i>sertraline oral tablet 100 mg</i>	2	QL (2 per 1 day)
<i>sertraline oral tablet 25 mg, 50 mg</i>	2	QL (1.5 per 1 day)
SODIUM OXYBATE	5	PA; SP; LA; QL (18 per 1 day)
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2)	5	PA; SP; QL (8 per 28 days)
SPRAVATO NASAL SPRAY, NON-AEROSOL 84 MG (28 MG X 3)	5	PA; SP; QL (12 per 28 days)
SUNOSI	4	PA; QL (1 per 1 day)
<i>tasimelteon</i>	5	PA; SP; QL (1 per 1 day)
<i>temazepam oral capsule 15 mg, 30 mg</i>	2	QL (1 per 1 day)
<i>thioridazine oral tablet 10 mg, 25 mg, 50 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (4 per 1 day)
<i>thioridazine oral tablet 100 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (8 per 1 day)
<i>thiothixene oral capsule 1 mg, 2 mg, 5 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (3 per 1 day)
<i>thiothixene oral capsule 10 mg</i>	3	PA for Age less than or equal to 17 year(s); QL (6 per 1 day)
<i>tranlycypromine</i>	3	QL (6 per 1 day)
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	2	QL (3 per 1 day)
<i>trazodone oral tablet 300 mg</i>	3	QL (2 per 1 day)
<i>triazolam</i>	2	QL (1 per 1 day)
<i>trifluoperazine</i>	3	PA for Age less than or equal to 17 year(s); QL (4 per 1 day)
<i>trimipramine</i>	3	
TRINTELLIX	4	ST; QL (1 per 1 day)
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML	3	PA for Age less than or equal to 17 year(s); QL (0.28 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	3	PA for Age less than or equal to 17 year(s); QL (0.35 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	3	PA for Age less than or equal to 17 year(s); QL (0.42 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	3	PA for Age less than or equal to 17 year(s); QL (0.56 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	3	PA for Age less than or equal to 17 year(s); QL (0.7 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	3	PA for Age less than or equal to 17 year(s); QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	3	PA for Age less than or equal to 17 year(s); QL (0.21 per 28 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i>	2	QL (1 per 1 day)
<i>venlafaxine oral capsule,extended release 24hr 75 mg</i>	2	QL (3 per 1 day)
<i>venlafaxine oral tablet</i>	2	QL (3 per 1 day)
<i>vilazodone</i>	3	ST; QL (1 per 1 day)
WAKIX	5	PA; SP; LA; QL (2 per 1 day)
XYWAV	5	PA; SP; LA; QL (18 per 1 day)
<i>zaleplon</i>	2	QL (1 per 1 day)
<i>zenzedi oral tablet 10 mg, 5 mg</i>	2	PA for Age greater than or equal to 19 year(s); QL (3 per 1 day)
<i>ziprasidone hcl</i>	3	PA for Age less than or equal to 17 year(s); QL (2 per 1 day)
<i>zolpidem oral tablet</i>	2	QL (1 per 1 day)
<i>zolpidem oral tablet,ext release multiphase</i>	3	QL (1 per 1 day)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA; SP; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA; SP; QL (14 per 14 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG	3	PA for Age less than or equal to 17 year(s); QL (2 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	3	PA for Age less than or equal to 17 year(s); QL (1 per 28 days)

CARDIOVASCULAR, HYPERTENSION & LIPIDS

ANTIARRHYTHMIC AGENTS

<i>amiodarone oral tablet 100 mg, 400 mg</i>	3	
<i>amiodarone oral tablet 200 mg</i>	2	
<i>disopyramide phosphate oral capsule</i>	3	
<i>dofetilide</i>	3	QL (99 per 99 days)
<i>flecainide</i>	2	
<i>mexiletine</i>	3	
MULTAQ	3	
<i>pacerone oral tablet 100 mg, 400 mg</i>	3	
<i>pacerone oral tablet 200 mg</i>	2	
<i>propafenone oral tablet</i>	2	
<i>quinidine gluconate oral</i>	3	
<i>sotalol af</i>	2	
<i>sotalol oral</i>	2	

ANTIHYPERTENSIVE THERAPY

<i>acebutolol</i>	2	
<i>aliskiren</i>	3	
<i>amiloride</i>	2	
<i>amiloride-hydrochlorothiazide</i>	2	
<i>amlodipine</i>	1	
<i>amlodipine-benazepril</i>	1	
<i>amlodipine-olmesartan</i>	3	
<i>amlodipine-valsartan</i>	3	
<i>atenolol</i>	1	
<i>atenolol-chlorthalidone</i>	2	
<i>benazepril</i>	1	
<i>benazepril-hydrochlorothiazide</i>	2	
<i>betaxolol oral</i>	2	
<i>bisoprolol fumarate</i>	2	
<i>bisoprolol-hydrochlorothiazide</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>bumetanide oral</i>	2	
<i>candesartan</i>	3	ST
<i>candesartan-hydrochlorothiazid</i>	3	ST
<i>captopril</i>	2	
<i>cartia xt</i>	2	
<i>carvedilol</i>	1	
<i>chlorthalidone oral tablet 25 mg</i>	1	
<i>chlorthalidone oral tablet 50 mg</i>	2	
<i>clonidine</i>	3	
<i>clonidine hcl oral tablet</i>	2	
<i>diltiazem hcl oral capsule,ext.rel 24h degradable</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24hr 360 mg</i>	3	
<i>diltiazem hcl oral tablet</i>	2	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	3	
<i>dilt-xr</i>	2	
DIURIL	4	
<i>doxazosin</i>	2	
<i>enalapril maleate oral tablet</i>	1	
<i>enalapril-hydrochlorothiazide</i>	1	
<i>eplerenone</i>	2	
<i>ethacrynic acid</i>	3	PA
<i>felodipine</i>	2	
<i>fosinopril</i>	1	
<i>fosinopril-hydrochlorothiazide</i>	2	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	
<i>furosemide oral tablet</i>	1	
<i>guanfacine oral tablet</i>	2	
HEMANGEOL	4	PA
<i>hydralazine oral</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>hydrochlorothiazide</i>	1	
<i>indapamide</i>	2	
<i>irbesartan</i>	1	
<i>irbesartan-hydrochlorothiazide</i>	1	
<i>isradipine</i>	3	
KERENDIA	4	PA; QL (1 per 1 day)
<i>labetalol oral</i>	2	
<i>lisinopril</i>	1	
<i>lisinopril-hydrochlorothiazide</i>	1	
<i>losartan</i>	1	
<i>losartan-hydrochlorothiazide</i>	1	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg</i>	3	
<i>methyldopa</i>	2	
<i>metolazone</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 200 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz</i>	3	
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg</i>	1	
<i>metoprolol tartrate oral tablet 75 mg</i>	2	
<i>metyrosine</i>	3	PA
<i>minoxidil oral</i>	2	
<i>moexipril</i>	2	
<i>nadolol</i>	2	
<i>nebivolol</i>	3	
<i>nifedipine</i>	2	
<i>nimodipine</i>	3	
<i>olmesartan</i>	1	
<i>olmesartan-hydrochlorothiazide</i>	2	
ORENITRAM	5	PA; SP; QL (3 per 1 day)
ORENITRAM MONTH 1 TITRATION KT	5	PA; SP; QL (168 per 365 days)
ORENITRAM MONTH 2 TITRATION KT	5	PA; SP; QL (336 per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
ORENITRAM MONTH 3 TITRATION KT	5	PA; SP; QL (252 per 365 days)
<i>perindopril erbumine</i>	2	
<i>phenoxybenzamine</i>	3	PA
<i>pindolol</i>	3	
<i>prazosin</i>	2	
<i>propranolol oral</i>	2	
<i>quinapril</i>	1	
<i>quinapril-hydrochlorothiazide</i>	2	
<i>ramipril</i>	1	
<i>spironolactone oral tablet</i>	2	
<i>spironolacton-hydrochlorothiaz</i>	2	
<i>telmisartan</i>	2	
<i>terazosin</i>	2	
<i>tiadylt er</i>	2	
<i>timolol maleate oral</i>	3	
<i>torse mide oral</i>	2	
<i>trandolapril</i>	1	
<i>trandolapril-verapamil</i>	3	
<i>triamterene</i>	2	
<i>triamterene-hydrochlorothiazid</i>	2	
UPTRAVI ORAL TABLET	5	PA; SP; LA; QL (2 per 1 day)
UPTRAVI ORAL TABLETS,DOSE PACK	5	PA; SP; LA; QL (200 per 365 days)
<i>valsartan oral tablet</i>	1	
<i>valsartan-hydrochlorothiazide</i>	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	3	
<i>verapamil oral tablet</i>	2	
<i>verapamil oral tablet extended release</i>	2	
CARDIAC GLYCOSIDES		
<i>digoxin oral solution</i>	2	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	
COAGULATION THERAPY		
ALVAIZ ORAL TABLET 18 MG, 9 MG	5	PA; SP; QL (1 per 1 day)
ALVAIZ ORAL TABLET 36 MG, 54 MG	5	PA; SP; QL (2 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>aminocaproic acid oral solution</i>	3	
<i>aminocaproic acid oral tablet</i>	2	
<i>aspirin-dipyridamole</i>	3	
BRILINTA	3	
CABLIVI INJECTION KIT	5	PA; SP; LA; QL (59 per 365 days)
<i>cilostazol</i>	2	
<i>clopidogrel</i>	2	
<i>dabigatran etexilate</i>	3	
<i>dipyridamole oral</i>	2	
DOPTELET (15 TAB PACK)	5	PA; SP; LA; QL (2 per 1 day)
ELIQUIS	3	
ELIQUIS DVT-PE TREAT 30D START	3	
<i>enoxaparin</i>	5	SP
<i>fondaparinux</i>	5	SP
FRAGMIN SUBCUTANEOUS SOLUTION	5	SP
FRAGMIN SUBCUTANEOUS SYRINGE	5	SP
<i>heparin (porcine) injection cartridge</i>	2	
<i>heparin (porcine) injection solution</i>	2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
<i>heparin, porcine (pf) injection solution</i>	2	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	
<i>jantoven</i>	2	
MULPLETA	5	PA; SP; QL (7 per 365 days)
<i>pentoxifylline</i>	2	
<i>phytonadione (vitamin k1) oral tablet 5 mg</i>	2	
<i>prasugrel</i>	2	
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; SP; LA; QL (1 per 1 day)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; SP; LA; QL (3 per 1 day)
PROMACTA ORAL TABLET 12.5 MG, 25 MG	5	PA; SP; LA; QL (1 per 1 day)
PROMACTA ORAL TABLET 50 MG	5	PA; SP; LA; QL (3 per 1 day)
PROMACTA ORAL TABLET 75 MG	5	PA; SP; LA; QL (2 per 1 day)
TAVALISSE	5	PA; SP; LA; QL (2 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>warfarin</i>	2	
XARELTO DVT-PE TREAT 30D START	3	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION	3	QL (20 per 1 day)
XARELTO ORAL TABLET	3	
ZONTIVITY	4	PA
LIPID/CHOLESTEROL LOWERING AGENTS		
<i>amlodipine-atorvastatin</i>	3	
<i>atorvastatin oral tablet 10 mg, 20 mg</i>	1	ACA
<i>atorvastatin oral tablet 40 mg, 80 mg</i>	1	
<i>cholestyramine (with sugar)</i>	2	
<i>cholestyramine light</i>	2	
<i>colesevelam</i>	3	
<i>colestipol</i>	2	
<i>ezetimibe</i>	1	
<i>ezetimibe-simvastatin</i>	3	PA
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	2	
<i>fenofibrate nanocrystallized</i>	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	
<i>fenofibric acid (choline)</i>	2	
<i>gemfibrozil</i>	2	
<i>icosapent ethyl</i>	3	PA; QL (4 per 1 day)
JUXTAPID	5	PA; SP; LA
<i>lovastatin</i>	1	ACA
NEXLETOL	4	PA; QL (1 per 1 day)
NEXLIZET	4	PA; QL (1 per 1 day)
<i>niacin oral tablet 500 mg</i>	3	
<i>niacin oral tablet extended release 24 hr</i>	3	
NIACOR	3	
<i>omega-3 acid ethyl esters</i>	3	QL (4 per 1 day)
<i>pravastatin</i>	1	ACA
<i>prevalite</i>	2	
REPATHA PUSHTRONEX	3	PA; QL (3.5 per 28 days)
REPATHA SURECLICK	3	PA; QL (2 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
REPATHA SYRINGE	3	PA; QL (2 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 5 mg</i>	1	ACA
<i>rosuvastatin oral tablet 20 mg, 40 mg</i>	1	
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	ACA
<i>simvastatin oral tablet 80 mg</i>	1	
MISCELLANEOUS CARDIOVASCULAR AGENTS		
CAMZYOS	5	PA; SP; QL (1 per 1 day)
CORLANOR ORAL SOLUTION	4	PA; QL (15 per 1 day)
ENTRESTO	3	
<i>ivabradine</i>	3	QL (2 per 1 day)
LODOCO	4	PA; QL (1 per 1 day)
<i>ranolazine</i>	3	
VERQUVO	4	PA; QL (1 per 1 day)
VYNDAMAX	5	PA; SP; QL (1 per 1 day)
VYNDAQEL	5	PA; SP; QL (4 per 1 day)
NITRATES		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	3	
<i>isosorbide dinitrate oral tablet 40 mg</i>	2	
<i>isosorbide mononitrate</i>	2	
<i>nitro-bid</i>	3	
<i>nitroglycerin sublingual</i>	2	
<i>nitroglycerin transdermal patch 24 hour</i>	2	
DERMATOLOGICALS/TOPICAL THERAPY		
ANTIPSORIATIC / ANTISEBORRHEIC		
<i>acitretin</i>	3	
BIMZELX	5	PA; SP; QL (2 per 42 days)
BIMZELX AUTOINJECTOR	5	PA; QL (2 per 42 days)
<i>calcipotriene scalp</i>	3	
<i>calcipotriene topical cream</i>	3	
<i>calcipotriene topical ointment</i>	3	
<i>calcitriol topical</i>	3	
COSENTYX (2 SYRINGES)	5	PA; SP; QL (2 per 28 days)
COSENTYX PEN	5	PA; SP; QL (1 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
COSENTYX PEN (2 PENS)	5	PA; SP; QL (2 per 28 days)
COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; SP; QL (1 per 28 days)
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; SP; QL (0.5 per 28 days)
COSENTYX UNOREADY PEN	5	PA; SP; QL (2 per 28 days)
ILUMYA	5	PA; SP; QL (1 per 63 days)
<i>selenium sulfide topical lotion</i>	2	
<i>selenium sulfide topical shampoo 2.25 %</i>	3	
SILIQ	5	PA; SP; QL (3 per 28 days)
SKYRIZI SUBCUTANEOUS PEN INJECTOR	5	PA; SP; QL (1 per 63 days)
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; SP; QL (1 per 63 days)
SOTYKTU	5	PA; SP; QL (1 per 1 day)
SPEVIGO SUBCUTANEOUS	5	PA; SP; QL (2 per 28 days)
STELARA INTRAVENOUS	5	PA; SP; QL (52 per 365 days)
STELARA SUBCUTANEOUS SOLUTION	5	PA; SP; QL (0.5 per 63 days)
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	5	PA; SP; QL (0.5 per 63 days)
STELARA SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; SP; QL (1 per 42 days)
TALTZ AUTOINJECTOR	5	PA; SP; QL (1 per 28 days)
TALTZ AUTOINJECTOR (2 PACK)	5	PA; SP; QL (1 per 28 days)
TALTZ AUTOINJECTOR (3 PACK)	5	PA; SP; QL (1 per 28 days)
TALTZ SYRINGE	5	PA; SP; QL (1 per 28 days)
TREMFYA	5	PA; SP; QL (1 per 42 days)
ZORYVE TOPICAL FOAM	4	PA; SP; QL (1 per 30 days)
BURN THERAPY		
<i>silver sulfadiazine</i>	2	
<i>ssd</i>	2	
MISCELLANEOUS DERMATOLOGICALS		
ADBRY	5	PA; SP; QL (4 per 28 days)
<i>ammonium lactate</i>	2	
<i>diclofenac sodium topical gel 3 %</i>	2	QL (100 per 365 days)
DRYSOL DAB-O-MATIC	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML	5	PA; SP; QL (2.28 per 28 days)
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; SP; QL (4 per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	5	PA; SP; QL (2.28 per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; SP; QL (4 per 28 days)
EUCRISA	4	ST; QL (1 per 30 days)
<i>fluorouracil topical cream 5 %</i>	2	QL (40 per 365 days)
<i>fluorouracil topical solution</i>	2	QL (10 per 365 days)
HYFTOR	5	PA; SP; QL (3 per 30 days)
<i>methoxsalen</i>	5	SP
OPZELURA	5	PA; SP; QL (60 per 30 days)
PANRETIN	5	PA; SP
<i>pimecrolimus</i>	3	ST
<i>podofilox topical solution</i>	2	
REGRANEX	4	QL (15 per 720 days)
<i>tacrolimus topical</i>	2	
VALCHLOR	5	PA; SP; QL (60 per 30 days)
THERAPY FOR ACNE		
<i>adapalene topical cream</i>	3	PA for Age greater than or equal to 29 year(s); QL (45 per 30 days)
<i>adapalene topical gel 0.3 %</i>	3	PA for Age greater than or equal to 29 year(s); QL (45 per 30 days)
<i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i>	3	
<i>amnesteem</i>	3	
<i>azelaic acid</i>	3	
<i>brimonidine topical</i>	3	PA; QL (30 per 30 days)
<i>claravis</i>	3	
<i>clindacin etz topical swab</i>	2	
<i>clindacin p</i>	2	
<i>clindamycin phosphate topical gel</i>	3	
<i>clindamycin phosphate topical lotion</i>	3	
<i>clindamycin phosphate topical solution</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>clindamycin phosphate topical swab</i>	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i>	2	
<i>dapsone topical gel</i>	3	ST
<i>ery pads</i>	3	
<i>erygel</i>	3	
<i>erythromycin with ethanol topical gel</i>	3	
<i>erythromycin with ethanol topical solution</i>	2	
<i>erythromycin-benzoyl peroxide</i>	3	ST
<i>ivermectin topical cream</i>	3	PA
<i>metronidazole topical cream</i>	2	
<i>metronidazole topical gel 0.75 %</i>	2	QL (45 per 30 days)
<i>metronidazole topical gel 1 %</i>	3	QL (60 per 30 days)
<i>metronidazole topical gel with pump</i>	3	QL (60 per 30 days)
<i>neuac</i>	2	
<i>rosadan topical cream</i>	2	
<i>rosadan topical gel</i>	2	QL (45 per 30 days)
<i>sulfacetamide sodium-sulfur topical cleanser 10-5 % (w/w)</i>	2	
<i>sulfacetamide sodium-sulfur topical suspension 8-4 %</i>	2	
<i>sulfacleanse 8-4</i>	2	
<i>tazarotene topical cream 0.1 %</i>	3	
<i>tretinoin topical cream 0.025 %, 0.05 %</i>	2	PA for Age greater than or equal to 29 year(s); QL (1 per 30 days)
<i>tretinoin topical cream 0.1 %</i>	3	PA for Age greater than or equal to 29 year(s); QL (1 per 30 days)
<i>zenatane</i>	3	
TOPICAL ANESTHETICS		
<i>dermacinrx lidocan</i>	2	QL (3 per 1 day)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	3	
<i>lidocaine topical adhesive patch,medicated 5 %</i>	3	QL (3 per 1 day)
<i>lidocaine topical ointment</i>	2	
<i>lidocaine viscous</i>	2	PA for Age less than or equal to 2 year(s)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>lidocaine-prilocaine topical cream</i>	2	
<i>lidocan iii</i>	3	QL (3 per 1 day)
<i>lidocan iv</i>	3	QL (3 per 1 day)
<i>lidocan v</i>	3	QL (3 per 1 day)
<i>tridacaine ii</i>	3	QL (3 per 1 day)
TOPICAL ANTIBACTERIALS		
ALTABAX	4	PA; 30 grams per fill
<i>gentamicin topical</i>	2	
<i>mupirocin</i>	2	
<i>sulfacetamide sodium (acne)</i>	3	
SULFAMYLON TOPICAL CREAM	4	
XEPI	4	PA; 30 grams per fill
TOPICAL ANTIFUNGALS		
<i>ciclodan</i>	2	
<i>ciclopirox topical cream</i>	2	
<i>ciclopirox topical gel</i>	3	
<i>ciclopirox topical shampoo</i>	3	
<i>ciclopirox topical solution</i>	2	
<i>ciclopirox topical suspension</i>	3	
<i>clotrimazole-betamethasone topical cream</i>	2	
<i>econazole</i>	3	
<i>ketoconazole topical cream</i>	2	
<i>ketoconazole topical shampoo</i>	2	
<i>klayesta</i>	2	
LULICONAZOLE	4	PA
<i>naftifine topical cream</i>	3	PA
<i>nyamyc</i>	2	
<i>nystatin topical</i>	2	
<i>nystatin-triamcinolone</i>	2	
<i>nystop</i>	2	
<i>oxiconazole</i>	3	PA
SULCONAZOLE TOPICAL SOLUTION	4	PA
<i>tavaborole</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
TOPICAL ANTIVIRALS		
<i>acyclovir topical ointment</i>	2	
<i>penciclovir</i>	3	PA; 5 grams per fill
TOPICAL CORTICOSTEROIDS		
<i>alclometasone</i>	3	
<i>betamethasone dipropionate</i>	3	
<i>betamethasone valerate topical cream</i>	3	
<i>betamethasone valerate topical lotion</i>	3	
<i>betamethasone valerate topical ointment</i>	3	
<i>betamethasone, augmented topical cream</i>	2	
<i>betamethasone, augmented topical ointment</i>	3	
<i>clobetasol scalp</i>	2	
<i>clobetasol topical cream</i>	2	
<i>clobetasol topical gel</i>	3	
<i>clobetasol topical ointment</i>	2	
<i>clobetasol topical shampoo</i>	3	
<i>clobetasol topical spray,non-aerosol</i>	3	
<i>clobetasol-emollient topical cream</i>	3	
<i>clodan</i>	3	
<i>desonide topical cream</i>	3	
<i>desonide topical lotion</i>	3	
<i>desonide topical ointment</i>	3	
<i>desoximetasone topical cream 0.25 %</i>	3	
<i>desoximetasone topical ointment 0.25 %</i>	3	
<i>desoximetasone topical spray,non-aerosol</i>	3	
<i>fluocinolone</i>	3	
<i>fluocinolone and shower cap</i>	3	
<i>fluocinonide topical cream 0.05 %</i>	3	
<i>fluocinonide topical ointment</i>	3	
<i>fluocinonide topical solution</i>	3	
<i>fluticasone propionate topical cream</i>	2	
<i>fluticasone propionate topical ointment</i>	2	
<i>halobetasol propionate topical cream</i>	3	
<i>hydrocortisone butyrate topical cream</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>hydrocortisone butyrate topical ointment</i>	3	
<i>hydrocortisone butyrate topical solution</i>	3	
<i>hydrocortisone topical cream 2.5 %</i>	2	
<i>hydrocortisone topical lotion 2.5 %</i>	2	
<i>hydrocortisone topical ointment 2.5 %</i>	2	
<i>hydrocortisone valerate topical cream</i>	3	
<i>mometasone topical</i>	2	
<i>prednicarbate topical ointment</i>	3	
<i>triamcinolone acetonide topical cream</i>	2	
<i>triamcinolone acetonide topical lotion</i>	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>triderm topical cream</i>	2	
TOPICAL ENZYMES		
SANTYL	4	QL (2 per 720 days)
TOPICAL SCABICIDES / PEDICULICIDES		
<i>malathion</i>	2	QL (120 per 30 days)
<i>permethrin</i>	2	QL (120 per 30 days)
<i>spinosad</i>	3	QL (120 per 30 days)
DIAGNOSTICS & MISCELLANEOUS AGENTS		
ANOREXIANTS		
IMCIVREE	5	PA; SP; QL (9 per 30 days)
MISCELLANEOUS AGENTS		
<i>acamprosate</i>	3	
<i>anagrelide</i>	2	
<i>caffeine citrate oral</i>	2	
<i>carglumic acid</i>	5	PA; SP
<i>cevimeline</i>	3	
CHEMET	4	PA for Age greater than or equal to 18 year(s)
CUVRIOR	5	PA; SP; QL (10 per 1 day)
<i>deferasirox</i>	5	PA; SP
<i>deferiprone</i>	5	PA; SP
<i>disulfiram</i>	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>droxidopa</i>	5	PA; SP
DUVYZAT	5	PA; SP; QL (3 per 35 days)
ENDARI	5	PA; SP; QL (2 per 1 day)
FABHALTA	5	PA; SP; QL (2 per 1 day)
FERRIPROX ORAL SOLUTION	5	PA; SP
<i>glutamine (sickle cell)</i>	5	PA; SP; QL (2 per 1 day)
INCRELEX	5	PA; SP; LA
JOENJA	5	PA; SP; QL (2 per 1 day)
<i>levocarnitine (with sugar)</i>	3	
<i>levocarnitine oral solution 100 mg/ml</i>	3	
<i>levocarnitine oral tablet</i>	3	
LITFULO	5	PA; SP; QL (1 per 1 day)
<i>midodrine</i>	2	
<i>nitisinone</i>	5	PA; SP; LA
NITYR	5	PA; SP; LA
OLPRUVA	5	PA; SP
ORFADIN ORAL SUSPENSION	5	PA; SP; LA
OXBRYTA	5	PA; SP; LA; QL (3 per 1 day)
PHEBURANE	5	PA; SP
<i>pilocarpine hcl oral tablet 5 mg</i>	2	
PYRUKYND ORAL TABLET 20 MG, 50 MG	5	PA; SP; LA; QL (2 per 1 day)
PYRUKYND ORAL TABLET 5 MG	5	PA; 2 tabs per day; 7 tabs in 365 days; SP; LA
PYRUKYND ORAL TABLETS,DOSE PACK	5	PA; SP; LA; QL (14 per 365 days)
RAVICTI	5	PA; SP; QL (17.5 per 1 day)
REVCOVI	5	PA; SP; LA
REZDIFFRA	5	PA; SP; QL (1 per 1 day)
<i>riluzole</i>	3	
<i>risedronate oral tablet 30 mg</i>	3	
<i>sodium chloride irrigation</i>	2	
<i>sodium phenylbutyrate</i>	5	PA; SP
SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG	5	PA; SP; LA; QL (2 per 1 day)
SOHONOS ORAL CAPSULE 2.5 MG, 5 MG	5	PA; SP; LA; QL (1 per 1 day)
TAVNEOS	5	PA; SP; QL (6 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>tiopronin</i>	5	PA; SP
<i>trientine oral capsule 250 mg</i>	5	PA; SP; QL (8 per 1 day)
TRIENTINE ORAL CAPSULE 500 MG	5	PA; SP; QL (4 per 1 day)
VOYDEYA	5	PA; SP; QL (180 per 30 days)
XURIDEN	5	SP
ZOKINVY	5	PA; SP

SMOKING DETERRENTS

<i>bupropion hcl (smoking deter)</i>	2	ACA; QL (2 per 1 day)
<i>nicorette buccal gum 4 mg</i>	9	183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC
<i>nicotine</i>	9	183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC
<i>nicotine (polacrilex)</i>	9	183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC
NICOTROL NS	4	183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA
<i>quit 2</i>	9	183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC
<i>quit 4</i>	9	183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC
<i>stop smoking aid</i>	9	183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC
<i>varenicline</i>	3	183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA

EAR, NOSE & THROAT MEDICATIONS

MISCELLANEOUS AGENTS

<i>azelastine nasal</i>	2	
<i>chlorhexidine gluconate mucous membrane</i>	2	
<i>denta 5000 plus</i>	2	
<i>denta 5000 plus sensitive</i>	2	
<i>dentagel</i>	2	
<i>fluoride (sodium) dental cream</i>	2	
<i>fluoride (sodium) dental gel</i>	2	
<i>fluoride (sodium) dental paste</i>	2	
GELCLAIR	4	15 units per fill
<i>ipratropium bromide nasal</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>kourzeq</i>	2	
<i>olopatadine nasal</i>	3	
<i>oralone</i>	2	
<i>paroex oral rinse</i>	2	
<i>periogard</i>	2	
<i>pilocarpine hcl oral tablet 7.5 mg</i>	2	
<i>sf</i>	2	
<i>sf 5000 plus</i>	2	
<i>sodium fluoride 5000 plus</i>	2	
<i>sodium fluoride-pot nitrate</i>	2	
<i>triamcinolone acetamide dental</i>	2	
MISCELLANEOUS OTIC PREPARATIONS		
<i>acetic acid otic (ear)</i>	2	
<i>ciprofloxacin hcl otic (ear)</i>	3	
<i>flac otic oil</i>	3	
<i>fluocinolone acetonide oil</i>	3	
<i>hydrocortisone-acetic acid</i>	2	
<i>ofloxacin otic (ear)</i>	2	
OTIC STEROID / ANTIBIOTIC		
CIPRO HC	4	
<i>ciprofloxacin-dexamethasone</i>	3	
CORTISPORIN-TC	4	
<i>neomycin-polymyxin-hc otic (ear)</i>	2	
ENDOCRINE/DIABETES		
ADRENAL HORMONES		
ACTHAR	5	PA; SP
AGAMREE	4	PA; QL (200 per 26 days)
CORTROPHIN GEL	5	PA; SP
<i>deflazacort</i>	5	PA; SP
<i>dexamethasone oral elixir</i>	2	
<i>dexamethasone oral solution</i>	2	
<i>dexamethasone oral tablet</i>	2	
<i>fludrocortisone</i>	2	
<i>hydrocortisone oral</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>methylprednisolone oral tablet 16 mg, 32 mg, 8 mg</i>	3	
<i>methylprednisolone oral tablet 4 mg</i>	2	
<i>methylprednisolone oral tablets, dose pack</i>	2	
<i>prednisolone oral solution</i>	2	
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	3	
<i>prednisone</i>	2	
TARPEYO	5	PA; SP; QL (4 per 1 day)
ANTITHYROID AGENTS		
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	
<i>propylthiouracil</i>	2	
BLOOD GLUCOSE MONITORING DEVICES & SUPPLIES		
ACCU-CHEK AVIVA PLUS TEST STRP	3	100 units per 30 days; OTC
ACCU-CHEK GUIDE TEST STRIPS	3	100 units per 30 days; OTC
ACCU-CHEK SMARTVIEW TEST STRIP	3	100 units per 30 days; OTC
ONETOUCH ULTRA TEST	3	100 units per 30 days; OTC
ONETOUCH VERIO TEST STRIPS	3	100 units per 30 days; OTC
DIABETES, SUPPLIES, & DURABLE MEDICAL EQUIPMENT		
AEROCHAMBER MECHANICAL VENT	3	
AEROCHAMBER MINI	3	
AEROCHAMBER PLUS FLOW-VU	3	
AEROCHAMBER PLUS Z STAT	3	
AEROVENT PLUS	3	
COMPACT SPACE CHAMBER	3	
EASIVENT HOLDING CHAMBER	3	
FLEXICHAMBER	3	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.5 ML 29 GAUGE X 1/2"	2	
MICROCHAMBER	3	
OPTICHAMBER DIAMOND VHC	3	
POCKET CHAMBER	3	
RITEFLO AEROCHAMBER	3	
SPACE CHAMBER	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
VORTEX HOLDING CHAMBER	3	
GLUCOSE ELEVATING AGENTS		
BAQSIMI	3	
GLUCAGON (HCL) EMERGENCY KIT	3	
<i>glucagon emergency kit (human)</i>	3	
GVOKE	3	
GVOKE HYPOPEN 2-PACK	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	3	
INSULIN SYRINGES/MISCELLANEOUS DURABLE MEDICAL EQU		
ACCU-CHEK GUIDE GLUCOSE METER	9	OTC; QL (1 per 274 days)
ACCU-CHEK GUIDE L1-L2 CTRL SOL	2	OTC
ACCU-CHEK GUIDE ME GLUCOSE MTR	9	OTC; QL (1 per 274 days)
ACCU-CHEK SMARTVIEW CONTRL SOL	2	OTC
BD INTEGRA NEEDLE	2	
BD MICROTAINER LANCET 30 GAUGE	2	OTC; QL (210 per 30 days)
BD SPECIALTY USE NEEDLES NEEDLE 30 GAUGE X 1/2"	2	
BD ULTRA-FINE NANO PEN NEEDLE	2	OTC
DEXCOM G6 RECEIVER	4	PA; CGM; QL (1 per 720 days)
DEXCOM G6 SENSOR	4	PA; CGM; QL (3 per 30 days)
DEXCOM G6 TRANSMITTER	4	PA; CGM; QL (1 per 68 days)
DEXCOM G7 RECEIVER	4	PA; 1 rx per 720 days; CGM
DEXCOM G7 SENSOR	4	PA; CGM; QL (3 per 30 days)
FREESTYLE LIBRE 14 DAY READER	3	PA; CGM; QL (1 per 720 days)
FREESTYLE LIBRE 14 DAY SENSOR	3	PA; CGM; QL (2 per 28 days)
FREESTYLE LIBRE 2 READER	4	PA; CGM; QL (1 per 720 days)
FREESTYLE LIBRE 2 SENSOR	4	PA; CGM; QL (2 per 28 days)
FREESTYLE LIBRE 3 READER	4	PA; CGM; QL (1 per 720 days)
FREESTYLE LIBRE 3 SENSOR	4	PA; CGM; QL (2 per 28 days)
GENTEEL VACUUM LANCING DEVICE	2	OTC
LANCETS 33 GAUGE	2	OTC; QL (210 per 30 days)
LANCING DEVICE	2	OTC
OMNIPOD 5 G6 INTRO KIT (GEN 5)	3	QL (1 per 720 days)
OMNIPOD 5 G6 PODS (GEN 5)	3	QL (10 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
OMNIPOD CLASSIC PODS (GEN 3)	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4)	3	QL (1 per 720 days)
OMNIPOD DASH PODS (GEN 4)	3	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY	3	QL (10 per 30 days)
ONETOUCH ULTRA CONTROL	2	OTC
ONETOUCH ULTRA2 METER	9	OTC; QL (1 per 274 days)
ONETOUCH VERIO FLEX METER	9	OTC; QL (1 per 274 days)
ONETOUCH VERIO MID CONTROL	2	OTC
ONETOUCH VERIO REFLECT METER	9	OTC; QL (1 per 274 days)
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	2	OTC
V-GO 20	3	QL (30 per 30 days)
V-GO 30	3	QL (30 per 30 days)
V-GO 40	3	QL (30 per 30 days)
INSULIN THERAPY		
APIDRA U-100 INSULIN	4	PA; 100 units per 30 days
HUMALOG JUNIOR KWIKPEN U-100	2	100 units per 30 days
HUMALOG KWIKPEN INSULIN	2	100 units per 30 days
HUMALOG MIX 50-50 KWIKPEN	2	100 units per 30 days
HUMALOG MIX 75-25 KWIKPEN	2	100 units per 30 days
HUMALOG MIX 75-25(U-100)INSULN	2	100 units per 30 days
HUMALOG U-100 INSULIN	2	100 units per 30 days
HUMULIN 70/30 U-100 INSULIN	3	100 units per 30 days
HUMULIN 70/30 U-100 KWIKPEN	3	100 units per 30 days
HUMULIN N NPH INSULIN KWIKPEN	3	100 units per 30 days
HUMULIN N NPH U-100 INSULIN	3	100 units per 30 days
HUMULIN R REGULAR U-100 INSULN	3	100 units per 30 days
HUMULIN R U-500 (CONC) INSULIN	3	100 units per 30 days
HUMULIN R U-500 (CONC) KWIKPEN	3	100 units per 30 days
LANTUS SOLOSTAR U-100 INSULIN	3	100 units per 30 days
LANTUS U-100 INSULIN	3	100 units per 30 days
SOLIQUA 100/33	4	ST; QL (18 per 28 days)
TOUJEO MAX U-300 SOLOSTAR	3	100 units per 30 days
TOUJEO SOLOSTAR U-300 INSULIN	3	100 units per 30 days

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
TRESIBA FLEXTOUCH U-100	3	100 units per 30 days
TRESIBA FLEXTOUCH U-200	3	100 units per 30 days
TRESIBA U-100 INSULIN	3	100 units per 30 days
XULTOPHY 100/3.6	4	ST; QL (15 per 28 days)
MISCELLANEOUS HORMONES		
<i>cabergoline</i>	2	
<i>calcitonin (salmon) nasal</i>	2	
<i>calcitriol oral</i>	2	
CERDELGA	5	PA; SP; QL (2 per 1 day)
CHORIONIC GONADOTROPIN, HUMAN INJECTION RECON SOLN 6,000 UNIT	5	PA; SP
CHORIONIC GONADOTROPIN, HUMAN INTRAMUSCULAR	5	PA; SP
<i>cinacalcet oral tablet 30 mg, 60 mg</i>	3	PA; QL (2 per 1 day)
<i>cinacalcet oral tablet 90 mg</i>	3	PA; QL (4 per 1 day)
<i>clomiphene citrate</i>	3	QL (10 per 30 days)
<i>danazol</i>	3	
<i>desmopressin injection</i>	2	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	
DESMOPRESSIN NASAL SPRAY, NON-AEROSOL 150 MCG/SPRAY (0.1 ML)	5	SP
<i>desmopressin oral</i>	2	
<i>doxercalciferol oral</i>	3	
GALAFOLD	5	PA; SP; LA; QL (14 per 28 days)
ISTURISA ORAL TABLET 1 MG, 5 MG	5	PA; SP; LA; QL (4 per 1 day)
JYNARQUE ORAL TABLET	5	PA; SP; LA; QL (4 per 1 day)
JYNARQUE ORAL TABLETS, SEQUENTIAL	5	PA; SP; LA; QL (56 per 28 days)
KYZATREX	4	PA; QL (2 per 1 day)
<i>methyltestosterone oral capsule</i>	3	QL (5 per 1 day)
<i>mifepristone oral tablet 300 mg</i>	5	PA; SP; QL (4 per 1 day)
<i>miglustat</i>	5	PA; SP; LA; QL (3 per 1 day)
MYALEPT	5	PA; SP; LA
NOVAREL INTRAMUSCULAR RECON SOLN 5,000 UNIT	5	PA; SP
OPFOLDA	5	PA; SP; QL (8 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
ORILISSA	4	PA
OVIDREL	5	PA; SP
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	5	PA; SP; LA; QL (0.5 per 1 day)
PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	5	PA; SP; LA; QL (0.15 per 1 day)
PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; SP; LA; QL (3 per 1 day)
<i>paricalcitol oral</i>	3	
PREGNYL	5	PA; SP
RECORLEV	5	PA; SP; QL (8 per 1 day)
<i>sapropterin</i>	5	PA; SP
SOMAVERT	5	PA; SP
STRENSIQ	5	PA; SP; LA
SYNAREL	5	PA; SP; QL (8 per 28 days)
<i>testosterone cypionate</i>	2	PA
<i>testosterone enanthate</i>	2	PA
<i>testosterone transdermal</i>	3	PA
<i>tolvaptan oral tablet 15 mg</i>	5	PA; SP; LA; QL (30 per 365 days)
<i>tolvaptan oral tablet 30 mg</i>	5	PA; SP; LA; QL (60 per 365 days)
VOXZOGO	5	PA; SP; QL (1 per 1 day)
NON-INSULIN HYPOGLYCEMIC AGENTS		
<i>acarbose</i>	2	
CYCLOSET	4	
FARXIGA	3	QL (1 per 1 day)
<i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i>	1	
<i>glipizide oral tablet 10 mg, 5 mg</i>	1	
<i>glipizide oral tablet extended release 24hr</i>	1	
<i>glipizide-metformin</i>	2	
<i>glyburide micronized</i>	2	
<i>glyburide oral tablet 1.25 mg</i>	2	
<i>glyburide oral tablet 2.5 mg, 5 mg</i>	1	
<i>glyburide-metformin oral tablet 1.25-250 mg</i>	2	
<i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
GLYXAMBI	3	
JANUMET	3	
JANUMET XR	3	
JANUVIA	3	
JARDIANCE	3	
JENTADUETO	3	
JENTADUETO XR	3	
<i>metformin oral tablet 1,000 mg, 500 mg, 850 mg</i>	1	
<i>metformin oral tablet extended release 24 hr</i>	1	
<i>migliol</i>	3	
MOUNJARO	3	PA; QL (2 per 28 days)
<i>nateglinide</i>	3	
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML)	3	PA; QL (9 per 63 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone</i>	1	
<i>pioglitazone-metformin</i>	2	
<i>repaglinide</i>	3	
RYBELSUS ORAL TABLET 14 MG, 7 MG	3	PA; QL (1 per 1 day)
RYBELSUS ORAL TABLET 3 MG	3	PA; QL (30 per 365 days)
SYMLINPEN 120	4	
SYMLINPEN 60	4	
SYNJARDY	3	
SYNJARDY XR	3	
TRADJENTA	3	
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (1 per 1 day)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	3	QL (2 per 1 day)
TRULICITY	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG, 5-500 MG	3	QL (1 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG	3	QL (2 per 1 day)
THYROID HORMONES		
<i>euthyrox</i>	1	
<i>levo-t</i>	1	
<i>levothyroxine oral tablet</i>	1	
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	
<i>liothyronine oral</i>	2	
<i>np thyroid</i>	2	
SYNTHROID	4	
<i>unithroid</i>	1	
GASTROENTEROLOGY		
ANTIDIARRHEALS & ANTISPASMODICS		
<i>anaspaz</i>	2	
<i>chlordiazepoxide-clidinium</i>	3	
<i>dicyclomine oral capsule</i>	2	
<i>dicyclomine oral solution</i>	3	QL (40 per 1 day)
<i>dicyclomine oral tablet</i>	2	
<i>diphenoxylate-atropine oral tablet</i>	2	
<i>ed-spaz</i>	2	
<i>glycopyrrolate oral solution</i>	3	PA
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	
<i>hyoscyamine sulfate oral elixir</i>	2	
<i>hyoscyamine sulfate oral tablet</i>	2	
<i>hyoscyamine sulfate oral tablet extended release 12 hr</i>	2	
<i>hyoscyamine sulfate oral tablet, disintegrating</i>	2	
<i>hyoscyamine sulfate sublingual</i>	2	
<i>hyosyne oral elixir</i>	2	
<i>methscopolamine</i>	2	
<i>oscimin</i>	2	
<i>oscimin sl</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
MISCELLANEOUS AGENTS		
<i>lanthanum</i>	3	ST; QL (3 per 1 day)
LOKELMA	4	PA; QL (3 per 1 day)
<i>sevelamer carbonate oral tablet</i>	2	QL (17 per 1 day)
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol)</i>	3	
VELPHORO	4	ST; QL (6 per 1 day)
VELTASSA	4	PA; QL (1 per 1 day)
MISCELLANEOUS GASTROINTESTINAL AGENTS		
AKYNZEO (NETUPITANT)	4	QL (1 per 28 days)
<i>alosetron</i>	3	PA; QL (2 per 1 day)
<i>alvimopan</i>	3	
<i>anucort-hc</i>	2	
ANZEMET ORAL TABLET 50 MG	4	
<i>aprepitant oral capsule 125 mg</i>	3	QL (5 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	3	1 cap per fill
<i>aprepitant oral capsule 80 mg</i>	3	QL (10 per 28 days)
<i>aprepitant oral capsule, dose pack</i>	3	QL (15 per 28 days)
<i>balsalazide</i>	2	
<i>betaine</i>	5	SP
<i>budesonide oral capsule, delayed, extend. release</i>	2	
<i>budesonide oral tablet, delayed and ext. release</i>	3	PA
<i>budesonide rectal</i>	3	
BYLVAY ORAL CAPSULE 1,200 MCG	5	PA; SP; LA; QL (5 per 1 day)
BYLVAY ORAL CAPSULE 400 MCG	5	PA; SP; LA; QL (10 per 1 day)
BYLVAY ORAL PELLETT 200 MCG	5	PA; SP; LA; QL (8 per 1 day)
BYLVAY ORAL PELLETT 600 MCG	5	PA; SP; LA; QL (4 per 1 day)
CHENODAL	5	SP; LA
CHOLBAM ORAL CAPSULE 250 MG	5	PA; SP; QL (7 per 1 day)
CHOLBAM ORAL CAPSULE 50 MG	5	PA; SP; QL (4 per 1 day)
CIMZIA	5	PA; SP; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST	5	PA; SP; QL (2 per 28 days)
<i>citrate of magnesia</i>	9	ACA; OTC
<i>citroma</i>	9	ACA; OTC

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>clearlax oral powder</i>	9	ACA; OTC
<i>compro</i>	2	
<i>constulose</i>	2	
CREON	3	
<i>cromolyn oral</i>	2	
DIPENTUM	4	ST
<i>doxylamine-pyridoxine (vit b6)</i>	3	ST; QL (4 per 1 day)
<i>dronabinol</i>	2	
<i>dulcolax (magnesium hydroxide) oral suspension</i>	9	ACA; OTC
ENTYVIO PEN	5	PA; SP; QL (1.36 per 28 days)
<i>enulose</i>	2	
EOHILIA	5	PA; SP; QL (600 per 30 days)
GATTEX 30-VIAL	5	PA; SP
<i>gavilax oral powder</i>	9	ACA; OTC
<i>gavilyte-c</i>	2	ACA
<i>gavilyte-g</i>	2	ACA
<i>gavilyte-n</i>	2	ACA
<i>generlac</i>	2	
<i>gentle laxative (bisacodyl) oral</i>	9	ACA; OTC
<i>gentlelax</i>	9	ACA; OTC
<i>granisetron hcl oral</i>	2	QL (10 per 30 days)
<i>hemmorex-hc rectal suppository 25 mg</i>	2	
<i>hydrocortisone acetate rectal suppository 25 mg</i>	2	
<i>hydrocortisone rectal</i>	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	2	
<i>hydrocortisone-pramoxine rectal cream</i>	3	
IBSRELA	4	PA; QL (2 per 1 day)
IQIRVO	5	PA; SP; QL (1 per 1 day)
<i>lactulose oral solution 10 gram/15 ml, 20 gram/30 ml</i>	2	
<i>laxative (bisacodyl) oral tablet, delayed release (dr/ec)</i>	9	ACA; OTC
<i>laxative peg 3350</i>	9	ACA; OTC
<i>lidocaine hcl-hydrocortison ac rectal cream</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
LINZESS	3	QL (1 per 1 day)
<i>lubiprostone</i>	3	QL (2 per 1 day)
<i>magnesium citrate oral solution</i>	9	ACA; OTC
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	
<i>mesalamine oral capsule (with del rel tablets)</i>	3	
<i>mesalamine oral capsule, extended release</i>	3	
<i>mesalamine oral capsule, extended release 24hr</i>	3	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i>	3	
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	3	ST
<i>mesalamine rectal enema</i>	2	
<i>mesalamine rectal suppository</i>	2	QL (1 per 1 day)
<i>metoclopramide hcl oral solution</i>	2	
<i>metoclopramide hcl oral tablet</i>	2	
<i>milk of magnesia</i>	9	ACA; OTC
<i>milk of magnesia concentrated</i>	9	ACA; OTC
MOTEGRITY	4	ST; QL (1 per 1 day)
MOVANTIK	3	QL (1 per 1 day)
<i>natura-lax</i>	9	ACA; OTC
OALIVA	5	PA; SP; LA; QL (1 per 1 day)
OMVOH PEN	5	PA; SP; QL (2 per 28 days)
OMVOH SUBCUTANEOUS	5	PA; SP; QL (2 per 28 days)
<i>ondansetron hcl oral solution</i>	2	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	
<i>onelax magnesium citrate</i>	9	ACA; OTC
<i>oral saline laxative</i>	9	ACA; OTC
PANCREAZE ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT, 4,200-14,200- 24,600 UNIT	4	ST
<i>peg 3350-electrolytes</i>	2	ACA
<i>peg-electrolyte soln</i>	2	ACA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	3	
PERTZYE	4	ST
<i>phosphate laxative</i>	9	ACA; OTC
<i>polyethylene glycol 3350 oral powder</i>	9	ACA; OTC
<i>powderlax oral powder</i>	9	ACA; OTC
<i>prochlorperazine</i>	2	
<i>prochlorperazine maleate</i>	2	
PROCTOFOAM HC	3	
<i>procto-med hc</i>	2	
<i>proctosol hc topical</i>	2	
<i>proctozone-hc</i>	2	
<i>purelax oral powder</i>	9	ACA; OTC
RECTIV	4	
RELISTOR ORAL	4	PA; QL (3 per 1 day)
RELISTOR SUBCUTANEOUS SOLUTION	4	PA; QL (0.6 per 1 day)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	4	PA; QL (0.6 per 1 day)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	4	PA; QL (0.4 per 1 day)
<i>scopolamine base</i>	2	QL (10 per 30 days)
SKYRIZI INTRAVENOUS	5	PA; SP; QL (3 per 365 days)
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML)	5	PA; SP; QL (1.2 per 42 days)
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	5	PA; SP; QL (2.4 per 42 days)
<i>smoothlax oral powder</i>	9	ACA; OTC
SUCRAID	5	PA; SP; QL (8 per 1 day)
<i>sulfasalazine</i>	2	
SYMPROIC	3	QL (1 per 1 day)
SYNDROS	4	PA
<i>trimethobenzamide oral</i>	2	
TRULANCE	4	PA; QL (1 per 1 day)
<i>ursodiol oral capsule 300 mg</i>	3	
<i>ursodiol oral tablet</i>	3	
VARUBI	4	QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
VELSIPITY	5	PA; SP; QL (1 per 1 day)
VIBERZI	4	PA; QL (2 per 1 day)
VIOKACE	4	ST
VOWST	4	PA; SP; QL (12 per 365 days)
women's gentle laxative(bisac)	9	ACA; OTC
ZELNORM	4	PA; QL (2 per 1 day)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	3	
ZYMFENTRA	5	PA; SP; QL (2 per 28 days)

ULCER THERAPY

<i>amoxicil-clarithromy-lansopraz</i>	3	QL (224 per 365 days)
<i>cimetidine hcl oral</i>	2	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	2	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i>	2	QL (2 per 1 day)
<i>esomeprazole magnesium oral granules dr for susp in packet</i>	3	PA for Age greater than or equal to 8 year(s); QL (2 per 1 day)
<i>famotidine oral suspension for reconstitution</i>	3	
<i>famotidine oral tablet 20 mg, 40 mg</i>	2	
<i>lansoprazole oral capsule, delayed release(dr/ec)</i>	2	QL (2 per 1 day)
<i>lansoprazole oral tablet, disintegrat, delay rel</i>	3	PA for Age greater than or equal to 9 year(s); QL (1 per 1 day)
<i>misoprostol</i>	2	
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 2.5 MG, 5 MG	4	PA for Age greater than or equal to 9 year(s); QL (2 per 1 day)
<i>nizatidine oral capsule</i>	3	
<i>omeprazole oral capsule, delayed release(dr/ec)</i>	2	QL (2 per 1 day)
<i>pantoprazole oral tablet, delayed release (dr/ec)</i>	2	QL (2 per 1 day)
<i>rabeprazole oral tablet, delayed release (dr/ec)</i>	3	QL (2 per 1 day)
<i>sucralfate oral suspension</i>	3	
<i>sucralfate oral tablet</i>	2	

IMMUNOLOGY, VACCINES & BIOTECHNOLOGY

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
ANTIVIRALS		
<i>ribavirin oral capsule</i>	5	SP
<i>ribavirin oral tablet 200 mg</i>	5	SP
BIOTECHNOLOGY DRUGS		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML	5	PA; SP
ARANESP (IN POLYSORBATE) INJECTION SYRINGE	5	PA; SP
ARCALYST	5	PA; SP; QL (4 per 28 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	5	PA; SP
FULPHILA	5	PA; SP
FYLNETRA	5	PA; SP
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML	5	PA; SP; QL (4 per 1 day)
GRANIX SUBCUTANEOUS SOLUTION 480 MCG/1.6 ML	5	PA; SP; QL (4.8 per 1 day)
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML	5	PA; SP; QL (2 per 1 day)
GRANIX SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML	5	PA; SP; QL (2.4 per 1 day)
LEUKINE INJECTION RECON SOLN	5	PA; SP
MIRCERA	5	PA; SP
NEULASTA	5	PA; SP
NEULASTA ONPRO	5	PA; SP
NEUPOGEN INJECTION SOLUTION 300 MCG/ML	5	PA; SP; QL (3 per 1 day)
NEUPOGEN INJECTION SOLUTION 480 MCG/1.6 ML	5	PA; SP; QL (4.8 per 1 day)
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML	5	PA; SP; QL (1.5 per 1 day)
NEUPOGEN INJECTION SYRINGE 480 MCG/0.8 ML	5	PA; SP; QL (2.4 per 1 day)
NIVESTYM INJECTION SOLUTION 300 MCG/ML	5	PA; SP; QL (3 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
NIVESTYM INJECTION SOLUTION 480 MCG/1.6 ML	5	PA; SP; QL (4.8 per 1 day)
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML	5	PA; SP; QL (1.5 per 1 day)
NIVESTYM SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML	5	PA; SP; QL (2.4 per 1 day)
NYVEPRIA	5	PA; SP
PROCRIT	5	PA; SP
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML	5	PA; SP; QL (1.5 per 1 day)
RELEUKO SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML	5	PA; SP; QL (2.4 per 1 day)
RETACRIT	5	PA; SP
ROLVEDON	5	PA; SP
STIMUFEND	5	PA; SP
UDENYCA	5	PA; SP
UDENYCA AUTOINJECTOR	5	PA; SP
UDENYCA ONBODY	5	PA; SP
XOLREMDI	5	PA; SP; QL (4 per 1 day)
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML	5	PA; SP; QL (1.5 per 1 day)
ZARXIO INJECTION SYRINGE 480 MCG/0.8 ML	5	PA; SP; QL (2.4 per 1 day)
ZIEXTENZO	5	PA; SP
GROWTH HORMONES		
EGRIFTA SV	5	PA; SP
GENOTROPIN	5	PA; SP
GENOTROPIN MINIQUICK	5	PA; SP
HUMATROPE INJECTION CARTRIDGE	5	PA; SP
NGENLA	5	PA; SP
NORDITROPIN FLEXPOR	5	PA; SP
NUTROPIN AQ NUSPIN	5	PA; SP
OMNITROPE	5	PA; SP
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; SP
SKYTROFA	5	PA; SP

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
SOGROYA	4	PA; SP; QL (3 per 28 days)
ZOMACTON	5	PA; SP
INTERFERONS		
ACTIMMUNE	5	PA; SP
ALFERON N	5	SP
BESREMI	5	PA; SP; QL (2 per 28 days)
PEGASYS	5	SP
MULTIPLE SCLEROSIS AGENTS		
AVONEX INTRAMUSCULAR PEN INJECTOR KIT	5	SP
AVONEX INTRAMUSCULAR SYRINGE KIT	5	SP
BAFIERTAM	5	PA; SP; QL (4 per 1 day)
BETASERON SUBCUTANEOUS KIT	5	SP
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	5	SP; QL (60 per 365 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg, 240 mg</i>	5	SP; QL (2 per 1 day)
<i>fingolimod</i>	5	SP
<i>glatiramer</i>	5	SP
<i>glatopa</i>	5	SP
KESIMPTA PEN	5	PA; SP; QL (0.4 per 28 days)
MAVENCLAD (10 TABLET PACK)	5	PA; 2 tablets per day; 4 packs in 720 days; SP; LA
MAVENCLAD (4 TABLET PACK)	5	PA; 2 tablets per day; 4 packs in 720 days; SP; LA
MAVENCLAD (5 TABLET PACK)	5	PA; 2 tablets per day; 4 packs in 720 days; SP; LA
MAVENCLAD (6 TABLET PACK)	5	PA; 2 tablets per day; 4 packs in 720 days; SP; LA
MAVENCLAD (7 TABLET PACK)	5	PA; 2 tablets per day; 4 packs in 720 days; SP; LA
MAVENCLAD (8 TABLET PACK)	5	PA; 2 tablets per day; 4 packs in 720 days; SP; LA
MAVENCLAD (9 TABLET PACK)	5	PA; 2 tablets per day; 4 packs in 720 days; SP; LA
MAYZENT ORAL TABLET 0.25 MG	5	PA; SP; QL (12 per 365 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; SP; QL (1 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
MAYZENT STARTER(FOR 1MG MAINT)	5	PA; SP; QL (7 per 365 days)
MAYZENT STARTER(FOR 2MG MAINT)	5	PA; SP; QL (12 per 365 days)
PLEGRIDY INTRAMUSCULAR	5	SP; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	SP; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	SP; QL (1 per 365 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	SP; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	SP; QL (1 per 365 days)
PONVORY	5	PA; SP; QL (1 per 1 day)
PONVORY 14-DAY STARTER PACK	5	PA; SP; QL (28 per 365 days)
REBIF (WITH ALBUMIN)	5	SP; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	SP; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	SP; QL (4.2 per 365 days)
REBIF TITRATION PACK	5	SP; QL (4.2 per 365 days)
<i>teriflunomide</i>	5	SP
VUMERITY	5	PA; SP; QL (4 per 1 day)
VACCINES & MISCELLANEOUS IMMUNOLOGICALS		
ABRYSVO (PF)	9	PA for Age less than or equal to 59 year(s); ACA
ACTHIB (PF)	9	ACA
ADACEL(TDAP ADOLESN/ADULT)(PF)	9	ACA
AFLURIA TRIV 2024-2025	9	ACA
AFLURIA TRIV 2024-2025 (PF)	9	ACA
AREXVY (PF)	9	PA for Age less than or equal to 59 year(s); ACA
BEXSERO	9	ACA
BOOSTRIX TDAP	9	ACA
CAPVAXIVE	9	ACA
CUVITRU	5	PA; SP
DAPTACEL (DTAP PEDIATRIC) (PF)	9	ACA
DENGVAXIA (PF)	9	ACA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
ENGERIX-B (PF)	9	ACA
ENGERIX-B PEDIATRIC (PF)	9	ACA
FLUAD TRIV 2024-25(65Y UP)(PF)	9	ACA
FLUARIX TRIV 2024-2025 (PF)	9	ACA
FLUBLOK TRIV 2024-2025 (PF)	9	ACA
FLUCELVAX TRIV 2024-2025	9	ACA
FLUCELVAX TRIV 2024-2025 (PF)	9	ACA
FLULAVAL TRIV 2024-2025 (PF)	9	ACA
FLUMIST TRIVALENT 2024-2025	9	ACA
FLUZONE HIGH-DOSE TRIV 24-25	9	ACA
FLUZONE TRIV 2024-2025	9	ACA
FLUZONE TRIV 2024-2025 (PF)	9	ACA
GARDASIL 9 (PF)	9	ACA
GRASTEK	4	PA; QL (1 per 1 day)
HAVRIX (PF)	9	ACA
HEPLISAV-B (PF)	9	ACA
HIBERIX (PF)	9	ACA
INFANRIX (DTAP) (PF)	9	ACA
IPOL	9	ACA
KINRIX (PF)	9	ACA
MENQUADFI (PF)	9	ACA
MENVEO A-C-Y-W-135-DIP (PF)	9	ACA
M-M-R II (PF)	9	ACA
MRESVIA (PF)	9	ACA
ODACTRA	4	PA; QL (1 per 1 day)
ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY	4	PA; QL (1 per 1 day)
PALFORZIA (LEVEL 1)	5	PA; SP; QL (45 per 365 days)
PALFORZIA (LEVEL 2)	5	PA; SP; QL (90 per 365 days)
PALFORZIA (LEVEL 3)	5	PA; SP; QL (45 per 365 days)
PALFORZIA (LEVEL 4)	5	PA; SP; QL (15 per 365 days)
PALFORZIA (LEVEL 5)	5	PA; SP; QL (30 per 365 days)
PALFORZIA (LEVEL 6)	5	PA; SP; QL (60 per 365 days)
PALFORZIA (LEVEL 7)	5	PA; SP; QL (30 per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
PALFORZIA (LEVEL 8)	5	PA; SP; QL (60 per 365 days)
PALFORZIA (LEVEL 9)	5	PA; SP; QL (30 per 365 days)
PALFORZIA (LEVEL 10)	5	PA; SP; QL (60 per 365 days)
PALFORZIA INITIAL DOSE	5	PA; SP; QL (15 per 365 days)
PALFORZIA LEVEL 11 MAINTENANCE	5	PA; SP; QL (30 per 30 days)
PEDIARIX (PF)	9	ACA
PEDVAX HIB (PF)	9	ACA
PENBRAYA (PF)	9	ACA
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML	9	ACA
PNEUMOVAX-23 INJECTION SYRINGE	9	ACA
PREHEVBRIO (PF)	9	ACA
PREVNAR 20 (PF)	9	ACA
PRIORIX (PF)	9	ACA
PROQUAD (PF)	9	ACA
QUADRACEL (PF)	9	ACA
RAGWITEK	4	PA; QL (1 per 1 day)
RECOMBIVAX HB (PF)	9	ACA
ROTARIX ORAL SUSPENSION	9	ACA
ROTATEQ VACCINE	9	ACA
SHINGRIX (PF)	9	ACA
TDVAX	9	ACA
TENIVAC (PF)	9	ACA
TRUMENBA	9	ACA
TWINRIX (PF)	9	ACA
VAQTA (PF)	9	ACA
VARIVAX (PF)	9	ACA
VAXELIS (PF)	9	ACA
VAXNEUVANCE (PF)	9	ACA

IMMUNOLOGY

INTERLEUKINS

<i>imiquimod topical cream in packet 5 %</i>	2	QL (36 per 365 days)
----------------------------------------------	---	----------------------

MUSCULOSKELETAL & RHEUMATOLOGY

GOUT THERAPY

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>allopurinol oral tablet 100 mg, 300 mg</i>	2	
<i>colchicine oral tablet</i>	2	
<i>febuxostat</i>	2	ST
<i>probenecid</i>	2	
<i>probenecid-colchicine</i>	2	
OSTEOPOROSIS THERAPY		
<i>alendronate oral tablet 10 mg, 35 mg, 70 mg</i>	1	
FOSAMAX PLUS D	3	
<i>ibandronate oral</i>	2	
<i>raloxifene</i>	2	ACA
<i>risedronate oral tablet 150 mg, 35 mg, 5 mg</i>	3	
<i>teriparatide subcutaneous pen injector 20 mcg/dose (600mcg/2.4ml)</i>	5	PA; SP; QL (1 per 28 days)
TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)	5	PA; SP; QL (1 per 28 days)
TYMLOS	5	PA; SP; QL (1.56 per 28 days)
OTHER RHEUMATOLOGICALS		
ACTEMRA ACTPEN	5	PA; SP; QL (3.6 per 28 days)
ACTEMRA SUBCUTANEOUS	5	PA; SP; QL (3.6 per 28 days)
BENLYSTA SUBCUTANEOUS	5	PA; SP; QL (4 per 28 days)
ENBREL MINI	5	PA; SP; QL (4 per 28 days)
ENBREL SUBCUTANEOUS SOLUTION	5	PA; SP; QL (4 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE	5	PA; SP; QL (4 per 28 days)
ENBREL SURECLICK	5	PA; SP; QL (4 per 28 days)
KEVZARA	5	PA; SP; QL (2.28 per 28 days)
KINERET	5	PA; SP; QL (18.76 per 28 days)
<i>leflunomide</i>	2	
OLUMIANT	5	PA; SP; QL (1 per 1 day)
ORENCIA CLICKJECT	5	PA; SP; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	5	PA; SP; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	5	PA; SP; QL (1.6 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	5	PA; SP; QL (2.8 per 28 days)
OTEZLA	5	PA; SP; QL (2 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47)	5	PA; SP; QL (55 per 365 days)
OTREXUP (PF)	4	ST; SP
<i>penicillamine</i>	5	PA; SP; QL (16 per 1 day)
RASUVO (PF)	4	ST; SP
RIDAURA	4	SP
RINVOQ LQ	5	PA; SP; QL (12 per 1 day)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG	5	PA; SP; QL (1 per 1 day)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG	5	PA; SP; QL (56 per 365 days)
SAVELLA ORAL TABLET	4	ST
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML	5	PA; SP; QL (1 per 28 days)
SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML	5	PA; SP; QL (0.5 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; SP; QL (1 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML	5	PA; SP; QL (0.5 per 28 days)
TYENNE AUTOINJECTOR	5	PA; SP; QL (3.6 per 28 days)
TYENNE SUBCUTANEOUS	5	PA; SP; QL (3.6 per 28 days)
XELJANZ ORAL SOLUTION	5	PA; SP; QL (10 per 1 day)
XELJANZ ORAL TABLET	5	PA; SP; QL (2 per 1 day)
XELJANZ XR	5	PA; SP; QL (1 per 1 day)

OBSTETRICS & GYNECOLOGY

DIAPHRAGMS AND OTHER NON-ORAL CONTRACEPTIVES

CAYA CONTOURED	9	ACA
DUREX AVANTI BARE REAL FEEL	9	ACA; OTC
FC2 FEMALE CONDOM	9	ACA; OTC
FEMCAP VAGINAL DEVICE 22 MM	9	ACA
TRUSTEX-RIA NON-LUB CONDOMS	9	ACA; OTC
WIDE-SEAL DIAPHRAGM	9	ACA

ESTROGENS & PROGESTINS

<i>camila</i>	2	ACA
---------------	---	-----

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>covaryx</i>	3	
<i>covaryx h.s.</i>	3	
CRINONE	4	PA
<i>deblitane</i>	2	ACA
<i>dotti</i>	3	
DUAVEE	4	PA
<i>eemt</i>	3	
<i>eemt hs</i>	3	
<i>emzahh</i>	2	ACA
<i>errin</i>	2	ACA
<i>estradiol oral</i>	2	
<i>estradiol transdermal patch semiweekly</i>	3	
<i>estradiol transdermal patch weekly</i>	3	
<i>estradiol vaginal</i>	3	
<i>estradiol-norethindrone acet</i>	3	
<i>estrogens-methyltestosterone</i>	3	
<i>fyavolv</i>	3	
<i>heather</i>	2	ACA
<i>incassia</i>	2	ACA
<i>jencycla</i>	2	ACA
<i>jinteli</i>	3	
<i>lyleq</i>	2	ACA
<i>lyllana</i>	3	
<i>lyza</i>	2	ACA
<i>medroxyprogesterone intramuscular</i>	2	ACA
<i>medroxyprogesterone oral</i>	2	
<i>mimvey</i>	3	
<i>nora-be</i>	2	ACA
<i>norethindrone (contraceptive)</i>	2	ACA
<i>norethindrone acetate</i>	2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	3	
OPILL	9	OTC
PREMARIN VAGINAL	3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>progesterone</i>	2	
<i>progesterone micronized</i>	2	
<i>sharobel</i>	2	ACA
<i>tulana</i>	2	ACA
<i>yuvafem</i>	3	
MISCELLANEOUS OB/GYN		
CLEOCIN VAGINAL SUPPOSITORY	4	
<i>clindamycin phosphate vaginal</i>	2	
CLINDESSE	4	
<i>eluryng</i>	2	ACA
<i>enilloring</i>	2	ACA
<i>etonogestrel-ethinyl estradiol</i>	2	ACA
GYNAZOLE-1	4	
<i>haloette</i>	1	ACA
INTRAROSA	4	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	2	
<i>miconazole-3 vaginal suppository</i>	2	
<i>mifepristone oral tablet 200 mg</i>	3	PA
MYFEMBREE	4	PA; QL (1 per 1 day)
<i>norelgestromin-ethin.estradiol</i>	2	ACA
NUVESSA	4	
ORIAHNN	4	PA; QL (2 per 1 day)
OSPHENA	4	PA
<i>terconazole</i>	2	
<i>tranexamic acid oral</i>	3	
<i>vandazole</i>	2	
XACIATO	4	
<i>xulane</i>	2	ACA
<i>zafemy</i>	2	ACA
ORAL CONTRACEPTIVES & RELATED AGENTS		
<i>afirmelle</i>	2	ACA
<i>after pill</i>	9	ACA; OTC
<i>altavera (28)</i>	2	ACA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>alyacen 1/35 (28)</i>	2	ACA
<i>alyacen 7/7/7 (28)</i>	2	ACA
<i>amethia</i>	2	ACA
<i>amethyst (28)</i>	2	ACA
<i>apri</i>	2	ACA
<i>aranelle (28)</i>	2	ACA
<i>ashlyna</i>	2	ACA
<i>aubra</i>	2	ACA
<i>aubra eq</i>	2	ACA
<i>aurovela 1.5/30 (21)</i>	2	ACA
<i>aurovela 1/20 (21)</i>	2	ACA
<i>aurovela 24 fe</i>	2	ACA
<i>aurovela fe 1.5/30 (28)</i>	2	ACA
<i>aurovela fe 1-20 (28)</i>	2	ACA
<i>aviane</i>	2	ACA
<i>ayuna</i>	2	ACA
<i>azurette (28)</i>	2	ACA
<i>balziva (28)</i>	2	ACA
<i>blisovi 24 fe</i>	2	ACA
<i>blisovi fe 1.5/30 (28)</i>	2	ACA
<i>blisovi fe 1/20 (28)</i>	2	ACA
<i>briellyn</i>	2	ACA
<i>camrese</i>	2	ACA
<i>camrese lo</i>	2	ACA
<i>caziant (28)</i>	2	ACA
<i>charlotte 24 fe</i>	2	ACA
<i>chateal (28)</i>	2	ACA
<i>chateal eq (28)</i>	2	ACA
<i>cryselle (28)</i>	2	ACA
<i>curae</i>	9	ACA; OTC
<i>cyred</i>	2	ACA
<i>cyred eq</i>	2	ACA
<i>dasetta 1/35 (28)</i>	2	ACA
<i>dasetta 7/7/7 (28)</i>	2	ACA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>daysee</i>	2	ACA
<i>desog-e.estradiol/e.estradiol</i>	2	ACA
<i>dolishale</i>	2	ACA
<i>drospirenone-ethinyl estradiol</i>	2	ACA
<i>econtra ez</i>	9	ACA; OTC
<i>econtra one-step</i>	9	ACA; OTC
<i>elinest</i>	2	ACA
ELLA	4	ACA
<i>enpresse</i>	2	ACA
<i>enskyce</i>	2	ACA
<i>estarylla</i>	2	ACA
<i>ethynodiol diac-eth estradiol</i>	2	ACA
<i>falmina (28)</i>	2	ACA
<i>finzala</i>	2	ACA
<i>hailey</i>	2	ACA
<i>hailey 24 fe</i>	2	ACA
<i>hailey fe 1.5/30 (28)</i>	2	ACA
<i>hailey fe 1/20 (28)</i>	2	ACA
<i>her style</i>	9	ACA; OTC
<i>iclevia</i>	2	ACA
<i>isibloom</i>	2	ACA
<i>jaimiess</i>	2	ACA
<i>jasmiel (28)</i>	2	ACA
<i>jolessa</i>	2	ACA
<i>juleber</i>	2	ACA
<i>junel 1.5/30 (21)</i>	2	ACA
<i>junel 1/20 (21)</i>	2	ACA
<i>junel fe 1.5/30 (28)</i>	2	ACA
<i>junel fe 1/20 (28)</i>	2	ACA
<i>junel fe 24</i>	2	ACA
<i>kalliga</i>	2	ACA
<i>kariva (28)</i>	2	ACA
<i>kelnor 1/35 (28)</i>	2	ACA
<i>kelnor 1/50 (28)</i>	2	ACA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>kurvelo (28)</i>	2	ACA
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	ACA
<i>larin 1.5/30 (21)</i>	2	ACA
<i>larin 1/20 (21)</i>	2	ACA
<i>larin 24 fe</i>	2	ACA
<i>larin fe 1.5/30 (28)</i>	2	ACA
<i>larin fe 1/20 (28)</i>	2	ACA
<i>leena 28</i>	2	ACA
<i>lessina</i>	2	ACA
<i>levonest (28)</i>	2	ACA
<i>levonorgestrel</i>	9	ACA; OTC
<i>levonorgestrel-ethinyl estrad</i>	2	ACA
<i>levonorg-eth estrad triphasic</i>	2	ACA
<i>levora-28</i>	2	ACA
LO LOESTRIN FE	3	
<i>lojaimiess</i>	2	ACA
<i>loryna (28)</i>	2	ACA
<i>low-ogestrel (28)</i>	2	ACA
<i>lo-zumandimine (28)</i>	2	ACA
<i>lutra (28)</i>	2	ACA
<i>marlissa (28)</i>	2	ACA
<i>mibelas 24 fe</i>	2	ACA
<i>microgestin 1.5/30 (21)</i>	2	ACA
<i>microgestin 1/20 (21)</i>	2	ACA
<i>microgestin 24 fe</i>	2	ACA
<i>microgestin fe 1.5/30 (28)</i>	2	ACA
<i>microgestin fe 1/20 (28)</i>	2	ACA
<i>mili</i>	2	ACA
<i>mono-linyah</i>	2	ACA
<i>my choice</i>	9	ACA; OTC
<i>my way</i>	9	ACA; OTC
<i>necon 0.5/35 (28)</i>	2	ACA
<i>new day</i>	9	ACA; OTC

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>nikki (28)</i>	2	ACA
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	ACA
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	2	ACA
<i>norethindrone-e.estradiol-iron oral tablet</i>	2	ACA
<i>norethindrone-e.estradiol-iron oral tablet, chewable</i>	2	ACA
<i>norgestimate-ethinyl estradiol</i>	2	ACA
<i>nortrel 0.5/35 (28)</i>	2	ACA
<i>nortrel 1/35 (21)</i>	2	ACA
<i>nortrel 1/35 (28)</i>	2	ACA
<i>nortrel 7/7/7 (28)</i>	2	ACA
<i>nylia 1/35 (28)</i>	2	ACA
<i>nylia 7/7/7 (28)</i>	2	ACA
<i>nymyo</i>	2	ACA
<i>ocella</i>	2	ACA
<i>opcicon one-step</i>	9	ACA; OTC
<i>option-2</i>	9	ACA; OTC
<i>philith</i>	2	ACA
<i>pimtrea (28)</i>	2	ACA
<i>portia 28</i>	2	ACA
<i>reclipsen (28)</i>	2	ACA
<i>setlakin</i>	2	ACA
<i>simliya (28)</i>	2	ACA
<i>simpesse</i>	2	ACA
<i>sprintec (28)</i>	2	ACA
<i>sronyx</i>	2	ACA
<i>syeda</i>	2	ACA
<i>tarina 24 fe</i>	2	ACA
<i>tarina fe 1/20 (28)</i>	2	ACA
<i>tilia fe</i>	2	ACA
<i>tri-estarylla</i>	2	ACA
<i>tri-legest fe</i>	2	ACA
<i>tri-linyah</i>	2	ACA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>tri-lo-estarylla</i>	2	ACA
<i>tri-lo-marzia</i>	2	ACA
<i>tri-lo-mili</i>	2	ACA
<i>tri-lo-sprintec</i>	2	ACA
<i>tri-mili</i>	2	ACA
<i>tri-nymyo</i>	2	ACA
<i>tri-sprintec (28)</i>	2	ACA
<i>trivora (28)</i>	2	ACA
<i>tri-vylibra</i>	2	ACA
<i>tri-vylibra lo</i>	2	ACA
<i>turqoz (28)</i>	2	ACA
<i>velivet triphasic regimen (28)</i>	2	ACA
<i>vestura (28)</i>	2	ACA
<i>vienva</i>	2	ACA
<i>viorele (28)</i>	2	ACA
<i>volnea (28)</i>	2	ACA
<i>vyfemla (28)</i>	2	ACA
<i>vylibra</i>	2	ACA
<i>wera (28)</i>	2	ACA
<i>wymzya fe</i>	2	ACA
<i>zarah</i>	2	ACA
<i>zovia 1-35 (28)</i>	2	ACA
<i>zumandimine (28)</i>	2	ACA

OXYTOCICS

methylergonovine oral

3

OPHTHALMOLOGY

ANTIBIOTICS

bacitracin ophthalmic (eye)

3

bacitracin-polymyxin b

2

BETADINE OPHTHALMIC PREP

4

CILOXAN OPHTHALMIC (EYE) OINTMENT

4

ciprofloxacin hcl ophthalmic (eye)

2

erythromycin ophthalmic (eye)

2

gatifloxacin

3

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>gentamicin ophthalmic (eye) drops</i>	2	
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>	3	
<i>moxifloxacin ophthalmic (eye) drops</i>	2	
NATACYN	4	
<i>neomycin-bacitracin-polymyxin</i>	2	
<i>neomycin-polymyxin-gramicidin</i>	2	
<i>neo-polycin</i>	2	
<i>ofloxacin ophthalmic (eye)</i>	2	
<i>polycin</i>	2	
<i>polymyxin b sulf-trimethoprim</i>	2	
<i>povidone-iodine ophthalmic (eye)</i>	3	
<i>tobramycin ophthalmic (eye)</i>	2	
ANTIVIRALS		
<i>trifluridine</i>	2	
ZIRGAN	4	
BETA-BLOCKERS		
<i>betaxolol ophthalmic (eye)</i>	3	
<i>carteolol</i>	3	
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
<i>timolol maleate ophthalmic (eye) drops</i>	2	
CYCLOPLEGIC MYDRIATICS		
<i>atropine ophthalmic (eye) drops 1 %</i>	3	
<i>atropine ophthalmic (eye) ointment</i>	3	
<i>cyclopentolate ophthalmic (eye) drops 1 %</i>	2	
<i>homatropaire</i>	2	
<i>tropicamide</i>	2	
DIRECT ACTING MIOTICS		
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
MISCELLANEOUS OPHTHALMOLOGICS		
<i>allergy eye (ketotifen)</i>	2	OTC
ALOCRIIL	4	ST
ALOMIDE	3	ST
<i>azelastine ophthalmic (eye)</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>bepotastine besilate</i>	3	ST
<i>cromolyn ophthalmic (eye)</i>	2	
<i>cyclosporine ophthalmic (eye)</i>	3	QL (2 per 1 day)
CYSTADROPS	5	PA; SP; QL (20 per 28 days)
CYSTARAN	5	PA; SP; QL (60 per 28 days)
<i>epinastine</i>	3	
<i>eye itch relief</i>	2	OTC
<i>ketotifen fumarate</i>	2	OTC
<i>olopatadine ophthalmic (eye)</i>	2	
OXERVATE	5	PA; SP; QL (56 per 720 days)
<i>proparacaine</i>	2	
<i>tetracaine hcl</i>	2	
TETRACAINE HCL (PF) OPHTHALMIC (EYE)	2	
XDEMVIY	5	PA; SP; QL (10 per 365 days)
XIIDRA	3	QL (2 per 1 day)
NON-STEROIDAL ANTI-INFLAMMATORY AGENTS		
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	3	
<i>diclofenac sodium ophthalmic (eye)</i>	2	
<i>flurbiprofen sodium</i>	3	
<i>ketorolac ophthalmic (eye)</i>	2	
ORAL DRUGS FOR GLAUCOMA		
<i>acetazolamide</i>	2	
<i>methazolamide</i>	3	
OTHER GLAUCOMA DRUGS		
<i>bimatoprost ophthalmic (eye)</i>	3	
<i>brimonidine-timolol</i>	3	
<i>brinzolamide</i>	3	
<i>dorzolamide</i>	2	
<i>dorzolamide-timolol</i>	2	
<i>dorzolamide-timolol (pf) ophthalmic (eye)</i>	3	
<i>dropperette</i>		
<i>latanoprost</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	
<i>tafluprost (pf)</i>	3	ST

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>travoprost</i>	3	ST
STEROID-ANTIBIOTIC COMBINATIONS		
<i>neomycin-bacitracin-poly-hc</i>	2	
<i>neomycin-polymyxin b-dexameth</i>	2	
<i>neomycin-polymyxin-hc ophthalmic (eye)</i>	2	
<i>neo-polycin hc</i>	2	
<i>tobramycin-dexamethasone</i>	2	
STEROIDS		
<i>dexamethasone sodium phosphate ophthalmic (eye)</i>	2	
FLAREX	4	
<i>fluorometholone</i>	2	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>	3	
<i>prednisolone acetate</i>	2	
<i>prednisolone sodium phosphate ophthalmic (eye)</i>	2	
STEROID-SULFONAMIDE COMBINATIONS		
<i>sulfacetamide-prednisolone</i>	2	
SULFONAMIDES		
<i>sulfacetamide sodium ophthalmic (eye)</i>	3	
SYMPATHOMIMETICS		
<i>apraclonidine</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.15 %</i>	3	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
VASOCONSTRICTOR DECONGESTANTS		
<i>phenylephrine hcl ophthalmic (eye)</i>	3	
RESPIRATORY, ALLERGY, COUGH & COLD		
ANTI-HISTAMINE & ANTI-ALLERGENIC AGENTS		
AUVI-Q INJECTION AUTO-INJECTOR 0.1 MG/0.1 ML	4	PA
<i>carbinoxamine maleate oral liquid</i>	2	QL (40 per 1 day)
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	
<i>cetirizine oral solution 1 mg/ml</i>	2	
<i>clemastine oral tablet</i>	3	QL (3 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>cyproheptadine</i>	2	
<i>desloratadine oral tablet</i>	2	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	5	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i>	3	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	
<i>hydroxyzine hcl oral tablet</i>	2	
<i>hydroxyzine pamoate</i>	2	
<i>levocetirizine</i>	2	
<i>promethazine oral</i>	2	
<i>promethazine rectal suppository 12.5 mg, 25 mg</i>	2	
<i>promethegan</i>	2	
SYMJEPI	3	
COUGH & COLD THERAPY		
<i>benzonatate oral capsule 100 mg, 200 mg</i>	2	
<i>benzonatate oral capsule 150 mg</i>	3	
<i>codeine-guaifenesin</i>	2	
<i>g tussin ac</i>	2	
<i>hydrocodone-chlorpheniramine</i>	2	QL (120 per 30 days)
<i>hydrocodone-homatropine oral syrup 5-1.5 mg/5 ml</i>	2	
<i>hydrocodone-homatropine oral tablet</i>	2	
<i>hydromet</i>	2	
<i>maxi-tuss ac</i>	2	
<i>promethazine vc</i>	2	
<i>promethazine-codeine</i>	2	
<i>promethazine-dm</i>	2	
TUXARIN ER	4	QL (24 per 30 days)
PULMONARY AGENTS		
<i>24 hour nasal allergy</i>	2	OTC
<i>acetylcysteine</i>	2	
ADEMPAS	5	PA; SP; LA; QL (3 per 1 day)
ADVAIR HFA	3	
<i>albuterol sulfate inhalation solution for nebulization</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>albuterol sulfate oral syrup</i>	2	
<i>albuterol sulfate oral tablet</i>	2	
<i>alyq</i>	5	PA; SP; QL (2 per 1 day)
<i>ambrisentan</i>	5	PA; SP; LA; QL (1 per 1 day)
ANORO ELLIPTA	3	
ARNUIITY ELLIPTA	3	
ASMANEX HFA	3	
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	3	
ATROVENT HFA	4	
<i>bosentan</i>	5	PA; SP; QL (2 per 1 day)
BREO ELLIPTA	3	
<i>breynd</i>	3	
BRONCHITOL	5	PA; SP; QL (20 per 1 day)
<i>budesonide inhalation</i>	2	
<i>budesonide nasal</i>	2	OTC
<i>budesonide-formoterol</i>	3	
CINRYZE	5	PA; SP
COMBIVENT RESPIMAT	3	
<i>cromolyn inhalation</i>	2	
DULERA	3	
FASENRA	5	PA; SP; QL (1 per 42 days)
FASENRA PEN	5	PA; SP; QL (1 per 42 days)
<i>flunisolide</i>	3	ST
<i>fluticasone propionate nasal</i>	2	
FLUTICASONE PROPION-SALMETEROL INHALATION AEROSOL POWDR BREATH ACTIVATED	2	
<i>fluticasone propion-salmeterol inhalation blister with device</i>	2	
HAEGARDA	5	PA; SP; LA
HYPER-SAL INHALATION SOLUTION FOR NEBULIZATION 3.5 %	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>icatibant</i>	5	PA; SP; QL (9 per 28 days)
INCRUSE ELLIPTA	3	
<i>ipratropium bromide inhalation</i>	2	
<i>ipratropium-albuterol</i>	2	
KALYDECO	5	PA; SP; QL (2 per 1 day)
<i>levalbuterol hcl</i>	3	
<i>mometasone nasal</i>	3	ST
<i>montelukast</i>	2	
<i>nasal allergy</i>	2	OTC
NUCALA	5	PA; SP; LA; QL (1 per 28 days)
OFEV	5	PA; SP; QL (2 per 1 day)
OPSUMIT	5	PA; SP; LA; QL (1 per 1 day)
OPSYNVI	5	PA; SP; QL (1 per 1 day)
ORKAMBI ORAL GRANULES IN PACKET	5	PA; SP; QL (2 per 1 day)
ORKAMBI ORAL TABLET	5	PA; SP; QL (4 per 1 day)
ORLADEYO	5	PA; SP; LA; QL (1 per 1 day)
<i>pirfenidone oral capsule</i>	5	PA; SP; QL (6 per 1 day)
<i>pirfenidone oral tablet 267 mg</i>	5	PA; SP; QL (6 per 1 day)
PIRFENIDONE ORAL TABLET 534 MG	5	PA; SP; QL (3 per 1 day)
<i>pirfenidone oral tablet 801 mg</i>	5	PA; SP; QL (3 per 1 day)
PULMOZYME	5	PA; SP; QL (5 per 1 day)
QVAR REDIHALER	3	
<i>roflumilast</i>	3	QL (1 per 1 day)
RUCONEST	5	PA; SP; QL (2 per 28 days)
<i>sajazir</i>	5	PA; SP; QL (9 per 28 days)
SEREVENT DISKUS	3	
<i>sildenafil (pulm.hypertension) oral suspension for reconstitution</i>	5	PA; SP; QL (6 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet</i>	5	PA; SP; QL (3 per 1 day)
<i>sodium chloride inhalation</i>	2	
SPIRIVA RESPIMAT	3	
STIOLTO RESPIMAT	3	
STRIVERDI RESPIMAT	3	
SYMDEKO	5	PA; SP; QL (2 per 1 day)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>tadalafil (pulm. hypertension)</i>	5	PA; SP; QL (2 per 1 day)
TADLIQ	5	PA; SP; QL (10 per 1 day)
TAKHZYRO SUBCUTANEOUS SOLUTION	5	PA; SP; LA; QL (2 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; SP; LA; QL (1 per 28 days)
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	5	PA; SP; LA; QL (2 per 28 days)
<i>terbutaline oral</i>	2	
TEZSPIRE	5	PA; SP; QL (1.91 per 28 days)
<i>theophylline oral tablet extended release 12 hr</i>	2	
<i>theophylline oral tablet extended release 24 hr</i>	2	
<i>tiotropium bromide</i>	3	
TRACLEER ORAL TABLET FOR SUSPENSION	5	PA; SP; LA; QL (4 per 1 day)
TRELEGY ELLIPTA	3	
<i>triamcinolone acetonide nasal</i>	2	OTC
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL	5	PA; SP; QL (2 per 1 day)
TRIKAFTA ORAL TABLETS, SEQUENTIAL	5	PA; SP; QL (3 per 1 day)
TYVASO	5	PA; SP; QL (11.6 per 365 days)
TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG (112)- 32 MCG (84), 16(112)-32(112) -48(28) MCG	5	PA; SP; QL (1 per 365 days)
TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG, 32 MCG, 48 MCG, 64 MCG	5	PA; SP; QL (1 per 30 days)
TYVASO REFILL KIT	5	PA; SP; QL (81.2 per 28 days)
TYVASO STARTER KIT	5	PA; SP; QL (1 per 365 days)
VENTAVIS	5	PA; SP; QL (9 per 1 day)
VENTOLIN HFA	2	
WINREVAIR	5	PA; SP; QL (1 per 20 days)
<i>wixela inhub</i>	2	
XHANCE	4	PA; QL (32 per 30 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML	5	PA; SP; LA; QL (1 per 28 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 300 MG/2 ML	5	PA; SP; LA; QL (2 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML	5	PA; SP; LA; QL (0.5 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN	5	PA; SP; LA; QL (1 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; SP; LA; QL (1 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 300 MG/2 ML	5	PA; SP; LA; QL (2 per 28 days)
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; SP; LA; QL (0.5 per 28 days)
<i>zafirlukast</i>	3	
<i>zileuton</i>	3	PA; QL (4 per 1 day)

UROLOGICALS

ANTICHOLINERGICS & ANTISPASMODICS

<i>darifenacin</i>	3	
<i>fesoterodine</i>	3	ST
<i>flavoxate</i>	2	
<i>mirabegron</i>	3	ST
<i>oxybutynin chloride oral syrup</i>	2	
<i>oxybutynin chloride oral tablet 5 mg</i>	2	
<i>oxybutynin chloride oral tablet extended release 24hr</i>	2	
<i>solifenacin</i>	2	
<i>tolterodine</i>	3	
<i>trospium oral capsule, extended release 24hr</i>	3	
<i>trospium oral tablet</i>	2	

BENIGN PROSTATIC HYPERPLASIA (BPH) THERAPY

<i>alfuzosin</i>	2	
<i>dutasteride</i>	2	
<i>dutasteride-tamsulosin</i>	3	
<i>finasteride oral tablet 5 mg</i>	2	
<i>silodosin</i>	3	
<i>tadalafil oral tablet 5 mg</i>	2	PA; QL (1 per 1 day)
<i>tamsulosin</i>	2	

CHOLINERGIC STIMULANTS

<i>bethanechol chloride</i>	2	
-----------------------------	---	--

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
MISCELLANEOUS UROLOGICALS		
CYSTAGON	5	SP; LA
OXLUMO	5	PA; SP
<i>potassium citrate oral tablet extended release</i>	2	
PROCYSBI	5	PA; SP
RENACIDIN	5	
RIVFLOZA	5	PA; SP; QL (1 per 28 days)
URINARY ANESTHETICS		
<i>phenazopyridine oral tablet 100 mg, 200 mg</i>	2	
VITAMINS, HEMATINICS & ELECTROLYTES		
ELECTROLYTES		
<i>calcium acetate(phosphat bind)</i>	2	QL (12 per 1 day)
CALCIUM GLUC IN NACL, ISO-OSM INTRAVENOUS SOLUTION 1 GRAM/100 ML	5	
<i>effe-r-k oral tablet, effervescent 25 meq</i>	2	
<i>klor-con 10</i>	2	
<i>klor-con 8</i>	2	
<i>klor-con m10</i>	2	
<i>klor-con m15</i>	2	
<i>klor-con m20</i>	2	
<i>klor-con/ef</i>	2	
<i>potassium chloride oral capsule, extended release</i>	2	
<i>potassium chloride oral liquid</i>	2	
<i>potassium chloride oral tablet extended release</i>	2	
<i>potassium chloride oral tablet,er particles/crystals</i>	2	
MISCELLANEOUS VITAMINS, HEMATINICS, & ELECTROLYTES		
DOJOLVI	5	PA; SP; LA
VITAMINS & HEMATINICS		
<i>b complex 1 (with folic acid)</i>	9	ACA; OTC
<i>b complex-vitamin c-folic acid oral tablet</i>	9	ACA; OTC
<i>balanced b-100 oral tablet</i>	9	ACA; OTC
<i>bal-care dha</i>	2	
<i>b-complex with vitamin c oral tablet 400-500 mcg-mg</i>	9	ACA; OTC

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>classic prenatal</i>	9	ACA; OTC
<i>c-nate dha</i>	2	
<i>complete natal dha</i>	2	
<i>cyanocobalamin (vitamin b-12) injection</i>	2	
<i>dialyvite 800 oral tablet</i>	9	ACA; OTC
<i>dodex</i>	2	
<i>elite-ob</i>	2	
<i>ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)</i>	2	
<i>ferocon</i>	9	ACA; OTC
<i>fluoride (sodium) oral drops</i>	9	ACA; OTC
<i>fluoride (sodium) oral tablet, chewable</i>	9	ACA; OTC
<i>folic acid oral tablet 1 mg</i>	2	
<i>folic acid oral tablet 400 mcg, 800 mcg</i>	9	ACA; OTC
<i>folitab</i>	9	ACA; OTC
<i>folivane-ob</i>	2	
<i>foltabs 800</i>	9	ACA; OTC
<i>full spectrum b-vitamin c</i>	9	ACA; OTC
<i>kobee</i>	9	ACA; OTC
<i>ludent fluoride</i>	9	ACA; OTC
<i>m-natal plus</i>	2	
<i>multi-vitamin with fluoride</i>	9	ACA; OTC
<i>mvc-fluoride</i>	9	ACA; OTC
<i>mynatal</i>	2	
<i>mynatal plus</i>	2	
<i>mynatal-z</i>	2	
<i>newgen</i>	2	
<i>one daily prenatal</i>	9	ACA; OTC
<i>pnv-dha</i>	2	
<i>pnv-omega</i>	2	
<i>pnv-select</i>	2	
<i>pr natal 400</i>	2	
<i>pr natal 400 ec</i>	2	
<i>pr natal 430</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>pr natal 430 ec</i>	2	
<i>prenatabs fa</i>	2	
<i>prenatabs rx</i>	2	
<i>prenatal complete</i>	9	ACA; OTC
<i>prenatal multi-dha (algal oil)</i>	9	ACA; OTC
<i>prenatal multivitamins</i>	9	ACA; OTC
<i>prenatal one daily</i>	9	ACA; OTC
<i>prenatal oral tablet 28 mg iron- 800 mcg</i>	9	ACA; OTC
<i>prenatal plus</i>	2	
<i>prenatal plus (calcium carb)</i>	2	
<i>prenatal vit no.179-iron-folic</i>	9	ACA; OTC
<i>prenatal vitamin oral tablet 27 mg iron- 0.8 mg</i>	9	ACA; OTC
<i>prenatal vitamin with minerals</i>	9	ACA; OTC
<i>prenatal-u</i>	2	
<i>rena-vite</i>	9	ACA; OTC
<i>se-natal 19 chewable</i>	2	
<i>se-natal-19</i>	2	
<i>soluvita</i>	9	ACA; OTC
<i>soluvita a,c,d with fluoride</i>	9	ACA; OTC
<i>stress formula with iron</i>	9	ACA; OTC
<i>stress formula with iron(sulf)</i>	9	ACA; OTC
<i>super b maxi complex</i>	9	ACA; OTC
<i>super b-50 complex</i>	9	ACA; OTC
<i>super quintis</i>	9	ACA; OTC
<i>taron-c dha</i>	2	
<i>tricon</i>	9	ACA; OTC
<i>trinatal rx 1</i>	2	
<i>trinate</i>	2	
<i>tri-vitamin with fluoride</i>	9	ACA; OTC
<i>vitamin b complex-folic acid oral tablet</i>	9	ACA; OTC
<i>vitamins a,c,d and fluoride</i>	9	ACA; OTC
<i>wescap-c dha</i>	2	
<i>wesnatal dha complete</i>	2	
<i>westab plus</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements / Limits
<i>zatean-pn dha</i>	2	
<i>zatean-pn plus</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.