# INDIVIDUAL AND FAMILY PLANS

## 5-TIER PRESCRIPTION DRUG FORMULARY

## (NON-STANDARD PLAN)

**(Effective 11/01/2026 – 11/30/2026)**

**PLEASE READ: This document contains information about some of the drugs we cover in this plan.**

Members must use in-network pharmacies to fill their prescription drugs. Your benefits, drug list, pharmacy network, premium and/or copayments/coinsurance may sometimes change.

## INTRODUCTION

This formulary was developed to serve as a guide for prescribers, pharmacists, health care professionals and members in the selection of cost-effective medication therapy. AvMed recognizes that medication therapy is an integral part of effective health management. Due to the vast availability of medication options, a reasonable program for medication selection and use is warranted.

The drugs represented have been reviewed by AvMed Pharmacy and Therapeutics (P&T) Committee and are approved for inclusion. This formulary is reflective of current medical practice as of the date of review.

The information contained in this formulary and its appendices is provided for the convenience of prescribers, pharmacists, health care professionals and members. We do not warrant or assure the accuracy of such information nor is it intended to be comprehensive in nature. This formulary is not intended to be a substitute for the knowledge, expertise, skill, and judgment of the medical provider in his or her choice of prescription drugs. All the information in this formulary is provided as a reference for drug therapy selection. Specific drug selection for an individual patient rests solely with the medical prescriber. The document is subject to state-specific regulations and rules, including, but not limited to, those regarding generic substitution, controlled substance schedules, preference for brands and mandatory generics whenever applicable.

We assume no responsibility for the actions or omissions of any medical provider based upon reliance, in whole or in part, on the information contained herein. The medical provider should consult the drug manufacturer's product literature or standard references for more detailed information.

This formulary is a fluid document, which is continually reviewed and modified. This dynamic process does not allow this document to be completely accurate at all times. To accommodate regular changes, an updated electronic version of this formulary is available online at https://www.avmed.org/prescriptions. AvMed welcomes your input and feedback on the information provided in this document.

## PHARMACY AND THERAPEUTICS (P&T) COMMITTEE

AvMed  Pharmacy and Therapeutics Committee ("P&T Committee") is utilized to approve safe and clinically effective drug therapies. Membership of the Committee reflects a multi-disciplinary approach to drug evaluation. The Committee is comprised of practicing physicians, pharmacists and or/nurse practitioners holding valid professional licenses and come from clinical specialties that adequately represent the clinical needs of the covered population. The providers shall be representative of primary care clinical specialties such

as Family Practice, Geriatrics, Internal Medicine, and Pediatrics. Voting members of the P&T Committee must disclose any financial relationship or conflicts of interest with any pharmaceutical manufacturer.

**DEFINITIONS**

**Brand Medication** - A prescription medication that is usually manufactured and sold under a name or trademark by a pharmaceutical manufacturer, or a medication that is identified as a Brand medication by AvMed's Pharmacy Benefits Manager (PBM).

**Brand Additional Charge (Ancillary Fee)** - The additional charge that must be paid if you or your prescriber chooses a brand medication when a generic equivalent is available. The charge is the difference between the cost of the brand medication and the generic medication. This charge must be paid in addition to the applicable copayment.

**Formulary Drug List** - The listing of preferred medications based on clinical efficacy, relative safety, and cost in comparison to similar medications within a therapeutic class. This multi-tiered list establishes different levels of copay for medications within therapeutic classes. As new medications become available, they may be considered excluded until they have been reviewed by the P&T Committee.

**Generic Medication** - A prescription medication that has the same active ingredient as a brand medication or is identified as a generic medication by AvMed's Pharmacy Benefits Manager. Generic products approved by the United States Food and Drug Administration (FDA) are just as effective and safe as the brand-name products. Generic medications contain identical active ingredients, have the same indication for use, meet the same manufacturing standards, and are identical in strength and dosage form as brand-name medications.

**Participating (Network) Pharmacy** - A pharmacy (retail, mail service, or specialty pharmacy) that has entered into an agreement with AvMed Health Plans to provide prescription drugs to AvMed members and has been designated by AvMed as a participating pharmacy

**Prescription Medication** - A medication that has been approved by the FDA and that can only be dispensed pursuant to a prescription according to state and federal law.

**Prior Authorization** - The process of obtaining approval for certain prescription drugs (prior to dispensing) according to AvMed's guidelines. The ordering prescriber must obtain approval from AvMed. The list of prescription drugs requiring prior authorization is subject to periodic review and modification by AvMed.

**Specialty Medication** – A medication classified by Avmed as a specialty drug. Specialty drugs have unique uses and are generally prescribed for people with complex or ongoing medical conditions. These medications must be prescribed by a medical provider and dispensed by a participating specialty pharmacy, depending on the medication. Specialty Medications are limited to a 30-day supply.

**Step Therapy -** The process of obtaining approval for certain prescription drugs that according to AvMed's guidelines require a trial of one or more first and/or second-line medications to be covered. If for medical reasons, the member cannot use the first and/or second-line medication, the prescriber should request a prior authorization as described in the *Prior Authorization Process* section below.

**Quantity Limit** - A maximum quantity per prescription and/or time period for one copay or coinsurance. Quantity limits are developed based upon FDA approved medication labeling and nationally recognized therapeutic clinical guidelines.

## BENEFIT COVERAGE AND LIMITATIONS

This formulary is for reference purposes only and does not guarantee nor define benefit coverage and limitations. Many members have specific benefits, which are not reflected in this formulary. You may contact AvMed's Member Engagement Department regarding any coverage questions by calling the number listed on the back of your card. Please note that the formulary process is dynamic and generally changes throughout the year. These changes typically occur due to, but are not limited to, the following reasons: approval of new medications, availability of newly approved generics, changes in clinical data, and medication safety concerns. AvMed is not responsible for payment if a medication was omitted, included in error, or was placed at an incorrect tier on this formulary.

The following topics may or may not be applicable to individual members depending on member-specific benefit parameters.

### Coverage

AvMed reserves the right to make changes in coverage criteria for covered products and services. Coverage criteria are medical and pharmaceutical protocols used to determine payment of products and services and are based on independent clinical practice guidelines and standards of care established by government agencies and medical/pharmaceutical societies.

Your retail prescription medication coverage includes up to a 90-day supply of a medication for the listed copay. In most cases, your prescription may be refilled after 75% of your previous fill has been used. Select plans may provide the option to obtain a 90-day

supply of a medication at a retail or mail pharmacy for a reduced amount. Please refer to your specific pharmacy benefits.

Your mail-service prescription medication coverage includes a 31 to 90-day supply of most medications for the listed copay per your prescription benefits. If the amount of medication is less than a 90-day supply, such as a 75-day supply, you will still be charged the listed mail-service copay per your prescription benefits.

Specialty Drugs are only available from a Plan Specialty Pharmacy and are limited to a 30-day supply unless limited by manufacturer packaging and then additional copayment amount may apply for amounts over 30 days.

**Prior Authorization Process**

The process of obtaining approval for certain prescription drugs (prior to dispensing) according to AvMed's guidelines. The ordering prescriber must obtain approval from AvMed. The prior authorization process requires the practitioner to provide information to support the clinical criteria that must be met for approval. The completed drug authorization request form and supporting clinical documentation must be submitted to AvMed by fax to 1-305-671-0200. The pharmacy drug authorization request forms are available at https://www.avmed.org/prescriptions/ or https://www.avmed.org/forms/provider.

Information needed to make coverage determinations of medications requiring prior authorization may include lab values, prescription history, a statement of medical necessity and any other pertinent information to satisfy the established coverage guideline for the requested medication. In most cases, coverage determinations will be made within 24 hours if authorization is deemed urgent and within 1-3 business days if authorization is identified as standard or routine.

**Member Initiated Prior Authorization Process**

Members may request a prior authorization by directly contacting the AvMed Member Engagement Department at the number on their membership card. The member should have the prescriber information (phone number) and any pertinent information related to the request to provide to the Member Services representative. Members may also initiate the prior authorization process by logging into https://www.avmed.org/prescriptions/#list-of-covered-drugs and then clicking the link "Prescriptions".

**Quantity Limit Exception**

Certain medications allow for a maximum quantity per prescription and/or time period for one copay or coinsurance. Medications with applicable quantity limits are noted on the

formulary. If a prescription exceeds the quantity limit, the prescriber should provide a statement of medical necessity and request a prior authorization for the quantity limit exception as described above.

**Non-formulary Medication Requests**

A request for a non-formulary medication requires documentation from the member's medical records and/or prescription claims history verifying the following: statement of medical necessity; contraindications to ALL other formulary alternatives; or therapeutic failure of adequate trials of one to three months of each and ALL other formulary alternatives. Non-formulary requests may be requested by the prescriber through the prior authorization process as described above.

**Clinically Equivalent Drugs (CED)**

Clinically Equivalent Drugs (CED) are medications that are clinically comparable to a medication that is already covered on the formulary. For this reason, coverage for a CED medication requires the prescriber to submit clinical documentation to establish medical necessity of the CED medication over comparable formulary alternative(s). Medications labeled as CED on the formulary will also have a prior authorization requirement.

**Tier Description**

Each copay tier is assigned an established co-payment, which is the amount you pay when you fill a prescription. Consult your benefit documents to determine your specific co-payments, coinsurance, and/or deductibles that are part of your plan. You and your medical provider decide which medication is most appropriate for you.

| Tier | Definition |
|---|---|
| 1 | **Preferred Generic Drugs** - includes commonly prescribed Generic Drugs. Other drugs may be included in Tier 1 if the Plan recognizes they show documented long-term decreases in illness. |
| 2 | **Preferred Brand & Other Generic Drugs** - includes brand-name drugs and some Generic Drugs with higher costs than Tier 1 Generic Drugs that are considered by the Plan to be standard therapy. |
| 3 | **Non-Preferred Brand Drugs** - includes brand-name drugs not included by the Plan on Tier 1 or Tier 2. These may include single source brand-name drugs that do not have a Generic Product Level equivalent or a therapeutic equivalent. Drugs on this tier may be higher in cost than equivalent drugs, or drugs determined to be no more effective than equivalent drugs on lower tiers. |

| | |
|---|---|
| 4 | **Specialty Drugs** - includes those drugs classified by the Plan as Specialty Drugs. Specialty Drugs have unique uses and are generally prescribed for people with complex or ongoing medical conditions. |
| 9 | **Zero Cost Share Preventative Drugs** - These are drugs covered under the Affordable Care Act (ACA) at no cost-share ($0), to you. |

*Please note that **Brand** products are listed in CAPITALS and **Generic** products are listed in *lowercase italics*.

**What's Not Covered: Common Exclusions**

Certain items may be excluded from your pharmacy benefit coverage. Prior authorization is generally not available for medications specifically excluded by benefit design. Commonly excluded products may include, but are not limited to:

- Over-the-counter (OTC) medications or their equivalents unless otherwise specified in the medication formulary listing.
- Experimental medication products or any medication product used in an experimental manner.
- Foreign medications or medications not approved by the United States Food and Drug Administration (FDA).
- Replacement prescription drug products resulting from a lost, stolen, expired, broken, or destroyed prescription order or refill, unless otherwise specified in the member's specific benefit plan.
- Fertility drugs, unless otherwise specified in the member's specific benefit plan.
- Medications or devices for the diagnosis or treatment of sexual dysfunction, unless otherwise specified in the member's specific benefit plan.
- Prescription and non-prescription vitamins and minerals.
- Nutritional supplements and Medical Foods.
- Cosmetic products, including, but not limited to, hair growth, skin bleaching, sun damage and anti-wrinkle medications.
- Prescription and non-prescription appetite suppressants and products for the purpose of weight loss, unless otherwise specified in the member's specific benefit plan.
- Compounded prescriptions, except pediatric preparations.
- Pharmaceuticals that would be covered under the medical benefit. These may include, but are not limited to, immunizations, allergy serums, medical supplies (including therapeutic devices, dressings, appliances, and support garments), medications administered by the attending physician to treat an acute phase of an illness, and chemotherapy for cancer patients. Such benefits are covered in accordance with the Group Medical and Hospital Service Contract and may be subject to copay or

coinsurance and prior authorization requirements, as outlined on the Schedule of Benefits.

**Mandated Generic Substitution**

AvMed advocates the use of cost-effective generic medications where FDA-labeled brand-equivalent medications are available. A generic medication is approved by the FDA once the manufacturer has proven that it has the same active ingredient(s) as the brand-name medication. Generally, generic medications cost less than brand-name medications. If a member or a prescriber requests a brand name product in lieu of an approved generic, the member, based upon his/her coverage, will typically be required to pay the Non-Preferred Brand Copay plus the Brand Additional Charge (ancillary fee).

**Health Care Reform – Preventive Medications**

The Patient Protection and Affordable Care Act of 2010 allow members to receive some preventative, evidence-based items, and services at no cost to the member with certain stipulations. Examples of categories of medications that may be subject to limited, or $0 cost share include aspirin, breast cancer preventative medications (e.g., anastrozole, tamoxifen), fluoride supplements, folic acid supplements, iron supplements, tobacco cessation products, routine immunizations, bowel preparations for colonoscopy, and some contraceptive medications and devices.

Some of the limitations for receiving these medications at no cost to the member require that: (1) the medication is covered as part of the prescription benefits, and (2) a prescription is required. As new guidance continues to be released for coverage of preventive medications, the list and/or restrictions will be updated accordingly.

**HOW CAN I SAVE MONEY ON PRESCRIPTIONS?**

Ask your medical provider to consider choosing an appropriate medication from the formulary that is on the lower tier selections, such as Tier 1 or Tier 2. Medications within these tiers have the lowest out-of-pocket cost for you. If you are currently taking a Tier 3 or 4 medication, you should consult with your medical provider to see if there are other medication alternatives that are on a lower tier.

**MAIL-SERVICE PRESCRIPTIONS**

Some members can order their prescriptions from a mail-service pharmacy. These members can receive up to a 90-day supply of certain medications through the mail for a specified co-payment as outlined in their group benefits plan. Receiving a 90-day supply of medication by mail may prove to be more economical for you. The convenience of mail service may also help you stay compliant with your medications.

**NOTICE**

The information contained in this document is proprietary. The information may not be copied as a whole or in part without written permission. ©2024. All rights reserved. This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers.

These listings do not imply or constitute an endorsement, sponsorship, or recommendation AvMed or Express Scripts. When viewing this formulary via the Internet, please be advised that this formulary is updated periodically, and changes may appear prior to their effective date to allow for client notification.

**This Guidebook includes information accurate at the time it was collected from Express Scripts' systems and may not reflect actual benefit setup details at later times.**

## Table of Contents


**ANTI - INFECTIVES** ..... 3
**ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS** ..... 10
**AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH** ..... 20
**AUTONOMIC & CNS DRUGS, NEUROLOGY** ..... 38
**CARDIOVASCULAR, HYPERTENSION & LIPIDS** ..... 39
**DERMATOLOGICALS/TOPICAL THERAPY** ..... 46
**DIAGNOSTICS & MISCELLANEOUS AGENTS** ..... 52
**EAR, NOSE & THROAT MEDICATIONS** ..... 54
**ENDOCRINE/DIABETES** ..... 55
**GASTROENTEROLOGY** ..... 63
**IMMUNOLOGY, VACCINES & BIOTECHNOLOGY** ..... 68
**MUSCULOSKELETAL & RHEUMATOLOGY** ..... 73
**OBSTETRICS & GYNECOLOGY** ..... 75
**OPHTHALMOLOGY** ..... 82
**RESPIRATORY, ALLERGY, COUGH & COLD** ..... 85
**UROLOGICALS** ..... 90
**VITAMINS, HEMATINICS & ELECTROLYTES** ..... 91
**Index** ..... 95

**List of Abbreviations**

**1:** Preferred Generic

**2:** Generic

**3:** Preferred Brand

**4:** Non-Preferred Brand

**5:** Specialty Drugs

**9:** Zero Cost Share Preventive Drugs

**ACA:** Affordable Care Act.

**CGM:** Continuous Glucose Monitor

**LA:** Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

**OTC:** Over the Counter. An OTC drug is a non-prescription drug.

**PA:** Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

**QL:** Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

**SP:** Specialty Drug

**ST:** Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| **ANTI - INFECTIVES** | | |
| **ANTIFUNGAL AGENTS** | | |
| *clotrimazole mucous membrane* | 2 | QL (5 per 1 day) |
| *fluconazole oral suspension for reconstitution 10 mg/ml* | 2 | QL (40 per 1 day) |
| *fluconazole oral suspension for reconstitution 40 mg/ml* | 2 | QL (10 per 1 day) |
| *fluconazole oral tablet 100 mg, 200 mg* | 2 | QL (4 per 1 day) |
| *fluconazole oral tablet 150 mg* | 2 | QL (4 per 30 days) |
| *fluconazole oral tablet 50 mg* | 2 | QL (8 per 1 day) |
| *flucytosine* | 3 | PA |
| *griseofulvin microsize oral suspension* | 2 | QL (40 per 1 day) |
| *griseofulvin microsize oral tablet* | 2 | QL (2 per 1 day) |
| *griseofulvin ultramicrosize oral tablet 125 mg, 250 mg* | 2 | QL (3 per 1 day) |
| *itraconazole oral capsule* | 3 | QL (4 per 1 day) |
| *ketoconazole oral* | 2 | QL (2 per 1 day) |
| NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON | 4 | PA; QL (1 per 1 day) |
| *nystatin oral suspension* | 2 | QL (24 per 1 day) |
| *nystatin oral tablet* | 2 | QL (6 per 1 day) |
| *posaconazole oral suspension* | 3 | PA; QL (20 per 1 day) |
| *posaconazole oral tablet,delayed release (dr/ec)* | 3 | PA; QL (8 per 1 day) |
| *terbinafine hcl oral* | 2 | QL (1 per 1 day) |
| VIVJOA | 4 | PA; QL (18 per 84 days) |
| *voriconazole oral tablet 200 mg* | 3 | QL (2 per 1 day) |
| *voriconazole oral tablet 50 mg* | 3 | QL (4 per 1 day) |
| **ANTIVIRALS** | | |
| *abacavir oral solution* | 3 | SP; QL (30 per 1 day) |
| *abacavir oral tablet* | 3 | SP; QL (2 per 1 day) |
| *abacavir-lamivudine* | 3 | SP; QL (1 per 1 day) |
| *acyclovir oral capsule* | 2 | |
| *acyclovir oral suspension 200 mg/5 ml* | 2 | |
| *acyclovir oral tablet* | 2 | |
| *adefovir* | 5 | PA; SP; QL (1 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *amantadine hcl* | 2 | |
| APTIVUS | 5 | SP; QL (4 per 1 day) |
| *atazanavir oral capsule 150 mg, 200 mg* | 3 | SP; QL (2 per 1 day) |
| *atazanavir oral capsule 300 mg* | 3 | SP; QL (1 per 1 day) |
| BARACLUDE ORAL SOLUTION | 5 | SP; QL (20 per 1 day) |
| BIKTARVY | 5 | SP; QL (1 per 1 day) |
| *darunavir oral tablet 600 mg* | 5 | SP; QL (2 per 1 day) |
| *darunavir oral tablet 800 mg* | 5 | SP; QL (1 per 1 day) |
| DESCOVY | 5 | SP; ACA; QL (1 per 1 day) |
| DOVATO | 5 | SP; QL (1 per 1 day) |
| EDURANT PED | 5 | SP; QL (6 per 1 day) |
| *efavirenz oral tablet* | 3 | SP; QL (1 per 1 day) |
| *efavirenz-emtricitabin-tenofov* | 3 | SP; QL (1 per 1 day) |
| *efavirenz-lamivu-tenofov disop* | 5 | SP; QL (1 per 1 day) |
| *emtricitabine* | 5 | SP; QL (1 per 1 day) |
| *emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg* | 5 | SP; QL (1 per 1 day) |
| *emtricitabine-tenofovir (tdf) oral tablet 200-300 mg* | 5 | SP; ACA; QL (1 per 1 day) |
| *emtricita-rilpivirine-tenof df* | 5 | SP; QL (1 per 1 day) |
| EMTRIVA ORAL SOLUTION | 5 | SP; QL (24 per 1 day) |
| *entecavir* | 5 | SP; QL (1 per 1 day) |
| EPCLUSA | 5 | PA; SP; QL (1 per 1 day) |
| *etravirine oral tablet 100 mg* | 5 | SP; QL (4 per 1 day) |
| *etravirine oral tablet 200 mg* | 5 | SP; QL (2 per 1 day) |
| EVOTAZ | 5 | SP; QL (1 per 1 day) |
| *famciclovir* | 2 | |
| *fosamprenavir* | 5 | SP; QL (4 per 1 day) |
| GENVOYA | 5 | SP; QL (1 per 1 day) |
| HARVONI | 5 | PA; SP |
| INTELENCE ORAL TABLET 25 MG | 5 | SP; QL (16 per 1 day) |
| ISENTRESS HD | 5 | SP; QL (2 per 1 day) |
| ISENTRESS ORAL TABLET | 5 | SP; QL (2 per 1 day) |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 5 | SP; QL (6 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 5 | SP; QL (12 per 1 day) |
| JULUCA | 5 | SP; QL (1 per 1 day) |
| KALETRA ORAL SOLUTION | 5 | SP; QL (13 per 1 day) |
| *lamivudine oral solution* | 3 | SP; QL (30 per 1 day) |
| *lamivudine oral tablet 100 mg* | 5 | SP; QL (1 per 1 day) |
| *lamivudine oral tablet 150 mg* | 3 | SP; QL (2 per 1 day) |
| *lamivudine oral tablet 300 mg* | 3 | SP; QL (1 per 1 day) |
| *lamivudine-zidovudine* | 3 | SP; QL (2 per 1 day) |
| LEDIPASVIR-SOFOSBUVIR | 2 | PA; SP |
| LIVTENCITY | 5 | PA; SP; QL (4 per 1 day) |
| *lopinavir-ritonavir oral tablet 100-25 mg* | 5 | SP; QL (10 per 1 day) |
| *lopinavir-ritonavir oral tablet 200-50 mg* | 5 | SP; QL (4 per 1 day) |
| *maraviroc oral tablet 150 mg* | 5 | SP; QL (2 per 1 day) |
| *maraviroc oral tablet 300 mg* | 5 | SP; QL (4 per 1 day) |
| MAVYRET ORAL PELLETS IN PACKET | 2 | PA; SP; QL (6 per 1 day) |
| MAVYRET ORAL TABLET | 2 | PA; SP; QL (3 per 1 day) |
| *nevirapine oral suspension* | 3 | SP; QL (40 per 1 day) |
| *nevirapine oral tablet* | 3 | SP; QL (2 per 1 day) |
| *nevirapine oral tablet extended release 24 hr* | 3 | SP; QL (1 per 1 day) |
| ODEFSEY | 5 | SP; QL (1 per 1 day) |
| *oseltamivir* | 2 | |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10), 150 MG (6)- 100 MG (5) | 3 | QL (40 per 365 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG | 3 | QL (60 per 365 days) |
| PREVYMIS ORAL PELLETS IN PACKET 120 MG | 5 | PA; SP; QL (2 per 1 day) |
| PREVYMIS ORAL PELLETS IN PACKET 20 MG | 5 | PA; SP; QL (4 per 1 day) |
| PREVYMIS ORAL TABLET | 5 | PA; SP; QL (1 per 1 day) |
| PREZISTA ORAL SUSPENSION | 5 | SP; QL (12 per 1 day) |
| PREZISTA ORAL TABLET 150 MG | 5 | SP; QL (6 per 1 day) |
| PREZISTA ORAL TABLET 75 MG | 5 | SP; QL (10 per 1 day) |
| *ribavirin inhalation* | 5 | SP |
| *ribavirin oral capsule* | 5 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *ribavirin oral tablet 200 mg* | 5 | SP |
| *rilpivirine hcl* | 5 | SP; QL (1 per 1 day) |
| *rimantadine* | 2 | |
| *ritonavir* | 3 | SP; QL (12 per 1 day) |
| SELZENTRY ORAL SOLUTION | 5 | SP; QL (60 per 1 day) |
| SOFOSBUVIR-VELPATASVIR | 2 | PA; SP; QL (1 per 1 day) |
| SOVALDI | 5 | PA; SP |
| STRIBILD | 5 | SP; QL (1 per 1 day) |
| *tenofovir disoproxil fumarate* | 3 | SP; QL (1 per 1 day) |
| TIVICAY ORAL TABLET 50 MG | 5 | SP; QL (2 per 1 day) |
| TIVICAY PD | 5 | SP; QL (6 per 1 day) |
| TRIUMEQ | 5 | SP; QL (1 per 1 day) |
| TRIUMEQ PD | 5 | SP; QL (6 per 1 day) |
| *valacyclovir* | 2 | |
| *valganciclovir oral recon soln* | 5 | PA for Age greater than or equal to 9 year(s); SP |
| *valganciclovir oral tablet* | 5 | SP |
| VEMLIDY | 5 | PA; SP; QL (1 per 1 day) |
| VIRACEPT ORAL TABLET 250 MG | 5 | SP; QL (10 per 1 day) |
| VIRACEPT ORAL TABLET 625 MG | 5 | SP; QL (4 per 1 day) |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 5 | SP; QL (1 per 1 day) |
| VOSEVI | 5 | PA; SP |
| XOCOVA | 4 | QL (7 per 30 days) |
| XOFLUZA ORAL TABLET 40 MG, 80 MG | 4 | QL (1 per 183 days) |
| *zidovudine oral capsule* | 3 | SP; QL (6 per 1 day) |
| *zidovudine oral syrup* | 3 | SP; QL (60 per 1 day) |
| *zidovudine oral tablet* | 3 | SP; QL (2 per 1 day) |
| **CEPHALOSPORINS** | | |
| *cefaclor oral capsule* | 2 | |
| *cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml* | 2 | |
| *cefaclor oral tablet extended release 12 hr* | 3 | |
| *cefadroxil oral capsule* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml* | 2 | |
| *cefadroxil oral tablet* | 2 | |
| *cefdinir* | 2 | |
| *cefixime oral capsule* | 3 | |
| *cefixime oral suspension for reconstitution* | 3 | |
| *cefpodoxime* | 2 | |
| *cefprozil* | 2 | |
| *cefuroxime axetil oral tablet* | 2 | |
| *cephalexin oral capsule 250 mg, 500 mg* | 2 | |
| *cephalexin oral capsule 750 mg* | 3 | |
| *cephalexin oral suspension for reconstitution* | 2 | |
| **ERYTHROMYCINS & OTHER MACROLIDES** | | |
| *azithromycin oral suspension for reconstitution* | 2 | |
| *azithromycin oral tablet* | 2 | |
| *clarithromycin* | 2 | |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION | 4 | PA; 100 mL per fill |
| *e.e.s. 400 oral tablet* | 2 | |
| *ery-tab oral tablet,delayed release (dr/ec) 250 mg, 333 mg* | 3 | |
| *erythrocin (as stearate) oral tablet 250 mg* | 3 | |
| *erythromycin ethylsuccinate oral suspension for reconstitution* | 3 | PA for Age greater than or equal to 9 year(s) |
| *erythromycin ethylsuccinate oral tablet* | 2 | |
| *erythromycin oral capsule,delayed release(dr/ec)* | 2 | |
| *erythromycin oral tablet* | 3 | |
| *erythromycin oral tablet,delayed release (dr/ec)* | 3 | |
| *fidaxomicin* | 3 | PA; 20 tabs per fill |
| **MISCELLANEOUS ANTIINFECTIVES** | | |
| *albendazole* | 3 | 4 tabs per fill |
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION | 4 | PA; QL (180 per 1 day) |
| *amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml* | 2 | |
| ARIKAYCE | 5 | PA; SP; LA; QL (8.4 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *atovaquone* | 3 | |
| *atovaquone-proguanil* | 3 | |
| BENZNIDAZOLE | 4 | PA |
| CAYSTON | 5 | SP; LA; QL (3 per 1 day) |
| *chloroquine phosphate* | 2 | |
| *clindamycin hcl* | 2 | |
| *clindamycin pediatric* | 2 | |
| COARTEM | 4 | QL (24 per 365 days) |
| *cycloserine* | 3 | |
| *dapsone oral* | 2 | |
| EMVERM | 4 | PA; 2 tabs per fill |
| *ethambutol* | 2 | |
| *hydroxychloroquine* | 2 | |
| *isoniazid oral* | 2 | |
| *ivermectin oral tablet 3 mg* | 2 | PA; QL (20 per 90 days) |
| KRINTAFEL | 4 | QL (2 per 365 days) |
| LAMPIT | 4 | PA |
| *linezolid* | 2 | |
| *mefloquine* | 2 | |
| *metronidazole oral tablet 250 mg, 500 mg* | 2 | |
| *neomycin* | 2 | |
| *nitazoxanide* | 3 | PA; QL (6 per 1 day) |
| *pentamidine inhalation* | 3 | QL (1 per 28 days) |
| *praziquantel* | 3 | |
| PRETOMANID | 4 | PA; QL (1 per 1 day) |
| PRIFTIN | 4 | 8 tabs per day; 952 in 119 days |
| *primaquine* | 2 | |
| *pyrazinamide* | 3 | |
| *pyrimethamine* | 5 | PA; SP; QL (3 per 1 day) |
| *quinine sulfate* | 3 | |
| *rifabutin* | 3 | |
| *rifampin oral* | 2 | |
| *rifapentine* | 3 | QL (8 per 1 day) |
| SIVEXTRO ORAL | 5 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *tinidazole* | 2 | |
| TOBI PODHALER | 5 | ST; SP; QL (224 per 28 days) |
| *tobramycin in 0.225 % nacl* | 5 | SP; QL (10 per 1 day) |
| *tobramycin inhalation* | 5 | SP; QL (224 per 28 days) |
| VABOMERE | 5 | PA |
| XIFAXAN ORAL TABLET 200 MG | 4 | QL (9 per 365 days) |
| XIFAXAN ORAL TABLET 550 MG | 4 | PA; QL (42 per 120 days) |
| **PENICILLINS** | | |
| *amoxicillin oral capsule* | 2 | |
| *amoxicillin oral suspension for reconstitution* | 2 | |
| *amoxicillin oral tablet* | 2 | |
| *amoxicillin oral tablet,chewable 125 mg, 250 mg* | 2 | |
| *amoxicillin-pot clavulanate* | 2 | |
| *ampicillin oral capsule 500 mg* | 2 | |
| *dicloxacillin* | 2 | |
| *penicillin v potassium* | 2 | |
| **QUINOLONES** | | |
| *ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg* | 2 | |
| *levofloxacin oral solution* | 3 | |
| *levofloxacin oral tablet* | 2 | |
| *moxifloxacin oral* | 3 | |
| *ofloxacin oral tablet 400 mg* | 2 | |
| **SULFA'S & RELATED AGENTS** | | |
| *sulfadiazine* | 3 | |
| *sulfamethoxazole-trimethoprim oral* | 2 | |
| *sulfatrim* | 2 | |
| **TETRACYCLINES** | | |
| *avidoxy* | 2 | |
| *demeclocycline* | 2 | |
| *doxycycline hyclate oral capsule 100 mg, 50 mg* | 2 | |
| *doxycycline hyclate oral tablet 100 mg, 20 mg* | 2 | |
| *doxycycline monohydrate oral capsule 100 mg, 50 mg* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *doxycycline monohydrate oral suspension for reconstitution* | 2 | |
| *doxycycline monohydrate oral tablet 100 mg, 50 mg* | 2 | |
| *minocycline oral capsule* | 2 | |
| *mondoxyne nl oral capsule 100 mg* | 2 | |
| *tetracycline oral capsule* | 2 | |
| **URINARY TRACT AGENTS** | | |
| *fosfomycin tromethamine* | 3 | |
| *methenamine hippurate* | 3 | |
| *methenamine mandelate oral tablet* | 3 | QL (4 per 1 day) |
| *nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg* | 2 | |
| *nitrofurantoin macrocrystal oral capsule 25 mg* | 3 | |
| *nitrofurantoin monohyd/m-cryst* | 2 | |
| *nitrofurantoin oral suspension 25 mg/5 ml* | 3 | |
| *trimethoprim* | 2 | |
| **VANCOMYCIN** | | |
| *vancomycin oral capsule* | 3 | |
| **ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS** | | |
| **ADJUNCTIVE AGENTS** | | |
| *leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg* | 3 | |
| *leucovorin calcium oral tablet 5 mg* | 2 | |
| VISTOGARD | 5 | SP; QL (20 per 30 days) |
| **ANTINEOPLASTIC & IMMUNOSUPPRESSANT DRUGS** | | |
| *abiraterone oral tablet 250 mg* | 5 | PA; SP; QL (4 per 1 day) |
| *abirtega* | 5 | PA; SP; QL (4 per 1 day) |
| AKEEGA | 5 | PA; SP; QL (2 per 1 day) |
| ALECENSA | 5 | PA; SP; QL (8 per 1 day) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA; SP; QL (1 per 1 day) |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA; SP; QL (4 per 1 day) |
| ALUNBRIG ORAL TABLETS,DOSE PACK | 5 | PA; SP; QL (30 per 365 days) |
| *anastrozole* | 2 | ACA |
| AUGTYRO ORAL CAPSULE 160 MG | 5 | PA; SP; QL (2 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| AUGTYRO ORAL CAPSULE 40 MG | 5 | PA; SP; QL (6 per 1 day) |
| AVMAPKI-FAKZYNJA | 5 | PA; SP; QL (66 per 28 days) |
| AYVAKIT | 5 | PA; SP; LA; QL (1 per 1 day) |
| *azathioprine oral tablet 50 mg* | 2 | |
| BALVERSA ORAL TABLET 3 MG | 5 | PA; SP; LA; QL (3 per 1 day) |
| BALVERSA ORAL TABLET 4 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| BALVERSA ORAL TABLET 5 MG | 5 | PA; SP; LA; QL (1 per 1 day) |
| *bexarotene* | 5 | PA; SP |
| *bicalutamide* | 2 | |
| BOSULIF ORAL CAPSULE 100 MG | 5 | PA; SP; QL (3 per 1 day) |
| BOSULIF ORAL CAPSULE 50 MG | 5 | PA; SP; QL (1 per 1 day) |
| *bosutinib oral tablet 100 mg* | 5 | PA; SP; QL (3 per 1 day) |
| *bosutinib oral tablet 400 mg, 500 mg* | 5 | PA; SP; QL (1 per 1 day) |
| BRAFTOVI | 5 | PA; SP; LA; QL (6 per 1 day) |
| BRUKINSA ORAL TABLET | 5 | PA; SP; LA; QL (2 per 1 day) |
| BYNFEZIA | 5 | PA; SP |
| CABOMETYX | 5 | PA; SP; LA; QL (1 per 1 day) |
| CALQUENCE (ACALABRUTINIB MAL) | 5 | PA; SP; LA; QL (2 per 1 day) |
| *capecitabine oral tablet 150 mg* | 5 | PA; SP; QL (4 per 1 day) |
| *capecitabine oral tablet 500 mg* | 5 | PA; SP; QL (10 per 1 day) |
| CAPRELSA ORAL TABLET 100 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| CAPRELSA ORAL TABLET 300 MG | 5 | PA; SP; LA; QL (1 per 1 day) |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | 5 | PA; SP; QL (56 per 28 days) |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA; SP; QL (112 per 28 days) |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY) | 5 | PA; SP; QL (84 per 28 days) |
| COPIKTRA | 5 | PA; SP; LA; QL (2 per 1 day) |
| COTELLIC | 5 | PA; SP; LA; QL (3 per 1 day) |
| *cyclophosphamide oral capsule* | 5 | SP |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG | 5 | SP |
| *cyclosporine modified* | 2 | SP |
| *cyclosporine oral capsule* | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| DANZITEN | 5 | PA; SP; QL (2 per 1 day) |
| *dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg* | 5 | PA; SP; QL (1 per 1 day) |
| *dasatinib oral tablet 20 mg* | 5 | PA; SP; QL (3 per 1 day) |
| DAURISMO ORAL TABLET 100 MG | 5 | PA; SP; QL (1 per 1 day) |
| DAURISMO ORAL TABLET 25 MG | 5 | PA; SP; QL (2 per 1 day) |
| DROXIA | 3 | |
| ELIGARD | 5 | PA; SP; QL (1 per 28 days) |
| ELIGARD (3 MONTH) | 5 | PA; SP; QL (1 per 63 days) |
| ELIGARD (4 MONTH) | 5 | PA; SP; QL (1 per 84 days) |
| ELIGARD (6 MONTH) | 5 | PA; SP; QL (1 per 126 days) |
| ENSACOVE | 5 | PA; SP; LA; QL (2 per 1 day) |
| ENSPRYNG | 5 | PA; SP; QL (1 per 28 days) |
| ERIVEDGE | 5 | PA; SP; QL (1 per 1 day) |
| ERLEADA ORAL TABLET 240 MG | 5 | PA; SP; QL (1 per 1 day) |
| ERLEADA ORAL TABLET 60 MG | 5 | PA; SP; QL (4 per 1 day) |
| *erlotinib oral tablet 100 mg, 150 mg* | 5 | PA; SP; QL (1 per 1 day) |
| *erlotinib oral tablet 25 mg* | 5 | PA; SP; QL (3 per 1 day) |
| *etoposide oral* | 5 | PA; SP |
| EULEXIN | 5 | PA; SP |
| *everolimus (antineoplastic) oral tablet* | 5 | PA; SP; QL (1 per 1 day) |
| *everolimus (antineoplastic) oral tablet for suspension* | 5 | PA; SP |
| *exemestane* | 2 | ACA |
| FENSOLVI | 5 | PA; SP; QL (1 per 126 days) |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 5 | PA; SP; QL (2 per 365 days) |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 5 | PA; SP; QL (1 per 28 days) |
| FOTIVDA | 5 | PA; SP; QL (21 per 28 days) |
| FRUZAQLA ORAL CAPSULE 1 MG | 5 | PA; SP; QL (84 per 28 days) |
| FRUZAQLA ORAL CAPSULE 5 MG | 5 | PA; SP; QL (21 per 28 days) |
| GAVRETO | 5 | PA; SP; LA; QL (4 per 1 day) |
| *gefitinib* | 5 | PA; SP; QL (1 per 1 day) |
| *gengraf oral capsule* | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| GILOTRIF | 5 | PA; SP; QL (1 per 1 day) |
| GOMEKLI ORAL CAPSULE 1 MG | 5 | PA; SP; QL (126 per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG | 5 | PA; SP; QL (84 per 28 days) |
| GOMEKLI ORAL TABLET FOR SUSPENSION | 5 | PA; SP; QL (168 per 28 days) |
| HERNEXEOS | 5 | PA; SP; QL (3 per 1 day) |
| HYCAMTIN ORAL | 5 | PA; SP |
| *hydroxyurea* | 2 | |
| HYRNUO | 5 | PA; SP; QL (4 per 1 day) |
| IBRANCE ORAL CAPSULE 125 MG | 5 | PA; SP; QL (1 per 1 day) |
| IBRANCE ORAL TABLET | 5 | PA; SP; QL (1 per 1 day) |
| IBTROZI | 5 | PA; SP; QL (3 per 1 day) |
| ICLUSIG | 5 | PA; SP; QL (1 per 1 day) |
| IDHIFA | 5 | PA; SP; LA; QL (1 per 1 day) |
| *imatinib oral tablet 100 mg* | 5 | PA; SP; QL (3 per 1 day) |
| *imatinib oral tablet 400 mg* | 5 | PA; SP; QL (2 per 1 day) |
| IMBRUVICA ORAL CAPSULE 140 MG | 5 | PA; SP; QL (3 per 1 day) |
| IMBRUVICA ORAL CAPSULE 70 MG | 5 | PA; SP; QL (1 per 1 day) |
| IMBRUVICA ORAL SUSPENSION | 5 | PA; SP; QL (6 per 1 day) |
| IMBRUVICA ORAL TABLET | 5 | PA; SP; QL (1 per 1 day) |
| IMKELDI | 5 | PA; SP; QL (280 per 28 days) |
| INLURIYO | 5 | PA; SP; QL (2 per 1 day) |
| INLYTA ORAL TABLET 1 MG | 5 | PA; SP; QL (6 per 1 day) |
| INLYTA ORAL TABLET 5 MG | 5 | PA; SP; QL (4 per 1 day) |
| INQOVI | 5 | PA; SP; QL (5 per 28 days) |
| INREBIC | 5 | PA; SP; LA; QL (4 per 1 day) |
| ITOVEBI ORAL TABLET 3 MG | 5 | PA; SP; QL (2 per 1 day) |
| ITOVEBI ORAL TABLET 9 MG | 5 | PA; SP; QL (1 per 1 day) |
| IWILFIN | 5 | PA; SP; LA; QL (8 per 1 day) |
| JAKAFI | 5 | PA; SP; QL (2 per 1 day) |
| JAKAFI XR | 5 | PA; SP; QL (1 per 1 day) |
| JAYPIRCA ORAL TABLET 100 MG | 5 | PA; SP; QL (2 per 1 day) |
| JAYPIRCA ORAL TABLET 50 MG | 5 | PA; SP; QL (1 per 1 day) |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA; SP; QL (21 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 5 | PA; SP; QL (42 per 28 days) |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 5 | PA; SP; QL (63 per 28 days) |
| KOMZIFTI | 5 | PA; SP; QL (3 per 1 day) |
| KOSELUGO ORAL CAPSULE 10 MG | 5 | PA; SP; QL (8 per 1 day) |
| KOSELUGO ORAL CAPSULE 25 MG | 5 | PA; SP; QL (4 per 1 day) |
| KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG | 5 | PA; SP; QL (20 per 1 day) |
| KOSELUGO ORAL CAPSULE, SPRINKLE 7.5 MG | 5 | PA; SP; QL (12 per 1 day) |
| KRAZATI | 5 | PA; SP; QL (6 per 1 day) |
| *lanreotide subcutaneous syringe 120 mg/0.5 ml* | 5 | PA; SP; QL (0.5 per 28 days) |
| *lapatinib* | 5 | PA; SP; QL (6 per 1 day) |
| LAZCLUZE ORAL TABLET 240 MG | 5 | PA; SP; LA; QL (1 per 1 day) |
| LAZCLUZE ORAL TABLET 80 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| *lenalidomide* | 5 | PA; SP; QL (1 per 1 day) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG | 5 | PA; SP; QL (30 per 28 days) |
| LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) | 5 | PA; SP; QL (90 per 28 days) |
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | 5 | PA; SP; QL (60 per 28 days) |
| *letrozole* | 2 | |
| LEUKERAN | 5 | PA; SP |
| *leuprolide subcutaneous kit* | 5 | PA; SP; QL (2 per 28 days) |
| LIFYORLI ORAL CAPSULE 125 MG/DAY(100 MG X1-25MG X1) | 5 | PA; SP; LA; QL (18 per 28 days) |
| LIFYORLI ORAL CAPSULE 150 MG/DAY(100 MG X1-25MG X2) | 5 | PA; SP; LA; QL (27 per 28 days) |
| *lomustine* | 5 | PA; SP |
| LONSURF ORAL TABLET 15-6.14 MG | 5 | PA; SP; QL (6 per 1 day) |
| LONSURF ORAL TABLET 20-8.19 MG | 5 | PA; SP; QL (8 per 1 day) |
| LORBRENA ORAL TABLET 100 MG | 5 | PA; SP; QL (1 per 1 day) |
| LORBRENA ORAL TABLET 25 MG | 5 | PA; SP; QL (3 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| LUMAKRAS ORAL TABLET 120 MG, 240 MG | 5 | PA; SP; QL (2 per 1 day) |
| LUMAKRAS ORAL TABLET 320 MG | 5 | PA; SP; QL (3 per 1 day) |
| LUPKYNIS | 5 | PA; SP; QL (6 per 1 day) |
| LUPRON DEPOT | 5 | PA; SP; QL (1 per 28 days) |
| LUPRON DEPOT (3 MONTH) | 5 | PA; SP; QL (1 per 63 days) |
| LUPRON DEPOT (4 MONTH) | 5 | PA; SP; QL (1 per 84 days) |
| LUPRON DEPOT (6 MONTH) | 5 | PA; SP; QL (1 per 126 days) |
| LUPRON DEPOT-PED (3 MONTH) | 5 | PA; SP; QL (1 per 63 days) |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT | 5 | PA; SP; QL (1 per 28 days) |
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT | 5 | PA; SP; QL (1 per 126 days) |
| LUTRATE DEPOT (3 MONTH) | 5 | PA; SP; QL (1 per 63 days) |
| LYNPARZA | 5 | PA; SP; QL (4 per 1 day) |
| LYSODREN | 5 | PA; SP |
| LYTGOBI | 5 | PA; SP; LA; QL (4 per 28 days) |
| MATULANE | 5 | PA; SP |
| *megestrol oral suspension 400 mg/10 ml (40 mg/ml)* | 2 | |
| *megestrol oral tablet* | 2 | |
| MEKINIST ORAL RECON SOLN | 5 | PA; SP; QL (23 per 1 day) |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA; SP; QL (3 per 1 day) |
| MEKINIST ORAL TABLET 2 MG | 5 | PA; SP; QL (1 per 1 day) |
| MEKTOVI | 5 | PA; SP; LA; QL (6 per 1 day) |
| *mercaptopurine oral tablet* | 2 | |
| *methotrexate sodium* | 2 | |
| *methotrexate sodium (pf) injection solution* | 2 | |
| MODEYSO | 5 | PA; SP; QL (20 per 28 days) |
| MYCAPSSA | 5 | PA; SP; LA; QL (4 per 1 day) |
| *mycophenolate mofetil oral capsule* | 2 | SP |
| *mycophenolate mofetil oral suspension for reconstitution* | 3 | PA for age 9 or older; SP |
| *mycophenolate mofetil oral tablet* | 2 | SP |
| *mycophenolate sodium* | 2 | SP |
| MYHIBBIN | 5 | PA for age 9 or older; SP; QL (350 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| MYLERAN | 5 | PA; SP |
| NEMLUVIO | 5 | PA; SP; QL (1 per 28 days) |
| NERLYNX | 5 | PA; SP; LA; QL (6 per 1 day) |
| *nilotinib hcl oral capsule 150 mg, 200 mg* | 5 | PA; SP; QL (4 per 1 day) |
| *nilotinib hcl oral capsule 50 mg* | 5 | PA; SP; QL (2 per 1 day) |
| *nilutamide* | 5 | PA; SP; QL (1 per 1 day) |
| NINLARO | 5 | PA; SP; QL (3 per 28 days) |
| NUBEQA | 5 | PA; SP; LA; QL (4 per 1 day) |
| *octreotide acetate* | 5 | PA; SP |
| *octreotide,microspheres intramuscular suspension,extended rel recon 10 mg, 30 mg* | 5 | PA; SP; QL (1 per 28 days) |
| *octreotide,microspheres intramuscular suspension,extended rel recon 20 mg* | 5 | PA; SP; QL (2 per 28 days) |
| ODOMZO | 5 | PA; SP; LA; QL (1 per 1 day) |
| OGSIVEO ORAL TABLET 100 MG, 150 MG | 5 | PA; SP; QL (2 per 1 day) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION | 5 | PA; SP; QL (96 per 28 days) |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4) | 5 | PA; SP; QL (16 per 28 days) |
| OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5) | 5 | PA; SP; QL (20 per 28 days) |
| OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6) | 5 | PA; SP; QL (24 per 28 days) |
| OJJAARA | 5 | PA; SP; QL (1 per 1 day) |
| ONUREG | 5 | PA; SP; QL (14 per 28 days) |
| ORGOVYX | 5 | PA; SP; LA; QL (1 per 1 day) |
| ORSERDU ORAL TABLET 345 MG | 5 | PA; SP; QL (1 per 1 day) |
| ORSERDU ORAL TABLET 86 MG | 5 | PA; SP; QL (3 per 1 day) |
| PALSONIFY | 5 | PA; SP; QL (2 per 1 day) |
| *pazopanib oral tablet 200 mg* | 5 | PA; SP; QL (4 per 1 day) |
| PAZOPANIB ORAL TABLET 400 MG | 5 | PA; SP; QL (2 per 1 day) |
| PEMAZYRE | 5 | PA; SP; LA; QL (14 per 28 days) |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA; SP; QL (28 per 28 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 5 | PA; SP; QL (56 per 28 days) |
| *pomalidomide* | 5 | PA; SP; QL (1 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| QINLOCK | 5 | PA; SP; LA; QL (3 per 1 day) |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| RETEVMO ORAL TABLET 40 MG | 5 | PA; SP; LA; QL (3 per 1 day) |
| REVUFORJ ORAL TABLET 110 MG | 5 | PA; SP; QL (4 per 1 day) |
| REVUFORJ ORAL TABLET 160 MG | 5 | PA; SP; QL (2 per 1 day) |
| REVUFORJ ORAL TABLET 25 MG | 5 | PA; SP; QL (8 per 1 day) |
| REZLIDHIA | 5 | PA; SP; QL (2 per 1 day) |
| REZUROCK | 5 | PA; SP; QL (1 per 1 day) |
| ROMVIMZA | 5 | PA; SP; LA; QL (8 per 28 days) |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA; SP; LA; QL (1 per 1 day) |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA; SP; LA; QL (3 per 1 day) |
| ROZLYTREK ORAL PELLETS IN PACKET | 5 | PA; SP; LA; QL (12 per 1 day) |
| RUBRACA | 5 | PA; SP; LA; QL (4 per 1 day) |
| RYDAPT | 5 | PA; SP; QL (8 per 1 day) |
| SCEMBLIX ORAL TABLET 100 MG | 5 | PA; SP; QL (4 per 1 day) |
| SCEMBLIX ORAL TABLET 20 MG | 5 | PA; SP; QL (2 per 1 day) |
| SCEMBLIX ORAL TABLET 40 MG | 5 | PA; SP; QL (10 per 1 day) |
| SIGNIFOR | 5 | PA; SP |
| SIGNIFOR LAR | 5 | PA; SP; QL (1 per 28 days) |
| *sirolimus* | 3 | SP |
| SOLTAMOX | 4 | |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML | 5 | PA; SP; QL (0.5 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML | 5 | PA; SP; QL (0.2 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML | 5 | PA; SP; QL (0.3 per 28 days) |
| *sorafenib* | 5 | PA; SP; QL (4 per 1 day) |
| STIVARGA | 5 | PA; SP; QL (84 per 28 days) |
| *sunitinib malate* | 5 | PA; SP; QL (1 per 1 day) |
| SUPPRELIN LA | 5 | PA; SP; QL (1 per 365 days) |
| TABLOID | 5 | PA; SP |
| TABRECTA | 5 | PA; SP; QL (4 per 1 day) |
| *tacrolimus oral capsule* | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| TAFINLAR ORAL CAPSULE | 5 | PA; SP; QL (4 per 1 day) |
| TAFINLAR ORAL TABLET FOR SUSPENSION | 5 | PA; SP; QL (30 per 1 day) |
| TAGRISSO | 5 | PA; SP; LA; QL (1 per 1 day) |
| TALZENNA | 5 | PA; SP; QL (1 per 1 day) |
| *tamoxifen* | 2 | ACA |
| *temozolomide* | 5 | PA; SP |
| TEPMETKO | 5 | PA; SP; QL (2 per 1 day) |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 5 | PA; SP; QL (1 per 1 day) |
| TIBSOVO | 5 | PA; SP; QL (2 per 1 day) |
| *toremifene* | 5 | PA; SP; QL (1 per 1 day) |
| *torpenz* | 5 | PA; SP; QL (1 per 1 day) |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG | 5 | PA; SP; QL (1 per 63 days) |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG | 5 | PA; SP; QL (1 per 126 days) |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG | 5 | PA; SP; QL (1 per 28 days) |
| *tretinoin (antineoplastic)* | 5 | PA; SP |
| TRIPTODUR | 5 | PA; SP; QL (1 per 126 days) |
| TRUQAP | 5 | PA; SP; QL (64 per 28 days) |
| TUKYSA | 5 | PA; SP; LA; QL (4 per 1 day) |
| TURALIO | 5 | PA; SP; LA; QL (4 per 1 day) |
| VANFLYTA | 4 | PA; SP; QL (2 per 1 day) |
| VENCLEXTA ORAL TABLET 10 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA; SP; LA; QL (6 per 1 day) |
| VENCLEXTA ORAL TABLET 50 MG | 5 | PA; SP; LA; QL (1 per 1 day) |
| VENCLEXTA STARTING PACK | 5 | PA; SP; QL (42 per 365 days) |
| VERZENIO | 5 | PA; SP; LA; QL (2 per 1 day) |
| VIJOICE ORAL GRANULES IN PACKET | 5 | PA; SP; QL (1 per 1 day) |
| VIJOICE ORAL TABLET 125 MG, 50 MG | 5 | PA; SP; QL (1 per 1 day) |
| VIJOICE ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1) | 5 | PA; SP; QL (56 per 28 days) |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA; SP; LA; QL (6 per 1 day) |
| VITRAKVI ORAL SOLUTION | 5 | PA; SP; LA; QL (10 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| VONJO | 5 | PA; SP; QL (4 per 1 day) |
| VORANIGO ORAL TABLET 10 MG | 5 | PA; SP; QL (2 per 1 day) |
| VORANIGO ORAL TABLET 40 MG | 5 | PA; SP; QL (1 per 1 day) |
| VOYXACT | 5 | PA; SP; QL (2 per 28 days) |
| WAYRILZ | 5 | PA; SP; LA; QL (2 per 1 day) |
| WELIREG | 5 | PA; SP; LA; QL (3 per 1 day) |
| XALKORI ORAL CAPSULE | 5 | PA; SP; QL (4 per 1 day) |
| XALKORI ORAL PELLET 150 MG | 5 | PA; SP; QL (6 per 1 day) |
| XALKORI ORAL PELLET 20 MG, 50 MG | 5 | PA; SP; QL (4 per 1 day) |
| XERMELO | 5 | PA; SP; LA; QL (3 per 1 day) |
| XOSPATA | 5 | PA; SP; LA; QL (3 per 1 day) |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 5 | PA; SP; LA; QL (8 per 28 days) |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4) | 5 | PA; SP; LA; QL (16 per 28 days) |
| XPOVIO ORAL TABLET 60 MG/WEEK (60 MG X 1), 80 MG/WEEK (80 MG X 1) | 5 | PA; SP; LA; QL (4 per 28 days) |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK) | 5 | PA; SP; LA; QL (24 per 28 days) |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK) | 5 | PA; SP; LA; QL (32 per 28 days) |
| XTANDI ORAL CAPSULE | 5 | PA; SP; QL (4 per 1 day) |
| XTANDI ORAL TABLET 40 MG | 5 | PA; SP; QL (4 per 1 day) |
| XTANDI ORAL TABLET 80 MG | 5 | PA; SP; QL (2 per 1 day) |
| YONSA | 5 | PA; SP; QL (4 per 1 day) |
| *yulithira* | 5 | PA; SP; QL (1 per 1 day) |
| ZEJULA | 4 | PA; SP; LA; QL (1 per 1 day) |
| ZELBORAF | 5 | PA; SP; QL (8 per 1 day) |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG | 5 | PA; SP; QL (1 per 63 days) |
| ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG | 5 | PA; SP; QL (1 per 28 days) |
| ZOLINZA | 5 | PA; SP; QL (4 per 1 day) |
| ZYDELIG | 5 | PA; SP; QL (2 per 1 day) |
| ZYKADIA | 5 | PA; SP; QL (3 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| **AUTONOMIC & CNS DRUGS, NEUROLOGY & PSYCH** | | |
| **ANTICONVULSANTS** | | |
| *brivaracetam oral solution* | 3 | PA; QL (12 per 1 day) |
| *brivaracetam oral tablet* | 3 | PA; QL (2 per 1 day) |
| *carbamazepine oral capsule, er multiphase 12 hr* | 3 | |
| *carbamazepine oral suspension 100 mg/5 ml* | 3 | |
| *carbamazepine oral tablet* | 2 | |
| *carbamazepine oral tablet extended release 12 hr* | 3 | |
| *carbamazepine oral tablet,chewable 100 mg* | 2 | |
| *clobazam oral suspension* | 3 | PA |
| *clobazam oral tablet* | 3 | |
| *clonazepam oral tablet 0.5 mg, 1 mg, 2 mg* | 2 | |
| *clonazepam oral tablet,disintegrating* | 3 | |
| DIACOMIT ORAL CAPSULE 250 MG | 5 | PA; SP; QL (12 per 1 day) |
| DIACOMIT ORAL CAPSULE 500 MG | 5 | PA; SP; QL (6 per 1 day) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG | 5 | PA; SP; QL (12 per 1 day) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG | 5 | PA; SP; QL (6 per 1 day) |
| *diazepam rectal* | 3 | |
| DILANTIN | 4 | PA; QL (3 per 1 day) |
| *divalproex oral capsule, delayed rel sprinkle* | 3 | |
| *divalproex oral tablet extended release 24 hr* | 3 | |
| *divalproex oral tablet,delayed release (dr/ec)* | 2 | |
| EPIDIOLEX | 5 | PA; SP; LA |
| EQUETRO | 4 | PA |
| *eslicarbazepine oral tablet 200 mg, 400 mg* | 3 | PA; QL (1 per 1 day) |
| *eslicarbazepine oral tablet 600 mg, 800 mg* | 3 | PA; QL (2 per 1 day) |
| *ethosuximide* | 3 | |
| *felbamate* | 3 | PA |
| FINTEPLA | 5 | PA; SP; LA; QL (12 per 1 day) |
| *gabapentin oral capsule 100 mg, 300 mg, 400 mg* | 2 | |
| *gabapentin oral solution 250 mg/5 ml, 300 mg/6 ml (6 ml)* | 3 | |
| *gabapentin oral tablet 600 mg, 800 mg* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *lacosamide oral* | 3 | PA |
| *lamotrigine oral tablet* | 2 | |
| *lamotrigine oral tablet, chewable dispersible* | 2 | |
| *levetiracetam oral solution* | 2 | |
| *levetiracetam oral tablet* | 2 | |
| *levetiracetam oral tablet extended release 24 hr* | 2 | |
| *methsuximide* | 3 | |
| NAYZILAM | 4 | PA; QL (10 per 30 days) |
| *oxcarbazepine oral suspension* | 3 | |
| *oxcarbazepine oral tablet* | 2 | |
| *oxcarbazepine oral tablet extended release 24 hr 150 mg, 300 mg* | 3 | PA; QL (2 per 1 day) |
| *oxcarbazepine oral tablet extended release 24 hr 600 mg* | 3 | PA; QL (4 per 1 day) |
| *perampanel oral suspension* | 3 | PA; QL (24 per 1 day) |
| *perampanel oral tablet* | 3 | PA; QL (1 per 1 day) |
| *phenobarbital* | 2 | |
| *phenytoin oral suspension 125 mg/5 ml* | 2 | |
| *phenytoin oral tablet,chewable* | 2 | |
| *phenytoin sodium extended oral capsule 100 mg* | 2 | |
| *phenytoin sodium extended oral capsule 200 mg, 300 mg* | 3 | |
| *pregabalin oral capsule* | 2 | |
| *pregabalin oral solution* | 3 | |
| *primidone oral tablet 250 mg, 50 mg* | 2 | |
| *relgaabi oral capsule 300 mg, 400 mg* | 2 | |
| *rufinamide* | 3 | PA |
| *subvenite oral tablet* | 2 | |
| *tiagabine* | 3 | PA |
| *topiramate oral capsule, sprinkle 15 mg, 25 mg* | 3 | |
| *topiramate oral tablet* | 2 | |
| *valproic acid* | 2 | |
| *valproic acid (as sodium salt) oral solution 250 mg/5 ml, 500 mg/10 ml (10 ml)* | 2 | |
| VALTOCO | 4 | PA; QL (10 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *vigabatrin* | 5 | PA; SP; LA |
| *vigadrone oral powder in packet* | 5 | PA; SP |
| *vigadrone oral tablet* | 3 | PA; SP |
| VIGAFYDE | 5 | PA; SP |
| XCOPRI MAINTENANCE PACK | 4 | PA; QL (2 per 1 day) |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 25 MG, 50 MG | 4 | PA; QL (1 per 1 day) |
| XCOPRI ORAL TABLET 200 MG | 4 | PA; QL (2 per 1 day) |
| XCOPRI TITRATION PACK | 4 | PA; 1 tab per day; 28 tabs in 365 days |
| *zonisamide* | 2 | |
| ZTALMY | 5 | PA; SP; LA; QL (10 per 30 days) |
| **ANTIPARKINSONISM AGENTS** | | |
| *apomorphine* | 5 | PA; SP; QL (3 per 1 day) |
| *benztropine oral* | 2 | |
| *bromocriptine* | 2 | |
| *carbidopa* | 3 | PA; QL (8 per 1 day) |
| *carbidopa-levodopa oral tablet* | 2 | |
| *carbidopa-levodopa oral tablet extended release* | 2 | |
| *carbidopa-levodopa oral tablet,disintegrating* | 2 | |
| *carbidopa-levodopa-entacapone* | 2 | |
| *entacapone* | 2 | |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE | 5 | PA; SP; QL (10 per 1 day) |
| NEUPRO | 4 | PA; QL (1 per 1 day) |
| NOURIANZ | 5 | PA; SP; LA; QL (1 per 1 day) |
| ONAPGO | 5 | PA; SP; QL (600 per 30 days) |
| ONGENTYS | 4 | PA; QL (1 per 1 day) |
| *pramipexole oral tablet* | 2 | |
| *rasagiline* | 3 | |
| *ropinirole oral tablet* | 2 | |
| *ropinirole oral tablet extended release 24 hr* | 3 | |
| *selegiline hcl* | 2 | |
| *trihexyphenidyl* | 2 | |
| VYALEV | 5 | PA; SP; QL (420 per 30 days) |
| **MIGRAINE & CLUSTER HEADACHE THERAPY** | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| AIMOVIG AUTOINJECTOR | 3 | PA; QL (1 per 30 days) |
| AJOVY AUTOINJECTOR | 4 | PA; QL (1.5 per 30 days) |
| AJOVY SYRINGE | 4 | PA; QL (1.5 per 30 days) |
| *almotriptan malate* | 3 | QL (12 per 30 days) |
| *dihydroergotamine injection* | 3 | PA; QL (24 per 28 days) |
| *dihydroergotamine nasal* | 3 | PA; QL (8 per 28 days) |
| *eletriptan* | 3 | QL (12 per 30 days) |
| EMGALITY PEN | 3 | PA; QL (1 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; QL (1 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3) | 3 | PA; QL (3 per 30 days) |
| ERGOMAR | 4 | QL (20 per 28 days) |
| *ergotamine-caffeine* | 3 | |
| *frovatriptan* | 3 | QL (12 per 30 days) |
| *naratriptan* | 2 | QL (9 per 30 days) |
| NURTEC ODT | 3 | PA; QL (8 per 30 days) |
| QULIPTA | 3 | PA; QL (1 per 1 day) |
| *rizatriptan* | 2 | QL (12 per 30 days) |
| *sumatriptan nasal spray,non-aerosol 20 mg/actuation* | 2 | QL (6 per 30 days) |
| *sumatriptan nasal spray,non-aerosol 5 mg/actuation* | 2 | QL (12 per 30 days) |
| *sumatriptan succinate oral tablet 100 mg* | 2 | QL (9 per 30 days) |
| *sumatriptan succinate oral tablet 25 mg, 50 mg* | 2 | QL (18 per 30 days) |
| *sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml* | 2 | QL (6 per 30 days) |
| *sumatriptan succinate subcutaneous solution* | 2 | QL (6 per 30 days) |
| UBRELVY | 4 | PA; QL (10 per 30 days) |
| ZAVZPRET | 5 | PA; QL (1 per 30 days) |
| *zolmitriptan oral tablet* | 2 | QL (12 per 30 days) |
| **MISCELLANEOUS NEUROLOGICAL THERAPY** | | |
| AUSTEDO | 3 | PA; SP; LA; QL (4 per 1 day) |
| AUSTEDO XR | 3 | PA; SP; QL (1 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG | 3 | PA; SP; QL (28 per 365 days) |
| *dalfampridine* | 5 | SP; QL (2 per 1 day) |
| DAYBUE | 5 | PA; SP; QL (120 per 1 day) |
| DAYBUE STIX ORAL POWDER IN PACKET 5,000 MG, 6,000 MG | 5 | PA; SP; LA; QL (4 per 1 day) |
| DAYBUE STIX ORAL POWDER IN PACKET 8,000 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| *dextromethorphan-quinidine* | 5 | PA; SP; QL (2 per 1 day) |
| *dichlorphenamide* | 5 | PA; SP; QL (4 per 1 day) |
| *donepezil oral tablet 10 mg, 5 mg* | 2 | |
| *donepezil oral tablet 23 mg* | 3 | |
| *donepezil oral tablet,disintegrating* | 2 | |
| EVRYSDI ORAL RECON SOLN | 5 | PA; SP; LA; QL (6.7 per 1 day) |
| EVRYSDI ORAL TABLET | 5 | PA; SP; LA; QL (1 per 1 day) |
| FIRDAPSE | 5 | PA; SP; LA; QL (10 per 1 day) |
| *galantamine oral capsule,ext rel. pellets 24 hr* | 3 | |
| *galantamine oral tablet* | 3 | |
| INGREZZA | 3 | PA; SP; LA; QL (1 per 1 day) |
| INGREZZA INITIATION PK(TARDIV) | 3 | PA; SP; QL (28 per 365 days) |
| INGREZZA SPRINKLE | 3 | PA; LA; QL (1 per 1 day) |
| LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML | 5 | PA; SP; QL (7.2 per 28 days) |
| LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 500 MG/2.5 ML ( 250MG/1.25MLX2) | 5 | PA; SP; QL (10 per 28 days) |
| *memantine oral capsule,sprinkle,er 24hr* | 3 | |
| *memantine oral tablet* | 2 | |
| MEMANTINE ORAL TABLETS,DOSE PACK | 2 | |
| MIPLYFFA | 5 | PA; SP; LA; QL (3 per 1 day) |
| NUEDEXTA | 5 | PA; SP; QL (2 per 1 day) |
| NULIBRY | 5 | PA; SP |
| RADICAVA ORS STARTER KIT SUSP | 5 | PA; SP |
| *rivastigmine* | 2 | |
| *rivastigmine tartrate* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| SKYCLARYS | 4 | PA; SP; LA; QL (3 per 1 day) |
| *tetrabenazine oral tablet 12.5 mg* | 5 | PA; SP; QL (8 per 1 day) |
| *tetrabenazine oral tablet 25 mg* | 5 | PA; SP; QL (4 per 1 day) |
| WAINUA SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; SP; QL (1 per 28 days) |
| ZEPOSIA | 5 | PA; SP; QL (1 per 1 day) |
| ZEPOSIA STARTER KIT (28-DAY) | 5 | PA; SP; QL (28 per 365 days) |
| ZEPOSIA STARTER PACK (7-DAY) | 5 | PA; SP; QL (7 per 365 days) |
| **MUSCLE RELAXANTS & ANTISPASMODIC THERAPY** | | |
| *baclofen oral tablet 10 mg, 20 mg* | 2 | |
| *baclofen oral tablet 5 mg* | 3 | QL (3 per 1 day) |
| *carisoprodol oral tablet 350 mg* | 2 | QL (4 per 1 day) |
| *chlorzoxazone oral tablet 500 mg* | 2 | |
| *cyclobenzaprine oral tablet 10 mg, 5 mg* | 2 | |
| *dantrolene oral capsule 100 mg* | 3 | QL (4 per 1 day) |
| *dantrolene oral capsule 25 mg, 50 mg* | 3 | QL (3 per 1 day) |
| *meprobamate* | 2 | |
| *metaxalone oral tablet 800 mg* | 3 | ST; QL (4 per 1 day) |
| *methocarbamol oral tablet 500 mg, 750 mg* | 2 | |
| *orphenadrine citrate oral* | 2 | |
| PYRIDOSTIGMINE BROMIDE ORAL TABLET 30 MG | 2 | |
| *pyridostigmine bromide oral tablet 60 mg* | 2 | |
| *pyridostigmine bromide oral tablet extended release 180 mg* | 2 | |
| *tizanidine oral capsule 2 mg, 4 mg, 6 mg* | 3 | |
| *tizanidine oral tablet* | 2 | |
| *vanadom* | 2 | QL (4 per 1 day) |
| VYVGART HYTRULO SUBCUTANEOUS SYRINGE | 5 | PA; SP; LA; QL (20 per 28 days) |
| ZILBRYSQ | 5 | PA; SP; LA; QL (1 per 1 day) |
| **NARCOTIC ANALGESICS** | | |
| *acetaminophen-codeine oral solution 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml* | 2 | PA |
| *acetaminophen-codeine oral tablet* | 2 | PA |
| *ascomp with codeine* | 2 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| BELBUCA | 4 | PA; QL (2 per 1 day) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 128 MG/0.36 ML | 5 | PA; SP; QL (0.36 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 16 MG/0.32 ML | 5 | PA; SP; QL (1.28 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 24 MG/0.48 ML | 5 | PA; SP; QL (1.92 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 32 MG/0.64 ML | 5 | PA; SP; QL (2.56 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 64 MG/0.18 ML | 5 | PA; SP; QL (0.18 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 8 MG/0.16 ML | 5 | PA; SP; QL (0.64 per 28 days) |
| BRIXADI SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 96 MG/0.27 ML | 5 | PA; SP; QL (0.27 per 28 days) |
| *buprenorphine* | 3 | PA; QL (4 per 28 days) |
| *buprenorphine hcl sublingual tablet 2 mg* | 2 | QL (12 per 1 day) |
| *buprenorphine hcl sublingual tablet 8 mg* | 2 | QL (3 per 1 day) |
| *butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg* | 2 | PA |
| *butalbital-acetaminophen oral tablet 50-325 mg* | 2 | QL (6 per 1 day) |
| *butalbital-acetaminophen-caff oral tablet* | 2 | QL (6 per 1 day) |
| *butalbital-aspirin-caffeine oral capsule* | 2 | |
| *codeine sulfate* | 2 | PA |
| *codeine-butalbital-asa-caff* | 2 | PA |
| *endocet* | 2 | PA |
| *fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr* | 2 | PA |
| *hydrocodone bitartrate* | 3 | PA |
| *hydrocodone-acetaminophen oral solution* | 3 | PA |
| *hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg* | 2 | PA |
| *hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg* | 3 | PA |
| *hydrocodone-ibuprofen oral tablet 7.5-200 mg* | 2 | PA |
| *hydromorphone oral liquid* | 2 | PA |
| *hydromorphone oral tablet* | 2 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *hydromorphone oral tablet extended release 24 hr* | 3 | PA |
| *hydromorphone rectal* | 2 | PA |
| *meperidine oral solution* | 2 | PA |
| *meperidine oral tablet 50 mg* | 2 | PA |
| *methadone oral concentrate* | 2 | PA |
| *methadone oral solution* | 2 | PA |
| *methadone oral tablet* | 2 | PA |
| *methadose oral concentrate* | 2 | PA |
| *morphine concentrate oral solution* | 2 | PA |
| *morphine oral solution* | 2 | PA |
| *morphine oral tablet* | 2 | PA |
| *morphine oral tablet extended release* | 2 | PA |
| *morphine rectal* | 3 | PA |
| *oxycodone oral capsule* | 2 | PA |
| *oxycodone oral concentrate* | 2 | PA |
| *oxycodone oral solution* | 2 | PA |
| *oxycodone oral tablet* | 2 | PA |
| *oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg* | 2 | PA |
| *oxymorphone oral tablet* | 2 | PA |
| *oxymorphone oral tablet extended release 12 hr* | 3 | PA |
| SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML | 5 | PA; SP; QL (0.5 per 28 days) |
| SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML | 5 | PA; SP; QL (1.5 per 28 days) |
| *tencon* | 2 | QL (6 per 1 day) |
| XTAMPZA ER | 4 | PA |
| **NON-NARCOTIC ANALGESICS** | | |
| *adult aspirin regimen* | 2 | ACA; OTC |
| *aspirin childrens* | 2 | ACA; OTC |
| *aspirin oral tablet,chewable* | 2 | ACA; OTC |
| *aspirin oral tablet,delayed release (dr/ec) 81 mg* | 2 | ACA; OTC |
| *bayer low dose aspirin* | 2 | ACA; OTC |
| *buprenorphine-naloxone sublingual film 12-3 mg* | 3 | QL (2 per 1 day) |
| *buprenorphine-naloxone sublingual film 2-0.5 mg* | 3 | QL (12 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *buprenorphine-naloxone sublingual film 4-1 mg* | 3 | QL (6 per 1 day) |
| *buprenorphine-naloxone sublingual film 8-2 mg* | 3 | QL (3 per 1 day) |
| *buprenorphine-naloxone sublingual tablet 2-0.5 mg* | 2 | QL (12 per 1 day) |
| *buprenorphine-naloxone sublingual tablet 8-2 mg* | 2 | QL (3 per 1 day) |
| *butorphanol nasal* | 2 | PA |
| *celecoxib oral capsule 100 mg, 200 mg, 50 mg* | 2 | QL (2 per 1 day) |
| *celecoxib oral capsule 400 mg* | 2 | QL (1 per 1 day) |
| *diclofenac potassium oral tablet 50 mg* | 3 | QL (4 per 1 day) |
| *diclofenac sodium oral tablet extended release 24 hr* | 3 | QL (2 per 1 day) |
| *diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg* | 3 | QL (4 per 1 day) |
| *diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg* | 2 | QL (4 per 1 day) |
| *diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg* | 2 | QL (2 per 1 day) |
| *diclofenac sodium topical gel 1 %* | 2 | QL (1000 per 30 days) |
| *diclofenac-misoprostol* | 3 | PA; QL (4 per 1 day) |
| *diflunisal* | 3 | QL (3 per 1 day) |
| *ecotrin low strength* | 2 | ACA; OTC |
| *etodolac oral capsule 200 mg* | 3 | QL (4 per 1 day) |
| *etodolac oral capsule 300 mg* | 3 | QL (3 per 1 day) |
| *etodolac oral tablet* | 2 | QL (2 per 1 day) |
| *etodolac oral tablet extended release 24 hr 400 mg, 500 mg* | 3 | QL (2 per 1 day) |
| *etodolac oral tablet extended release 24 hr 600 mg* | 3 | QL (1 per 1 day) |
| *flurbiprofen oral tablet 100 mg* | 2 | QL (3 per 1 day) |
| *ibu* | 2 | |
| *ibuprofen oral suspension* | 2 | |
| *ibuprofen oral tablet 400 mg, 600 mg, 800 mg* | 2 | |
| *indomethacin oral capsule 25 mg* | 2 | QL (3 per 1 day) |
| *indomethacin oral capsule 50 mg* | 2 | QL (4 per 1 day) |
| *indomethacin oral capsule, extended release* | 2 | QL (2 per 1 day) |
| *ketoprofen oral capsule 50 mg, 75 mg* | 3 | PA; QL (4 per 1 day) |
| *ketorolac oral* | 2 | QL (20 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| KLOXXADO | 3 | 2 sprays per fill |
| *lurbiro* | 2 | QL (3 per 1 day) |
| *mefenamic acid* | 3 | PA; 29 caps per fill |
| *meloxicam oral tablet* | 2 | |
| *nabumetone oral tablet 500 mg* | 2 | QL (4 per 1 day) |
| *nabumetone oral tablet 750 mg* | 2 | QL (2 per 1 day) |
| *naloxone injection solution* | 2 | |
| *naloxone injection syringe* | 2 | |
| *naltrexone* | 2 | |
| *naproxen oral tablet 250 mg* | 2 | QL (6 per 1 day) |
| *naproxen oral tablet 375 mg* | 2 | QL (4 per 1 day) |
| *naproxen oral tablet 500 mg* | 2 | QL (3 per 1 day) |
| *naproxen oral tablet,delayed release (dr/ec) 375 mg* | 2 | QL (4 per 1 day) |
| *naproxen oral tablet,delayed release (dr/ec) 500 mg* | 3 | QL (2 per 1 day) |
| *naproxen sodium oral tablet 275 mg, 550 mg* | 3 | |
| NUCYNTA ER | 4 | PA |
| OPVEE | 4 | 2 units per fill |
| *oxaprozin oral tablet* | 2 | QL (2 per 1 day) |
| *pentazocine-naloxone* | 3 | PA |
| *piroxicam* | 2 | QL (1 per 1 day) |
| REXTOVY | 4 | 2 sprays per fill |
| *salsalate* | 2 | |
| *st joseph aspirin* | 2 | ACA; OTC |
| *st. joseph aspirin* | 2 | ACA; OTC |
| *sulindac* | 2 | QL (2 per 1 day) |
| *tapentadol oral tablet* | 3 | PA |
| TAPENTADOL ORAL TABLET EXTENDED RELEASE 12 HR | 3 | PA |
| *tramadol oral tablet 50 mg* | 2 | PA |
| *tramadol oral tablet extended release 24 hr* | 3 | PA |
| *tramadol oral tablet, er multiphase 24 hr* | 3 | PA |
| *tramadol-acetaminophen* | 2 | PA |
| VIVITROL | 5 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| ZIMHI | 4 | 2 syringes per fill |
| ZURNAI | 4 | 1mL per fill |
| **PSYCHOTHERAPEUTIC DRUGS** | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML | 3 | PA for Age less than or equal to 17 year(s); QL (2.4 per 28 days) |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML | 3 | PA for Age less than or equal to 17 year(s); QL (3.2 per 28 days) |
| ABILIFY MAINTENA | 3 | PA for Age less than or equal to 17 year(s); QL (1 per 28 days) |
| ADDYI | 4 | PA; QL (1 per 1 day) |
| *alprazolam oral tablet* | 2 | |
| *alprazolam oral tablet extended release 24 hr* | 2 | |
| *alprazolam oral tablet,disintegrating* | 3 | |
| *amitriptyline* | 2 | |
| *amitriptyline-chlordiazepoxide* | 3 | |
| *amoxapine* | 3 | |
| *aripiprazole oral tablet* | 2 | PA for Age less than or equal to 17 year(s); QL (1 per 1 day) |
| ARISTADA INITIO | 3 | PA for Age less than or equal to 17 year(s); QL (2.4 per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML | 3 | PA for Age less than or equal to 17 year(s); QL (3.9 per 42 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML | 3 | PA for Age less than or equal to 17 year(s); QL (1.6 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML | 3 | PA for Age less than or equal to 17 year(s); QL (2.4 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML | 3 | PA for Age less than or equal to 17 year(s); QL (3.2 per 28 days) |
| *armodafinil oral tablet 150 mg, 200 mg, 250 mg* | 3 | QL (1 per 1 day) |
| *armodafinil oral tablet 50 mg* | 3 | QL (2 per 1 day) |
| *asenapine maleate* | 3 | PA; PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg* | 2 | QL (2 per 1 day) |
| *atomoxetine oral capsule 100 mg, 60 mg, 80 mg* | 2 | QL (1 per 1 day) |
| *bupropion hcl oral tablet 100 mg* | 2 | QL (4.5 per 1 day) |
| *bupropion hcl oral tablet 75 mg* | 2 | QL (6 per 1 day) |
| *bupropion hcl oral tablet extended release 24 hr 150 mg* | 2 | QL (3 per 1 day) |
| *bupropion hcl oral tablet extended release 24 hr 300 mg* | 2 | QL (1 per 1 day) |
| *bupropion hcl oral tablet sustained-release 12 hr* | 2 | QL (2 per 1 day) |
| *buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg* | 2 | |
| *chlordiazepoxide hcl* | 2 | |
| *chlorpromazine oral tablet* | 3 | PA for Age less than or equal to 17 year(s); QL (4 per 1 day) |
| *citalopram oral solution* | 3 | QL (20 per 1 day) |
| *citalopram oral tablet 10 mg, 20 mg* | 2 | QL (1.5 per 1 day) |
| *citalopram oral tablet 40 mg* | 2 | QL (1 per 1 day) |
| *clomipramine* | 3 | |
| *clonidine hcl oral tablet extended release 12 hr* | 2 | |
| *clorazepate dipotassium* | 3 | |
| *clozapine oral tablet 100 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (9 per 1 day) |
| *clozapine oral tablet 200 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (4.5 per 1 day) |
| *clozapine oral tablet 25 mg, 50 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (3 per 1 day) |
| *desipramine* | 3 | |
| *desvenlafaxine succinate* | 3 | QL (1 per 1 day) |
| *dexmethylphenidate oral capsule,er biphasic 50-50* | 3 | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day) |
| *dexmethylphenidate oral tablet* | 2 | PA for Age greater than or equal to 19 year(s); QL (2 per 1 day) |
| *dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg* | 3 | PA for Age greater than or equal to 19 year(s); QL (4 per 1 day) |
| *dextroamphetamine sulfate oral capsule, extended release 5 mg* | 3 | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *dextroamphetamine sulfate oral tablet 10 mg, 5 mg* | 2 | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |
| *dextroamphetamine-amphetamine oral capsule,extended release 24hr* | 2 | PA for Age greater than or equal to 19 year(s); QL (2 per 1 day) |
| *dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg* | 2 | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |
| *dextroamphetamine-amphetamine oral tablet 30 mg* | 2 | PA for Age greater than or equal to 19 year(s); QL (2 per 1 day) |
| *diazepam intensol* | 3 | |
| *diazepam oral solution 5 mg/5 ml (1 mg/ml)* | 2 | |
| *diazepam oral tablet* | 2 | |
| *doxepin oral capsule* | 2 | |
| *doxepin oral concentrate* | 2 | |
| *duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg* | 2 | QL (2 per 1 day) |
| *ergoloid* | 3 | |
| ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.75 per 28 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML | 3 | PA for Age less than or equal to 17 year(s); QL (1 per 28 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 3 | PA for Age less than or equal to 17 year(s); QL (1.5 per 28 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML | 3 | PA for Age less than or equal to 17 year(s); QL (2.25 per 365 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.25 per 28 days) |
| ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.5 per 28 days) |
| *escitalopram oxalate oral solution* | 3 | QL (20 per 1 day) |
| *escitalopram oxalate oral tablet 10 mg, 5 mg* | 2 | QL (1.5 per 1 day) |
| *escitalopram oxalate oral tablet 20 mg* | 2 | QL (1 per 1 day) |
| *estazolam* | 2 | QL (1 per 1 day) |
| *eszopiclone* | 2 | QL (1 per 1 day) |
| *fluoxetine oral capsule* | 2 | QL (2 per 1 day) |
| *fluoxetine oral solution* | 3 | QL (20 per 1 day) |
| *fluoxetine oral tablet 10 mg, 20 mg* | 3 | QL (1 per 1 day) |
| *fluphenazine decanoate* | 3 | PA for Age less than or equal to 17 year(s); QL (5 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *fluphenazine hcl injection* | 3 | PA for Age less than or equal to 17 year(s); QL (5 per 30 days) |
| *fluphenazine hcl oral concentrate* | 3 | PA for Age less than or equal to 17 year(s); QL (8 per 1 day) |
| *fluphenazine hcl oral elixir* | 3 | PA for Age less than or equal to 17 year(s); QL (80 per 1 day) |
| *fluphenazine hcl oral tablet* | 3 | PA for Age less than or equal to 17 year(s); QL (4 per 1 day) |
| *flurazepam* | 2 | QL (1 per 1 day) |
| *fluvoxamine oral tablet 100 mg* | 3 | QL (3 per 1 day) |
| *fluvoxamine oral tablet 25 mg, 50 mg* | 3 | QL (1.5 per 1 day) |
| *guanfacine oral tablet extended release 24 hr* | 2 | |
| *haloperidol decanoate* | 3 | PA for Age less than or equal to 17 year(s) |
| *haloperidol lactate injection* | 2 | PA for Age less than or equal to 17 year(s) |
| *haloperidol lactate oral* | 2 | PA for Age less than or equal to 17 year(s); QL (15 per 1 day) |
| *haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 5 mg* | 2 | PA for Age less than or equal to 17 year(s); QL (3 per 1 day) |
| *haloperidol oral tablet 20 mg* | 2 | PA for Age less than or equal to 17 year(s); QL (1.5 per 1 day) |
| HETLIOZ LQ | 5 | PA; SP; QL (5 per 1 day) |
| *imipramine hcl* | 2 | |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 3 | PA for Age less than or equal to 17 year(s); QL (3.5 per 135 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 3 | PA for Age less than or equal to 17 year(s); QL (5 per 135 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.75 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 3 | PA for Age less than or equal to 17 year(s); QL (1 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 3 | PA for Age less than or equal to 17 year(s); QL (1.5 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.25 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.5 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.88 per 63 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 3 | PA for Age less than or equal to 17 year(s); QL (1.32 per 63 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 3 | PA for Age less than or equal to 17 year(s); QL (1.75 per 63 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 3 | PA for Age less than or equal to 17 year(s); QL (2.63 per 63 days) |
| *lisdexamfetamine oral capsule* | 3 | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day) |
| *lisdexamfetamine oral tablet,chewable* | 2 | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day) |
| *lithium carbonate* | 2 | |
| *lorazepam intensol* | 3 | |
| *lorazepam oral concentrate* | 3 | |
| *lorazepam oral tablet* | 2 | |
| *loxapine succinate oral capsule 10 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (8 per 1 day) |
| *loxapine succinate oral capsule 25 mg, 5 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (4 per 1 day) |
| *loxapine succinate oral capsule 50 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (5 per 1 day) |
| LUMRYZ | 4 | PA; SP; QL (1 per 1 day) |
| LUMRYZ STARTER PACK | 5 | PA; SP; QL (28 per 365 days) |
| *lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg* | 3 | ST; PA for Age less than or equal to 17 year(s); QL (1 per 1 day) |
| *lurasidone oral tablet 80 mg* | 3 | ST; PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |
| MARPLAN | 4 | PA |
| *methylphenidate hcl oral capsule, er biphasic 30-70* | 3 | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day) |
| *methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 30 mg, 40 mg* | 3 | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day) |
| *methylphenidate hcl oral solution 10 mg/5 ml* | 3 | PA for Age greater than or equal to 19 year(s); QL (30 per 1 day) |
| *methylphenidate hcl oral solution 5 mg/5 ml* | 3 | PA for Age greater than or equal to 19 year(s); QL (60 per 1 day) |
| *methylphenidate hcl oral tablet* | 2 | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *methylphenidate hcl oral tablet extended release* | 2 | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |
| *methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg* | 3 | PA for Age greater than or equal to 19 year(s); QL (1 per 1 day) |
| *methylphenidate hcl oral tablet extended release 24hr 36 mg* | 3 | PA for Age greater than or equal to 19 year(s); QL (2 per 1 day) |
| *midazolam oral* | 2 | |
| *mirtazapine oral tablet 15 mg, 30 mg, 45 mg* | 2 | QL (1 per 1 day) |
| *mirtazapine oral tablet 7.5 mg* | 3 | QL (1 per 1 day) |
| *mirtazapine oral tablet,disintegrating* | 3 | QL (1 per 1 day) |
| *modafinil* | 3 | QL (1 per 1 day) |
| *nefazodone oral tablet 100 mg, 150 mg, 250 mg, 50 mg* | 3 | QL (2 per 1 day) |
| *nefazodone oral tablet 200 mg* | 3 | QL (3 per 1 day) |
| *nortriptyline oral capsule* | 2 | |
| *nortriptyline oral solution* | 3 | |
| NUPLAZID | 5 | PA; SP; QL (1 per 1 day) |
| *olanzapine oral tablet* | 2 | PA for Age less than or equal to 17 year(s); QL (1 per 1 day) |
| *olanzapine-fluoxetine* | 3 | PA for Age less than or equal to 17 year(s) |
| *oxazepam* | 3 | |
| *paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg* | 3 | PA; PA for Age less than or equal to 17 year(s); QL (1 per 1 day) |
| *paliperidone oral tablet extended release 24hr 6 mg* | 3 | PA; PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |
| *paroxetine hcl oral tablet 10 mg, 40 mg* | 2 | QL (1.5 per 1 day) |
| *paroxetine hcl oral tablet 20 mg* | 2 | QL (1 per 1 day) |
| *paroxetine hcl oral tablet 30 mg* | 2 | QL (2 per 1 day) |
| *perphenazine oral tablet 16 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |
| *perphenazine oral tablet 2 mg, 4 mg, 8 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (4 per 1 day) |
| *perphenazine-amitriptyline* | 3 | PA for Age less than or equal to 17 year(s) |
| PERSERIS | 3 | PA for Age less than or equal to 17 year(s); QL (1 per 28 days) |
| *phenelzine* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *pimozide oral tablet 1 mg* | 3 | QL (10 per 1 day) |
| *pimozide oral tablet 2 mg* | 3 | QL (5 per 1 day) |
| *protriptyline* | 3 | |
| QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 150 MG | 4 | PA; QL (1 per 1 day) |
| QELBREE ORAL CAPSULE,EXTENDED RELEASE 24HR 200 MG | 4 | PA; QL (2 per 1 day) |
| QUAZEPAM | 4 | ST; QL (1 per 1 day) |
| *quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg* | 2 | PA for Age less than or equal to 17 year(s); QL (3 per 1 day) |
| *quetiapine oral tablet 300 mg, 400 mg* | 2 | PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |
| *quetiapine oral tablet extended release 24 hr 150 mg, 200 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (1 per 1 day) |
| *quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |
| *ramelteon* | 3 | ST; QL (1 per 1 day) |
| *risperidone microspheres* | 3 | PA for Age less than or equal to 17 year(s); QL (2 per 28 days) |
| *risperidone oral solution* | 2 | PA for Age less than or equal to 17 year(s); QL (8 per 1 day) |
| *risperidone oral tablet* | 2 | PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |
| RYKINDO | 3 | PA for Age less than or equal to 17 year(s); QL (2 per 28 days) |
| *sertraline oral concentrate* | 3 | QL (10 per 1 day) |
| *sertraline oral tablet 100 mg* | 2 | QL (2 per 1 day) |
| *sertraline oral tablet 25 mg, 50 mg* | 2 | QL (1.5 per 1 day) |
| *sodium oxybate* | 5 | PA; SP; LA; QL (18 per 1 day) |
| SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2) | 5 | PA; SP; QL (8 per 28 days) |
| SPRAVATO NASAL SPRAY,NON-AEROSOL 84 MG (28 MG X 3) | 5 | PA; SP; QL (12 per 28 days) |
| *tasimelteon* | 5 | PA; SP; QL (1 per 1 day) |
| *temazepam oral capsule 15 mg, 30 mg* | 2 | QL (1 per 1 day) |
| *thioridazine oral tablet 10 mg, 25 mg, 50 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (4 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *thioridazine oral tablet 100 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (8 per 1 day) |
| *thiothixene oral capsule 1 mg, 2 mg, 5 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (3 per 1 day) |
| *thiothixene oral capsule 10 mg* | 3 | PA for Age less than or equal to 17 year(s); QL (6 per 1 day) |
| *tranylcypromine* | 3 | QL (6 per 1 day) |
| *trazodone oral tablet 100 mg, 150 mg, 50 mg* | 2 | QL (3 per 1 day) |
| *trazodone oral tablet 300 mg* | 3 | QL (2 per 1 day) |
| *triazolam* | 2 | QL (1 per 1 day) |
| *trifluoperazine* | 3 | PA for Age less than or equal to 17 year(s); QL (4 per 1 day) |
| *trimipramine* | 3 | PA |
| TRINTELLIX | 4 | PA; QL (1 per 1 day) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.28 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.35 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.42 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.56 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.7 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.14 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML | 3 | PA for Age less than or equal to 17 year(s); QL (0.21 per 28 days) |
| *venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg* | 2 | QL (1 per 1 day) |
| *venlafaxine oral capsule,extended release 24hr 75 mg* | 2 | QL (3 per 1 day) |
| *venlafaxine oral tablet* | 2 | QL (3 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *vilazodone* | 3 | PA; QL (1 per 1 day) |
| XYWAV | 5 | PA; SP; LA; QL (18 per 1 day) |
| *zaleplon* | 2 | QL (1 per 1 day) |
| *zenzedi oral tablet 10 mg, 5 mg* | 2 | PA for Age greater than or equal to 19 year(s); QL (3 per 1 day) |
| *ziprasidone hcl* | 3 | PA for Age less than or equal to 17 year(s); QL (2 per 1 day) |
| *zolpidem oral tablet* | 2 | QL (1 per 1 day) |
| *zolpidem oral tablet,ext release multiphase* | 3 | QL (1 per 1 day) |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG | 5 | PA; SP; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG | 5 | PA; SP; QL (14 per 14 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG | 3 | PA for Age less than or equal to 17 year(s); QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 3 | PA for Age less than or equal to 17 year(s); QL (1 per 28 days) |
| **AUTONOMIC & CNS DRUGS, NEUROLOGY** | | |
| **MULTIPLE SCLEROSIS AGENTS** | | |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT | 5 | PA; SP; QL (1 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT | 5 | PA; SP; QL (1 per 28 days) |
| BETASERON SUBCUTANEOUS KIT | 5 | PA; SP; QL (14 per 28 days) |
| *dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)* | 2 | SP; QL (60 per 365 days) |
| *dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 240 mg* | 2 | SP; QL (2 per 1 day) |
| *fingolimod* | 5 | SP; QL (1 per 1 day) |
| *glatiramer subcutaneous syringe 20 mg/ml* | 5 | SP; QL (1 per 1 day) |
| *glatiramer subcutaneous syringe 40 mg/ml* | 5 | SP; QL (12 per 28 days) |
| *glatopa subcutaneous syringe 20 mg/ml* | 5 | SP; QL (1 per 1 day) |
| *glatopa subcutaneous syringe 40 mg/ml* | 5 | SP; QL (12 per 28 days) |
| KESIMPTA PEN | 5 | PA; SP; QL (0.4 per 28 days) |
| PLEGRIDY INTRAMUSCULAR | 5 | PA; SP; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 5 | PA; SP; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; SP; QL (1 per 365 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 5 | PA; SP; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; SP; QL (1 per 365 days) |
| *teriflunomide* | 5 | SP; QL (1 per 1 day) |
| VUMERITY | 5 | PA; SP; QL (4 per 1 day) |
| **CARDIOVASCULAR, HYPERTENSION & LIPIDS** | | |
| **ANTIARRHYTHMIC AGENTS** | | |
| *amiodarone oral tablet 100 mg, 400 mg* | 3 | |
| *amiodarone oral tablet 200 mg* | 2 | |
| *disopyramide phosphate oral capsule* | 3 | |
| *dofetilide* | 3 | QL (2 per 1 day) |
| *flecainide* | 2 | |
| *mexiletine* | 3 | |
| MULTAQ | 3 | |
| *pacerone oral tablet 200 mg* | 2 | |
| *propafenone oral tablet* | 2 | |
| *quinidine sulfate oral tablet 200 mg* | 3 | |
| *sotalol af* | 2 | |
| *sotalol oral* | 2 | |
| **ANTIHYPERTENSIVE THERAPY** | | |
| *acebutolol* | 2 | |
| *aliskiren* | 3 | PA; QL (1 per 1 day) |
| *amiloride* | 2 | |
| *amiloride-hydrochlorothiazide* | 2 | |
| *amlodipine* | 1 | |
| *amlodipine-benazepril* | 1 | |
| *amlodipine-olmesartan* | 3 | |
| *amlodipine-valsartan* | 3 | |
| *atenolol* | 1 | |
| *atenolol-chlorthalidone* | 2 | |
| *benazepril* | 1 | |
| *benazepril-hydrochlorothiazide* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *betaxolol oral* | 2 | |
| *bisoprolol fumarate oral tablet 10 mg, 5 mg* | 2 | |
| *bisoprolol-hydrochlorothiazide* | 2 | |
| *bumetanide oral* | 2 | |
| *candesartan* | 3 | ST; QL (1 per 1 day) |
| *candesartan-hydrochlorothiazid* | 3 | ST |
| *captopril* | 2 | |
| *cartia xt* | 2 | |
| *carvedilol* | 1 | |
| *chlorthalidone oral tablet 25 mg* | 1 | |
| *chlorthalidone oral tablet 50 mg* | 2 | |
| *clonidine* | 3 | QL (4 per 28 days) |
| *clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg* | 2 | |
| *diltiazem hcl oral capsule,ext.rel 24h degradable* | 2 | |
| *diltiazem hcl oral capsule,extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg* | 2 | |
| *diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg* | 2 | |
| *diltiazem hcl oral capsule,extended release 24hr 360 mg* | 3 | |
| *diltiazem hcl oral tablet* | 2 | |
| *diltiazem hcl oral tablet extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg* | 3 | |
| *dilt-xr* | 2 | |
| *doxazosin* | 2 | |
| *enalapril maleate oral tablet* | 1 | |
| *enalapril-hydrochlorothiazide* | 1 | |
| *eplerenone* | 2 | |
| *ethacrynic acid* | 3 | PA |
| *felodipine* | 2 | |
| *fosinopril* | 1 | |
| *fosinopril-hydrochlorothiazide* | 2 | |
| *furosemide oral solution* | 2 | |
| *furosemide oral tablet* | 1 | |
| *guanfacine oral tablet* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| HEMANGEOL | 4 | PA |
| *hydralazine oral* | 2 | |
| *hydrochlorothiazide* | 1 | |
| *indapamide* | 2 | |
| *irbesartan* | 1 | |
| *irbesartan-hydrochlorothiazide* | 1 | |
| *isradipine* | 3 | |
| KERENDIA | 4 | PA; QL (1 per 1 day) |
| *labetalol oral tablet 100 mg, 200 mg, 300 mg* | 2 | |
| *lisinopril* | 1 | |
| *lisinopril-hydrochlorothiazide* | 1 | |
| *losartan* | 1 | |
| *losartan-hydrochlorothiazide* | 1 | |
| *matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg* | 3 | |
| *methyldopa* | 2 | |
| *metolazone* | 2 | |
| *metoprolol succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg* | 1 | |
| *metoprolol succinate oral tablet extended release 24 hr 200 mg* | 2 | |
| *metoprolol ta-hydrochlorothiaz* | 3 | |
| *metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg* | 1 | |
| *metoprolol tartrate oral tablet 75 mg* | 2 | |
| *metyrosine* | 3 | PA; QL (16 per 1 day) |
| *minoxidil oral* | 2 | |
| *moexipril* | 2 | |
| *nadolol* | 2 | |
| *nebivolol* | 3 | |
| *nifedipine* | 2 | |
| *nimodipine oral capsule* | 3 | |
| *olmesartan* | 1 | |
| *olmesartan-hydrochlorothiazide* | 2 | |
| ORENITRAM | 5 | PA; SP; QL (3 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| ORENITRAM MONTH 1 TITRATION KT | 5 | PA; SP; QL (168 per 365 days) |
| ORENITRAM MONTH 2 TITRATION KT | 5 | PA; SP; QL (336 per 365 days) |
| ORENITRAM MONTH 3 TITRATION KT | 5 | PA; SP; QL (252 per 365 days) |
| *perindopril erbumine* | 2 | |
| *phenoxybenzamine* | 3 | PA; QL (24 per 1 day) |
| *pindolol* | 3 | |
| *prazosin* | 2 | |
| *propranolol oral* | 2 | |
| *quinapril* | 1 | |
| *quinapril-hydrochlorothiazide* | 2 | |
| *ramipril* | 1 | |
| *spironolactone oral tablet* | 2 | |
| *spironolacton-hydrochlorothiaz* | 2 | |
| *telmisartan* | 2 | |
| *terazosin* | 2 | |
| *tiadylt er* | 2 | |
| *timolol maleate oral* | 3 | |
| *torsemide oral* | 2 | |
| *trandolapril* | 1 | |
| *trandolapril-verapamil* | 3 | |
| *triamterene* | 2 | |
| *triamterene-hydrochlorothiazid* | 2 | |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | 5 | PA; SP; LA; QL (2 per 1 day) |
| UPTRAVI ORAL TABLET 100 MCG, 150 MCG | 5 | PA; LA; QL (2 per 1 day) |
| UPTRAVI ORAL TABLETS,DOSE PACK | 5 | PA; SP; LA; QL (200 per 365 days) |
| *valsartan oral tablet* | 1 | |
| *valsartan-hydrochlorothiazide* | 2 | |
| *verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg* | 3 | |
| *verapamil oral tablet* | 2 | |
| *verapamil oral tablet extended release* | 2 | |
| **CARDIAC GLYCOSIDES** | | |
| *digoxin oral solution* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)* | 2 | |
| **COAGULATION THERAPY** | | |
| ALHEMO PEN | 5 | PA; SP |
| ALVAIZ ORAL TABLET 18 MG, 9 MG | 5 | PA; SP; QL (1 per 1 day) |
| ALVAIZ ORAL TABLET 36 MG, 54 MG | 5 | PA; SP; QL (2 per 1 day) |
| *aminocaproic acid oral solution* | 3 | |
| *aminocaproic acid oral tablet* | 2 | |
| *aspirin-dipyridamole* | 3 | |
| CABLIVI INJECTION KIT | 5 | PA; SP; LA; QL (59 per 365 days) |
| *cilostazol* | 2 | |
| *clopidogrel* | 2 | |
| *dabigatran etexilate* | 3 | |
| *dipyridamole oral* | 2 | |
| DOPTELET (15 TAB PACK) | 5 | PA; SP; LA; QL (2 per 1 day) |
| DOPTELET SPRINKLE | 5 | PA; SP; QL (2 per 1 day) |
| ELIQUIS DVT-PE TREAT 30D START | 3 | |
| ELIQUIS ORAL TABLET | 3 | |
| *eltrombopag olamine oral powder in packet 12.5 mg* | 5 | PA; SP; QL (1 per 1 day) |
| *eltrombopag olamine oral powder in packet 25 mg* | 5 | PA; SP; QL (3 per 1 day) |
| *eltrombopag olamine oral tablet 12.5 mg, 25 mg* | 5 | PA; SP; QL (1 per 1 day) |
| *eltrombopag olamine oral tablet 50 mg* | 5 | PA; SP; QL (3 per 1 day) |
| *eltrombopag olamine oral tablet 75 mg* | 5 | PA; SP; QL (2 per 1 day) |
| *enoxaparin* | 5 | SP |
| *fondaparinux* | 5 | SP |
| FRAGMIN SUBCUTANEOUS SOLUTION | 5 | SP |
| FRAGMIN SUBCUTANEOUS SYRINGE | 5 | SP |
| *heparin (porcine) injection solution* | 2 | |
| *heparin (porcine) injection syringe 5,000 unit/ml* | 2 | |
| *heparin, porcine (pf) injection* | 2 | |
| HYMPAVZI PEN | 5 | PA; SP; QL (4 per 28 days) |
| MULPLETA | 5 | PA; SP; QL (7 per 365 days) |
| *pentoxifylline* | 2 | |
| *phytonadione (vitamin k1) oral tablet 5 mg* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *prasugrel hcl* | 2 | |
| QFITLIA | 5 | PA; SP; QL (0.2 per 28 days) |
| QFITLIA PEN | 5 | PA; SP; QL (0.5 per 28 days) |
| *rivaroxaban oral suspension for reconstitution* | 3 | QL (20 per 1 day) |
| *rivaroxaban oral tablet* | 3 | |
| TAVALISSE | 5 | PA; SP; LA; QL (2 per 1 day) |
| *ticagrelor* | 3 | |
| *warfarin* | 2 | |
| XARELTO DVT-PE TREAT 30D START | 3 | |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION | 3 | QL (20 per 1 day) |
| XARELTO ORAL TABLET | 3 | |
| ZONTIVITY | 4 | PA |
| **LIPID/CHOLESTEROL LOWERING AGENTS** | | |
| *amlodipine-atorvastatin* | 3 | QL (1 per 1 day) |
| *atorvastatin oral tablet 10 mg, 20 mg* | 1 | ACA |
| *atorvastatin oral tablet 40 mg, 80 mg* | 1 | |
| *cholestyramine (with sugar)* | 2 | |
| *cholestyramine light* | 2 | |
| *colesevelam* | 3 | |
| *colestipol* | 2 | |
| *ezetimibe* | 1 | |
| *ezetimibe-simvastatin* | 3 | PA; QL (1 per 1 day) |
| *fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg* | 2 | |
| *fenofibrate nanocrystallized* | 2 | |
| *fenofibrate oral tablet 160 mg, 54 mg* | 2 | |
| *fenofibric acid (choline)* | 2 | |
| *gemfibrozil* | 2 | |
| *icosapent ethyl* | 3 | PA; QL (4 per 1 day) |
| JUXTAPID ORAL CAPSULE 10 MG, 2 MG, 5 MG | 5 | PA; SP; LA; QL (1 per 1 day) |
| JUXTAPID ORAL CAPSULE 20 MG, 30 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| *lovastatin* | 1 | ACA |
| NEXLETOL | 4 | PA; QL (1 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| NEXLIZET | 4 | PA; QL (1 per 1 day) |
| *niacin oral tablet 500 mg* | 3 | |
| *niacin oral tablet extended release 24 hr* | 3 | |
| NIACOR | 3 | |
| *omega-3 acid ethyl esters* | 3 | QL (4 per 1 day) |
| *pravastatin* | 1 | ACA |
| *prevalite oral powder in packet* | 2 | |
| REDEMPLO | 5 | PA; SP; LA; QL (0.5 per 68 days) |
| REPATHA SURECLICK | 3 | PA; QL (3 per 28 days) |
| REPATHA SYRINGE | 3 | PA; QL (3 per 28 days) |
| *rosuvastatin oral tablet 10 mg, 5 mg* | 1 | ACA |
| *rosuvastatin oral tablet 20 mg, 40 mg* | 1 | |
| *simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg* | 1 | ACA |
| *simvastatin oral tablet 80 mg* | 1 | |
| TRYNGOLZA SUBCUTANEOUS AUTO-INJECTOR 80 MG/0.8 ML | 5 | PA; SP; LA; QL (0.8 per 30 days) |
| **MISCELLANEOUS CARDIOVASCULAR AGENTS** | | |
| ATTRUBY | 5 | PA; SP; QL (4 per 1 day) |
| CAMZYOS | 5 | PA; SP; QL (1 per 1 day) |
| FILSPARI | 5 | PA; SP; QL (1 per 1 day) |
| *ivabradine* | 3 | QL (2 per 1 day) |
| LODOCO | 4 | PA; QL (1 per 1 day) |
| *ranolazine* | 3 | |
| *sacubitril-valsartan* | 3 | QL (2 per 1 day) |
| TRYVIO | 5 | PA; SP; QL (1 per 1 day) |
| VANRAFIA | 5 | PA; SP; QL (1 per 1 day) |
| VECAMYL | 5 | PA; SP |
| VERQUVO | 4 | PA; QL (1 per 1 day) |
| VYNDAMAX | 5 | PA; SP; QL (1 per 1 day) |
| **NITRATES** | | |
| *isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg* | 2 | |
| *isosorbide mononitrate* | 2 | |
| *nitro-bid* | 3 | |
| *nitroglycerin sublingual* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *nitroglycerin transdermal ointment* | 3 | |
| *nitroglycerin transdermal patch 24 hour* | 2 | |
| **DERMATOLOGICALS/TOPICAL THERAPY** | | |
| **ANTIPSORIATIC / ANTISEBORRHEIC** | | |
| *acitretin* | 3 | |
| BIMZELX AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 160 MG/ML | 5 | PA; QL (1 per 28 days) |
| BIMZELX AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 320 MG/2 ML | 5 | PA; QL (2 per 42 days) |
| BIMZELX SUBCUTANEOUS SYRINGE 160 MG/ML | 5 | PA; SP; QL (1 per 28 days) |
| BIMZELX SUBCUTANEOUS SYRINGE 320 MG/2 ML | 5 | PA; SP; QL (2 per 42 days) |
| *calcipotriene scalp* | 3 | |
| *calcipotriene topical cream* | 3 | |
| *calcipotriene topical ointment* | 3 | |
| COSENTYX (2 SYRINGES) | 5 | PA; SP; QL (2 per 28 days) |
| COSENTYX PEN | 5 | PA; SP; QL (1 per 28 days) |
| COSENTYX PEN (2 PENS) | 5 | PA; SP; QL (2 per 28 days) |
| COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; SP; QL (1 per 28 days) |
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; SP; QL (0.5 per 28 days) |
| COSENTYX UNOREADY PEN | 5 | PA; SP; QL (2 per 28 days) |
| ILUMYA | 5 | PA; SP; QL (1 per 63 days) |
| *pellix* | 3 | |
| SELARSDI SUBCUTANEOUS SOLUTION | 5 | PA; SP; QL (0.5 per 63 days) |
| SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 5 | PA; SP; QL (0.5 per 63 days) |
| SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML | 5 | PA; SP; QL (1 per 42 days) |
| *selenium sulfide topical lotion* | 2 | |
| *selenium sulfide topical shampoo 2.25 %* | 3 | |
| SILIQ | 5 | PA; SP; QL (3 per 28 days) |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR | 5 | PA; SP; QL (1 per 63 days) |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; SP; QL (1 per 63 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| SKYRIZI SUBCUTANEOUS SYRINGE 55 MG/0.37 ML | 5 | PA; SP; QL (0.37 per 63 days) |
| SOTYKTU | 5 | PA; SP; QL (1 per 1 day) |
| SPEVIGO SUBCUTANEOUS | 5 | PA; SP; QL (2 per 28 days) |
| TALTZ AUTOINJECTOR | 5 | PA; SP; QL (1 per 28 days) |
| TALTZ AUTOINJECTOR (2 PACK) | 5 | PA; SP; QL (1 per 28 days) |
| TALTZ AUTOINJECTOR (3 PACK) | 5 | PA; SP; QL (1 per 28 days) |
| TALTZ SYRINGE | 5 | PA; SP; QL (1 per 28 days) |
| TREMFYA ONE-PRESS | 5 | PA; SP; QL (1 per 42 days) |
| TREMFYA PEN INDUCTION PK(2PEN) | 5 | PA; SP; QL (12 per 365 days) |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 100 MG/ML | 5 | PA; SP; QL (1 per 42 days) |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML | 5 | PA; SP; QL (2 per 28 days) |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; SP; QL (1 per 42 days) |
| TREMFYA SUBCUTANEOUS SYRINGE 200 MG/2 ML | 5 | PA; SP; QL (2 per 28 days) |
| YESINTEK SUBCUTANEOUS SOLUTION | 5 | PA; SP; QL (0.5 per 63 days) |
| YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 5 | PA; SP; QL (0.5 per 63 days) |
| YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML | 5 | PA; SP; QL (1 per 42 days) |
| ZORYVE TOPICAL CREAM | 4 | PA; QL (1 per 30 days) |
| ZORYVE TOPICAL FOAM | 4 | PA; SP; QL (1 per 30 days) |
| **BURN THERAPY** | | |
| *silver sulfadiazine* | 2 | |
| *ssd* | 2 | |
| **MISCELLANEOUS DERMATOLOGICALS** | | |
| ADBRY | 5 | PA; SP; QL (4 per 28 days) |
| *ammonium lactate* | 2 | |
| *diclofenac sodium topical gel 3 %* | 2 | QL (100 per 365 days) |
| DRYSOL DAB-O-MATIC | 2 | |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML | 5 | PA; SP; QL (2.28 per 28 days) |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 5 | PA; SP; QL (4 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML | 5 | PA; SP; QL (2.28 per 28 days) |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML | 5 | PA; SP; QL (4 per 28 days) |
| EBGLYSS PEN | 5 | PA; QL (2 per 28 days) |
| EBGLYSS SYRINGE | 5 | PA; SP; QL (2 per 28 days) |
| EUCRISA | 4 | ST; QL (1 per 30 days) |
| FILSUVEZ | 5 | PA; SP |
| *fluorouracil topical cream 5 %* | 2 | QL (40 per 365 days) |
| *fluorouracil topical solution* | 2 | QL (10 per 365 days) |
| HYFTOR | 5 | PA; SP; QL (3 per 30 days) |
| *imiquimod topical cream in packet 5 %* | 2 | QL (36 per 365 days) |
| *methoxsalen* | 5 | SP |
| OPZELURA | 5 | PA; SP; QL (60 per 30 days) |
| PANRETIN | 5 | PA; SP |
| *pimecrolimus* | 3 | ST |
| *podofilox topical solution* | 2 | |
| *tacrolimus topical* | 2 | |
| VALCHLOR | 5 | PA; SP; QL (60 per 30 days) |
| ZELSUVMI | 5 | PA; SP; QL (31 per 28 days) |
| **THERAPY FOR ACNE** | | |
| *adapalene topical cream* | 3 | PA for Age greater than or equal to 29 year(s); QL (45 per 30 days) |
| *adapalene topical gel 0.3 %* | 3 | PA for Age greater than or equal to 29 year(s); QL (45 per 30 days) |
| *adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %* | 3 | |
| *amnesteem* | 3 | |
| *azelaic acid* | 3 | |
| *brimonidine topical* | 3 | PA; QL (30 per 30 days) |
| *claravis* | 3 | |
| *clindacin etz topical swab* | 2 | |
| *clindacin p* | 2 | |
| *clindamycin phosphate topical gel* | 3 | |
| *clindamycin phosphate topical lotion* | 3 | |
| *clindamycin phosphate topical solution* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *clindamycin phosphate topical swab* | 2 | |
| *clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %* | 2 | |
| *dapsone topical gel 5 %* | 3 | ST |
| *ery pads* | 3 | |
| *erythromycin with ethanol topical gel* | 3 | |
| *erythromycin with ethanol topical solution* | 2 | |
| *erythromycin-benzoyl peroxide* | 3 | ST |
| *ivermectin topical cream* | 3 | PA |
| *metronidazole topical cream* | 2 | |
| *metronidazole topical gel 0.75 %* | 2 | QL (45 per 30 days) |
| *metronidazole topical gel 1 %* | 3 | QL (60 per 30 days) |
| *metronidazole topical gel with pump* | 3 | QL (60 per 30 days) |
| *neuac* | 2 | |
| *rosadan topical cream* | 2 | |
| *rosadan topical gel* | 2 | QL (45 per 30 days) |
| *sulfacetamide sodium-sulfur topical cleanser 10-5 % (w/w)* | 2 | |
| *tazarotene topical cream 0.1 %* | 3 | |
| *tretinoin topical cream 0.025 %, 0.05 %* | 2 | PA for Age greater than or equal to 29 year(s); QL (1 per 30 days) |
| *tretinoin topical cream 0.1 %* | 3 | PA for Age greater than or equal to 29 year(s); QL (1 per 30 days) |
| *zenatane* | 3 | |
| **TOPICAL ANESTHETICS** | | |
| *dermacinrx lidocan* | 2 | QL (3 per 1 day) |
| *lidocaine hcl mucous membrane solution 2 %* | 2 | PA for Age less than or equal to 2 year(s) |
| *lidocaine hcl mucous membrane solution 4 % (40 mg/ml)* | 3 | |
| *lidocaine topical adhesive patch,medicated 5 %* | 3 | QL (3 per 1 day) |
| *lidocaine topical ointment* | 2 | |
| *lidocaine-prilocaine topical cream* | 2 | |
| *lidocan iii* | 3 | QL (3 per 1 day) |
| *lidocan iv* | 3 | QL (3 per 1 day) |
| *lidocan v* | 3 | QL (3 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| **TOPICAL ANTIBACTERIALS** | | |
| *gentamicin topical* | 2 | |
| *mupirocin* | 2 | |
| *sulfacetamide sodium (acne)* | 3 | |
| **TOPICAL ANTIFUNGALS** | | |
| *ciclodan* | 2 | |
| *ciclopirox topical cream* | 2 | |
| *ciclopirox topical gel* | 3 | |
| *ciclopirox topical shampoo* | 3 | |
| *ciclopirox topical solution* | 2 | |
| *ciclopirox topical suspension* | 3 | |
| *clotrimazole-betamethasone topical cream* | 2 | |
| *econazole nitrate topical cream* | 3 | |
| *ketoconazole topical cream* | 2 | |
| *ketoconazole topical shampoo* | 2 | |
| *klayesta* | 2 | |
| LULICONAZOLE | 4 | PA |
| *nystatin topical* | 2 | |
| *nystatin-triamcinolone* | 2 | |
| *nystop* | 2 | |
| *oxiconazole* | 3 | PA |
| SULCONAZOLE TOPICAL SOLUTION | 4 | PA |
| *tavaborole* | 3 | PA |
| **TOPICAL ANTIVIRALS** | | |
| *acyclovir topical ointment* | 2 | |
| *penciclovir* | 3 | PA; QL (5 per 30 days) |
| **TOPICAL CORTICOSTEROIDS** | | |
| *alclometasone* | 3 | |
| *betamethasone dipropionate* | 3 | |
| *betamethasone valerate topical cream* | 3 | |
| *betamethasone valerate topical lotion* | 3 | |
| *betamethasone valerate topical ointment* | 3 | |
| *betamethasone, augmented topical cream* | 2 | |
| *betamethasone, augmented topical ointment* | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *clobetasol scalp* | 2 | |
| *clobetasol topical cream 0.05 %* | 2 | |
| *clobetasol topical gel* | 3 | |
| *clobetasol topical ointment* | 2 | |
| *clobetasol topical shampoo* | 3 | |
| *clobetasol topical spray,non-aerosol* | 3 | |
| *clobetasol-emollient topical cream* | 3 | |
| *desonide topical cream* | 3 | |
| *desonide topical lotion* | 3 | |
| *desonide topical ointment* | 3 | |
| *desoximetasone topical cream 0.25 %* | 3 | |
| *desoximetasone topical ointment 0.25 %* | 3 | |
| *fluocinolone and shower cap* | 3 | |
| *fluocinolone topical cream 0.01 %* | 3 | |
| *fluocinolone topical cream 0.025 %* | 2 | |
| *fluocinolone topical oil* | 3 | |
| *fluocinolone topical ointment* | 3 | |
| *fluocinolone topical solution* | 3 | |
| *fluocinonide topical cream 0.05 %* | 3 | |
| *fluocinonide topical ointment* | 3 | |
| *fluocinonide topical solution* | 3 | |
| *fluticasone propionate topical cream* | 2 | |
| *fluticasone propionate topical ointment* | 2 | |
| *halobetasol propionate topical cream* | 3 | |
| *hydrocortisone butyrate topical cream* | 3 | |
| *hydrocortisone butyrate topical ointment* | 3 | |
| *hydrocortisone butyrate topical solution* | 3 | |
| *hydrocortisone topical cream 2.5 %* | 2 | |
| *hydrocortisone topical lotion 2.5 %* | 2 | |
| *hydrocortisone topical ointment 2.5 %* | 2 | |
| *hydrocortisone valerate topical cream* | 3 | |
| *mometasone topical* | 2 | |
| *triamcinolone acetonide topical cream* | 2 | |
| *triamcinolone acetonide topical lotion* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %* | 2 | |
| *triderm topical cream 0.5 %* | 2 | |
| **TOPICAL ENZYMES** | | |
| SANTYL | 4 | QL (2 per 720 days) |
| **TOPICAL SCABICIDES / PEDICULICIDES** | | |
| *malathion* | 2 | QL (120 per 30 days) |
| *permethrin* | 2 | QL (120 per 30 days) |
| *spinosad* | 3 | QL (120 per 30 days) |
| **DIAGNOSTICS & MISCELLANEOUS AGENTS** | | |
| **ANOREXIANTS** | | |
| IMCIVREE | 5 | PA; SP; QL (9 per 30 days) |
| **MISCELLANEOUS AGENTS** | | |
| *acamprosate* | 3 | |
| *anagrelide* | 2 | |
| *caffeine citrate oral* | 2 | |
| *carglumic acid* | 5 | PA; SP |
| *cevimeline* | 3 | |
| CHEMET | 4 | PA for Age greater than or equal to 18 year(s) |
| CUVRIOR | 5 | PA; SP; QL (10 per 1 day) |
| *deferasirox* | 5 | PA; SP |
| *deferiprone* | 5 | PA; SP |
| *disulfiram* | 3 | |
| *droxidopa* | 5 | PA; SP |
| DUVYZAT | 5 | PA; SP; QL (3 per 35 days) |
| EMPAVELI | 5 | PA; SP; LA; QL (160 per 28 days) |
| FABHALTA | 5 | PA; SP; QL (2 per 1 day) |
| FERRIPROX ORAL SOLUTION | 5 | PA; SP |
| FORZINITY | 5 | PA; SP; LA; QL (4 per 28 days) |
| *glutamine (sickle cell)* | 5 | PA; SP; QL (6 per 1 day) |
| *glycerol phenylbutyrate* | 5 | PA; SP; QL (17.5 per 1 day) |
| HARLIKU | 5 | PA; SP; LA; QL (1 per 1 day) |
| INCRELEX | 5 | PA; SP; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| JOENJA ORAL TABLET 40 MG, 50 MG | 5 | PA; SP |
| JOENJA ORAL TABLET 70 MG | 5 | PA; SP; QL (2 per 1 day) |
| *levocarnitine (with sugar)* | 3 | |
| *levocarnitine oral solution 100 mg/ml* | 3 | |
| *levocarnitine oral tablet* | 3 | |
| LITFULO | 5 | PA; SP; QL (1 per 1 day) |
| *midodrine* | 2 | |
| *nitisinone* | 5 | PA; SP; LA |
| NITYR | 5 | PA; SP; LA |
| OLPRUVA | 5 | PA; SP |
| ORFADIN ORAL SUSPENSION | 5 | PA; SP; LA |
| PHEBURANE | 5 | PA; SP |
| PIASKY | 5 | PA; SP; QL (6 per 28 days) |
| PYRUKYND ORAL TABLET 20 MG, 50 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| PYRUKYND ORAL TABLET 5 MG | 5 | PA; 2 tabs per day; 7 tabs in 365 days; SP; LA |
| PYRUKYND ORAL TABLETS,DOSE PACK | 5 | PA; SP; LA; QL (14 per 365 days) |
| REVCOVI | 5 | PA; SP; LA |
| REZDIFFRA | 5 | PA; SP; QL (1 per 1 day) |
| RHAPSIDO | 5 | PA; SP; QL (2 per 1 day) |
| *riluzole* | 3 | |
| *risedronate oral tablet 30 mg* | 3 | QL (1 per 1 day) |
| *sodium chloride irrigation* | 2 | |
| *sodium phenylbutyrate* | 5 | PA; SP |
| SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| SOHONOS ORAL CAPSULE 2.5 MG, 5 MG | 5 | PA; SP; LA; QL (1 per 1 day) |
| TAVNEOS | 5 | PA; SP; QL (6 per 1 day) |
| *tiopronin* | 5 | PA; SP |
| *trientine oral capsule 250 mg* | 5 | PA; SP; QL (8 per 1 day) |
| TRIENTINE ORAL CAPSULE 500 MG | 5 | PA; SP; QL (4 per 1 day) |
| *venxxiva* | 5 | PA; SP |
| VOYDEYA | 5 | PA; SP; LA; QL (180 per 30 days) |
| VYKAT XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG | 5 | PA; SP; QL (3 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| VYKAT XR ORAL TABLET EXTENDED RELEASE 24 HR 25 MG | 5 | PA; SP; QL (4 per 1 day) |
| VYKAT XR ORAL TABLET EXTENDED RELEASE 24 HR 75 MG | 5 | PA; SP; QL (7 per 1 day) |
| XURIDEN | 5 | SP |
| ZOKINVY | 5 | PA; SP; LA; QL (4 per 1 day) |
| **SMOKING DETERRENTS** | | |
| *bupropion hcl (smoking deter)* | 2 | ACA; QL (2 per 1 day) |
| *nicorette buccal gum 4 mg* | 9 | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| *nicotine* | 9 | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| *nicotine (polacrilex)* | 9 | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| NICOTROL NS | 4 | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA |
| *quit 2* | 9 | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| *quit 4* | 9 | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| *stop smoking aid* | 9 | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA; OTC |
| *varenicline tartrate* | 3 | 183 DAY SUPPLY IN A ROLLING 365 DAYS; ACA |
| **EAR, NOSE & THROAT MEDICATIONS** | | |
| **MISCELLANEOUS AGENTS** | | |
| *azelastine nasal spray,non-aerosol 137 mcg (0.1 %)* | 2 | |
| *chlorhexidine gluconate mucous membrane* | 2 | |
| *denta 5000 plus* | 2 | |
| *denta 5000 plus sensitive* | 2 | |
| *dentagel* | 2 | |
| *fluoride (sodium) dental cream* | 2 | |
| *fluoride (sodium) dental gel* | 2 | |
| *fluoride (sodium) dental paste* | 2 | |
| GELCLAIR | 4 | QL (225 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)* | 2 | QL (1 per 28 days) |
| *ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)* | 2 | QL (3 per 30 days) |
| *kourzeq* | 2 | |
| *olopatadine nasal* | 3 | QL (1 per 30 days) |
| *paroex oral rinse* | 2 | |
| *periogard* | 2 | |
| *pilocarpine hcl oral* | 2 | |
| *sf* | 2 | |
| *sf 5000 plus* | 2 | |
| *sodium fluoride 5000 plus* | 2 | |
| *sodium fluoride-pot nitrate* | 2 | |
| *triamcinolone acetonide dental* | 2 | |
| **MISCELLANEOUS OTIC PREPARATIONS** | | |
| *acetic acid otic (ear)* | 2 | |
| *ciprofloxacin hcl otic (ear)* | 3 | |
| *flac otic oil* | 3 | |
| *fluocinolone acetonide oil* | 3 | |
| *hydrocortisone-acetic acid* | 2 | |
| *ofloxacin otic (ear)* | 2 | |
| **OTIC STEROID / ANTIBIOTIC** | | |
| *ciprofloxacin-dexamethasone* | 3 | |
| *ciprofloxacin-hydrocortisone* | 3 | |
| CORTISPORIN-TC | 4 | |
| *neomycin-polymyxin-hc otic (ear)* | 2 | |
| **ENDOCRINE/DIABETES** | | |
| **ADRENAL HORMONES** | | |
| ACTHAR | 5 | PA; SP |
| ACTHAR SELFJECT | 5 | PA; SP |
| AGAMREE | 4 | PA; QL (200 per 26 days) |
| CORTROPHIN GEL | 5 | PA; SP |
| *deflazacort* | 5 | PA; SP |
| *dexamethasone oral elixir* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *dexamethasone oral solution* | 2 | |
| *dexamethasone oral tablet* | 2 | |
| *fludrocortisone* | 2 | |
| *hydrocortisone oral* | 2 | |
| *hydrocortisone sod succinate* | 3 | QL (2 per 28 days) |
| *jaythari* | 5 | PA; SP |
| *kymbee* | 5 | PA; SP |
| *methylprednisolone oral tablet 16 mg, 32 mg, 8 mg* | 3 | |
| *methylprednisolone oral tablet 4 mg* | 2 | |
| *methylprednisolone oral tablets,dose pack* | 2 | |
| *prednisolone oral solution* | 2 | |
| *prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)* | 2 | |
| *prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)* | 3 | |
| *prednisone oral solution* | 2 | |
| *prednisone oral tablet* | 2 | |
| *prednisone oral tablets,dose pack* | 2 | |
| *pyquvi* | 5 | PA; SP |
| SOLU-CORTEF | 4 | QL (2 per 28 days) |
| SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML | 4 | QL (2 per 28 days) |
| TARPEYO | 5 | PA; SP; QL (4 per 1 day) |
| **ANTITHYROID AGENTS** | | |
| *methimazole oral tablet 10 mg, 5 mg* | 2 | |
| *propylthiouracil* | 2 | |
| **BLOOD GLUCOSE MONITORING DEVICES & SUPPLIES** | | |
| DEXCOM G6 RECEIVER | 4 | PA; CGM; QL (1 per 365 days) |
| DEXCOM G6 SENSOR | 4 | PA; CGM; QL (3 per 30 days) |
| DEXCOM G6 TRANSMITTER | 4 | PA; CGM; QL (1 per 68 days) |
| DEXCOM G7 15 DAY SENSOR | 4 | PA; CGM; QL (2 per 30 days) |
| DEXCOM G7 RECEIVER | 4 | PA; CGM; QL (1 per 365 days) |
| DEXCOM G7 SENSOR | 4 | PA; CGM; QL (3 per 30 days) |
| FREESTYLE CONTROL | 1 | OTC |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| FREESTYLE FREEDOM | 9 | ACA; OTC; QL (1 per 365 days) |
| FREESTYLE FREEDOM LITE | 9 | ACA; OTC; QL (1 per 365 days) |
| FREESTYLE INSULINX | 9 | ACA; OTC; QL (1 per 365 days) |
| FREESTYLE INSULINX TEST STRIPS | 3 | 100 units per 30 days; OTC |
| FREESTYLE LIBRE 14 DAY READER | 3 | PA; CGM; QL (1 per 365 days) |
| FREESTYLE LIBRE 14 DAY SENSOR | 3 | PA; CGM; QL (2 per 28 days) |
| FREESTYLE LIBRE 2 PLUS SENSOR | 3 | PA; CGM; QL (2 per 30 days) |
| FREESTYLE LIBRE 2 READER | 3 | PA; CGM; QL (1 per 365 days) |
| FREESTYLE LIBRE 2 SENSOR | 3 | PA; CGM; QL (2 per 28 days) |
| FREESTYLE LIBRE 3 PLUS SENSOR | 3 | PA; CGM; QL (2 per 30 days) |
| FREESTYLE LIBRE 3 READER | 3 | PA; CGM; QL (1 per 365 days) |
| FREESTYLE LIBRE 3 SENSOR | 3 | PA; CGM; QL (2 per 28 days) |
| FREESTYLE TEST | 3 | 100 units per 30 days; OTC |
| PRECISION XTRA MONITOR | 9 | ACA; OTC; QL (1 per 365 days) |
| **DIABETES, SUPPLIES, & DURABLE MEDICAL EQUIPMENT** | | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" | 2 | |
| OMNIPOD 5 (LIBRE 2/3 PLUS) | 3 | QL (10 per 30 days) |
| OMNIPOD 5 INTRO (LIBRE2/3PLUS) | 3 | QL (1 per 720 days) |
| **GLUCOSE ELEVATING AGENTS** | | |
| BAQSIMI | 3 | |
| GLUCAGON (HCL) EMERGENCY KIT | 3 | |
| *glucagon emergency kit (human)* | 3 | |
| GVOKE | 3 | |
| GVOKE HYPOPEN 2-PACK | 3 | |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 3 | |
| **INSULIN SYRINGES/MISCELLANEOUS DURABLE MEDICAL EQU** | | |
| BD MICROTAINER LANCET 30 GAUGE | 2 | OTC; QL (210 per 30 days) |
| BD SPECIALTY USE NEEDLES NEEDLE 30 GAUGE X 1/2" | 2 | |
| GENTEEL VACUUM LANCING DEVICE | 2 | OTC; QL (2 per 365 days) |
| LANCETS 33 GAUGE | 2 | OTC; QL (210 per 30 days) |
| LANCING DEVICE | 2 | OTC; QL (2 per 365 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) | 3 | QL (1 per 720 days) |
| OMNIPOD 5 G6-G7 PODS (GEN 5) | 3 | QL (10 per 30 days) |
| OMNIPOD DASH INTRO KIT (GEN 4) | 3 | QL (1 per 720 days) |
| OMNIPOD DASH PODS (GEN 4) | 3 | QL (10 per 30 days) |
| V-GO 20 | 3 | QL (30 per 30 days) |
| V-GO 30 | 3 | QL (30 per 30 days) |
| V-GO 40 | 3 | QL (30 per 30 days) |
| **INSULIN THERAPY** | | |
| HUMALOG JUNIOR KWIKPEN U-100 | 3 | 100 units per 30 days |
| HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML | 3 | 100 units per 30 days |
| HUMALOG KWIKPEN INSULIN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) | 3 | PA; 100 units per 30 days |
| HUMALOG MIX 50-50 KWIKPEN | 3 | 100 units per 30 days |
| HUMALOG MIX 75-25 KWIKPEN | 3 | 100 units per 30 days |
| HUMALOG MIX 75-25(U-100)INSULN | 3 | 100 units per 30 days |
| HUMALOG U-100 INSULIN | 3 | 100 units per 30 days |
| HUMULIN 70/30 U-100 INSULIN | 3 | 100 units per 30 days |
| HUMULIN 70/30 U-100 KWIKPEN | 3 | 100 units per 30 days |
| HUMULIN N NPH INSULIN KWIKPEN | 3 | 100 units per 30 days |
| HUMULIN N NPH U-100 INSULIN | 3 | 100 units per 30 days |
| HUMULIN R REGULAR U-100 INSULN | 3 | 100 units per 30 days |
| HUMULIN R U-500 (CONC) KWIKPEN | 3 | 100 units per 30 days |
| INSULIN GLARGINE-YFGN | 3 | 100 units per 30 days |
| INSULIN LISPRO | 3 | 100 units per 30 days |
| INSULIN LISPRO PROTAMIN-LISPRO | 3 | 100 units per 30 days |
| LANTUS SOLOSTAR U-100 INSULIN | 3 | 100 units per 30 days |
| LANTUS U-100 INSULIN | 3 | 100 units per 30 days |
| NOVOLOG MIX 70-30 U-100 INSULN | 4 | PA; 100 units per 30 days |
| SOLIQUA 100/33 | 4 | ST; QL (18 per 28 days) |
| TOUJEO MAX U-300 SOLOSTAR | 3 | 100 units per 30 days |
| TOUJEO SOLOSTAR U-300 INSULIN | 3 | 100 units per 30 days |
| TRESIBA FLEXTOUCH U-100 | 3 | 100 units per 30 days |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| TRESIBA FLEXTOUCH U-200 | 3 | 100 units per 30 days |
| TRESIBA U-100 INSULIN | 3 | 100 units per 30 days |
| XULTOPHY 100/3.6 | 4 | ST; QL (15 per 28 days) |
| **MISCELLANEOUS HORMONES** | | |
| *cabergoline* | 2 | |
| *calcitonin (salmon) nasal* | 2 | |
| *calcitriol oral* | 2 | |
| CERDELGA | 5 | PA; SP; QL (2 per 1 day) |
| CHORIONIC GONADOTROPIN, HUMAN | 5 | PA; SP |
| *cinacalcet oral tablet 30 mg, 60 mg* | 3 | PA; QL (2 per 1 day) |
| *cinacalcet oral tablet 90 mg* | 3 | PA; QL (4 per 1 day) |
| *clomiphene citrate* | 3 | QL (10 per 30 days) |
| CRENESSITY ORAL CAPSULE | 5 | PA; SP; LA; QL (2 per 1 day) |
| CRENESSITY ORAL SOLUTION | 5 | PA; SP; LA; QL (4 per 1 day) |
| *danazol* | 3 | |
| *desmopressin injection* | 2 | |
| *desmopressin nasal spray with pump* | 2 | |
| DESMOPRESSIN NASAL SPRAY,NON-AEROSOL 150 MCG/SPRAY (0.1 ML) | 5 | SP |
| *desmopressin oral* | 2 | |
| *doxercalciferol oral* | 3 | |
| GALAFOLD | 5 | PA; SP; LA; QL (14 per 28 days) |
| ISTURISA | 5 | PA; SP; LA; QL (4 per 1 day) |
| KYZATREX ORAL CAPSULE 150 MG, 200 MG | 4 | PA; QL (2 per 1 day) |
| *methyltestosterone oral capsule* | 3 | QL (5 per 1 day) |
| *mifepristone oral tablet 300 mg* | 5 | PA; SP; QL (4 per 1 day) |
| *miglustat* | 5 | PA; SP; LA; QL (3 per 1 day) |
| MYALEPT | 5 | PA; SP; LA |
| NOVAREL INTRAMUSCULAR RECON SOLN 5,000 UNIT | 5 | PA; SP |
| OPFOLDA | 5 | PA; SP; QL (8 per 28 days) |
| ORILISSA | 4 | PA |
| OVIDREL | 5 | PA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML | 5 | PA; SP; LA; QL (0.5 per 1 day) |
| PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML | 5 | PA; SP; LA; QL (0.15 per 1 day) |
| PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML | 5 | PA; SP; LA; QL (3 per 1 day) |
| *paricalcitol oral* | 3 | |
| PREGNYL | 5 | PA; SP |
| RECORLEV | 5 | PA; SP; QL (8 per 1 day) |
| *sapropterin* | 5 | PA; SP |
| SEPHIENCE ORAL POWDER IN PACKET 1,000 MG | 5 | PA; SP; QL (6 per 1 day) |
| SEPHIENCE ORAL POWDER IN PACKET 250 MG | 5 | PA; SP; QL (3 per 1 day) |
| SOMAVERT | 5 | PA; SP |
| STRENSIQ | 5 | PA; SP; LA |
| SYNAREL | 5 | PA; SP; QL (8 per 28 days) |
| *testosterone cypionate* | 2 | PA |
| *testosterone enanthate* | 2 | PA |
| *testosterone transdermal gel* | 3 | PA; QL (2 per 1 day) |
| *testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation* | 3 | PA; QL (60 per 30 days) |
| *testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)* | 3 | PA; QL (300 per 30 days) |
| *testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)* | 3 | PA; QL (150 per 30 days) |
| *testosterone transdermal gel in packet 1 % (25 mg/2.5gram)* | 3 | PA; QL (5 per 1 day) |
| *testosterone transdermal gel in packet 1 % (50 mg/5 gram)* | 3 | PA; QL (10 per 1 day) |
| *testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram)* | 3 | PA; QL (1 per 1 day) |
| *testosterone transdermal gel in packet 1.62 % (40.5 mg/2.5 gram)* | 3 | PA; QL (2 per 1 day) |
| *testosterone transdermal solution in metered pump w/app* | 3 | PA; QL (180 per 30 days) |
| *tolvaptan (polycys kidney dis) oral tablet 15 mg* | 5 | PA; SP; LA; QL (2 per 1 day) |
| *tolvaptan (polycys kidney dis) oral tablet 30 mg* | 5 | PA; SP; LA; QL (1 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *tolvaptan (polycys kidney dis) oral tablets, sequential* | 5 | PA; SP; LA; QL (56 per 28 days) |
| *tolvaptan oral tablet 15 mg* | 5 | PA; SP; LA; QL (30 per 365 days) |
| *tolvaptan oral tablet 30 mg* | 5 | PA; SP; LA; QL (60 per 365 days) |
| VOXZOGO | 5 | PA; SP; QL (1 per 1 day) |
| YORVIPATH | 5 | PA; SP; QL (2 per 28 days) |
| *zelvysia* | 5 | PA; SP |
| **NON-INSULIN HYPOGLYCEMIC AGENTS** | | |
| *acarbose* | 2 | |
| CYCLOSET | 4 | |
| *dapagliflozin* | 3 | QL (1 per 1 day) |
| *dapagliflozin-metformin oral tablet, ir - er, biphasic 24hr 10-1,000 mg, 10-500 mg, 5-500 mg* | 3 | QL (1 per 1 day) |
| *dapagliflozin-metformin oral tablet, ir - er, biphasic 24hr 5-1,000 mg* | 3 | QL (2 per 1 day) |
| *glimepiride oral tablet 1 mg, 2 mg, 4 mg* | 1 | |
| *glipizide oral tablet 10 mg, 5 mg* | 1 | |
| *glipizide oral tablet extended release 24hr* | 1 | |
| *glipizide-metformin* | 2 | |
| *glyburide oral tablet 1.25 mg* | 2 | |
| *glyburide oral tablet 2.5 mg, 5 mg* | 1 | |
| *glyburide-metformin oral tablet 1.25-250 mg* | 2 | |
| *glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg* | 1 | |
| GLYXAMBI | 3 | QL (1 per 1 day) |
| JANUMET | 3 | QL (2 per 1 day) |
| JANUVIA | 3 | QL (1 per 1 day) |
| JARDIANCE | 3 | QL (1 per 1 day) |
| JENTADUETO | 3 | QL (2 per 1 day) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 3 | QL (2 per 1 day) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 3 | QL (1 per 1 day) |
| *metformin oral tablet 1,000 mg, 500 mg, 850 mg* | 1 | |
| *metformin oral tablet extended release 24 hr* | 1 | |
| *miglitol* | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| MOUNJARO | 3 | PA; QL (2 per 28 days) |
| *nateglinide* | 3 | |
| OZEMPIC ORAL TABLET 1.5 MG | 3 | PA; QL (30 per 365 days) |
| OZEMPIC ORAL TABLET 4 MG, 9 MG | 3 | PA; QL (1 per 1 day) |
| OZEMPIC SUBCUTANEOUS | 3 | PA; QL (3 per 28 days) |
| *pioglitazone* | 1 | |
| *pioglitazone-metformin* | 2 | QL (2 per 1 day) |
| *repaglinide* | 3 | |
| RYBELSUS ORAL TABLET 14 MG, 7 MG | 3 | PA; QL (1 per 1 day) |
| RYBELSUS ORAL TABLET 3 MG | 3 | PA; QL (30 per 365 days) |
| *sitagliptin phos-metformin oral tablet* | 3 | QL (2 per 1 day) |
| *sitagliptin phos-metformin oral tablet, er multiphase 24 hr 100-1,000 mg* | 3 | QL (1 per 1 day) |
| *sitagliptin phos-metformin oral tablet, er multiphase 24 hr 50-1,000 mg, 50-500 mg* | 3 | QL (2 per 1 day) |
| *sitagliptin phosphate* | 3 | QL (1 per 1 day) |
| SYNJARDY | 3 | QL (2 per 1 day) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | QL (1 per 1 day) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 3 | QL (2 per 1 day) |
| TRADJENTA | 3 | QL (1 per 1 day) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | 3 | QL (1 per 1 day) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG | 3 | QL (2 per 1 day) |
| TRULICITY | 3 | PA; QL (2 per 28 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 4 | QL (2 per 1 day) |
| **THYROID HORMONES** | | |
| *levo-t* | 1 | |
| *levothyroxine oral tablet* | 1 | |
| *levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg* | 1 | |
| *liomny* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *liothyronine oral* | 2 | |
| *np thyroid* | 2 | |
| SYNTHROID | 4 | |
| *unithroid* | 1 | |
| **GASTROENTEROLOGY** | | |
| **ANTIDIARRHEALS & ANTISPASMODICS** | | |
| *chlordiazepoxide-clidinium* | 3 | |
| *dicyclomine oral capsule* | 2 | |
| *dicyclomine oral solution* | 3 | QL (40 per 1 day) |
| *dicyclomine oral tablet 20 mg* | 2 | |
| *digenyx* | 2 | |
| *diphenoxylate-atropine oral tablet* | 2 | |
| *ed-spaz* | 2 | |
| *glycopyrrolate oral solution* | 3 | PA |
| *glycopyrrolate oral tablet 1 mg, 2 mg* | 2 | |
| *hyoscyamine sulfate oral elixir* | 2 | |
| *hyoscyamine sulfate oral tablet* | 2 | |
| *hyoscyamine sulfate oral tablet extended release 12 hr* | 2 | |
| *hyoscyamine sulfate oral tablet,disintegrating* | 2 | |
| *hyoscyamine sulfate sublingual* | 2 | |
| *hyosyne oral elixir* | 2 | |
| *methscopolamine* | 2 | |
| *oscimin* | 2 | |
| *oscimin sl* | 2 | |
| **MISCELLANEOUS GASTROINTESTINAL AGENTS** | | |
| AKYNZEO (NETUPITANT) | 4 | QL (1 per 28 days) |
| *alosetron* | 3 | PA; QL (2 per 1 day) |
| *alvimopan* | 3 | |
| *anucort-hc* | 2 | |
| *aprepitant oral capsule 125 mg* | 3 | QL (5 per 28 days) |
| *aprepitant oral capsule 40 mg* | 3 | 1 cap per fill |
| *aprepitant oral capsule 80 mg* | 3 | QL (10 per 28 days) |
| *aprepitant oral capsule,dose pack* | 3 | QL (15 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *balsalazide* | 2 | |
| *betaine* | 5 | SP |
| *bisacodyl oral* | 9 | ACA; OTC |
| *budesonide oral capsule,delayed,extend.release* | 2 | |
| *budesonide oral tablet,delayed and ext.release* | 3 | PA |
| *budesonide rectal* | 3 | |
| BYLVAY ORAL CAPSULE 1,200 MCG | 5 | PA; SP; LA; QL (5 per 1 day) |
| BYLVAY ORAL CAPSULE 400 MCG | 5 | PA; SP; LA; QL (10 per 1 day) |
| BYLVAY ORAL PELLET 200 MCG | 5 | PA; SP; LA; QL (8 per 1 day) |
| BYLVAY ORAL PELLET 600 MCG | 5 | PA; SP; LA; QL (4 per 1 day) |
| CHOLBAM ORAL CAPSULE 250 MG | 5 | PA; SP; QL (7 per 1 day) |
| CHOLBAM ORAL CAPSULE 50 MG | 5 | PA; SP; QL (4 per 1 day) |
| CIMZIA | 5 | PA; SP; QL (2 per 28 days) |
| CIMZIA POWDER FOR RECONST | 5 | PA; SP; QL (2 per 28 days) |
| *citroma* | 9 | ACA; OTC |
| *clearlax oral powder* | 9 | ACA; OTC |
| *compro* | 2 | |
| *constulose* | 2 | |
| CREON | 3 | |
| *cromolyn oral* | 2 | |
| CTEXLI | 5 | PA; SP; QL (3 per 1 day) |
| DIPENTUM | 4 | ST |
| *doxylamine-pyridoxine (vit b6)* | 3 | ST; QL (4 per 1 day) |
| *dronabinol oral capsule* | 2 | |
| *dulcolax (magnesium hydroxide) oral suspension* | 9 | ACA; OTC |
| ENTYVIO PEN | 5 | PA; SP; QL (1.36 per 28 days) |
| *enulose* | 2 | |
| EOHILIA | 5 | PA; SP; QL (600 per 30 days) |
| GATTEX 30-VIAL | 5 | PA; SP |
| *gavilax oral powder* | 9 | ACA; OTC |
| *gavilyte-c* | 2 | ACA |
| *gavilyte-g* | 2 | ACA |
| *gavilyte-n* | 2 | ACA |
| *generlac* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *gentle laxative (bisacodyl) oral* | 9 | ACA; OTC |
| *gentle laxative (mag hydrox)* | 9 | ACA; OTC |
| *gentlelax* | 9 | ACA; OTC |
| *granisetron hcl oral* | 2 | QL (10 per 30 days) |
| *hemmorex-hc rectal suppository 25 mg* | 2 | |
| *hydrocortisone acetate rectal suppository 25 mg* | 2 | |
| *hydrocortisone rectal* | 2 | |
| *hydrocortisone topical cream with perineal applicator 2.5 %* | 2 | |
| *hydrocortisone-pramoxine rectal cream* | 3 | |
| IBSRELA | 4 | PA; QL (2 per 1 day) |
| IQIRVO | 5 | PA; SP; QL (1 per 1 day) |
| *lactulose oral solution* | 2 | |
| *laxative (bisacodyl) oral tablet,delayed release (dr/ec)* | 9 | ACA; OTC |
| *laxative peg 3350* | 9 | ACA; OTC |
| LINZESS | 3 | QL (1 per 1 day) |
| LIVDELZI | 5 | PA; SP; QL (1 per 1 day) |
| LIVMARLI ORAL SOLUTION 19 MG/ML | 5 | PA; SP; LA; QL (2 per 1 day) |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML | 5 | PA; SP; LA; QL (3 per 1 day) |
| LIVMARLI ORAL TABLET 10 MG, 15 MG, 20 MG | 5 | PA; SP; LA; QL (2 per 1 day) |
| LIVMARLI ORAL TABLET 30 MG | 5 | PA; SP; LA; QL (1 per 1 day) |
| *lubiprostone* | 3 | QL (2 per 1 day) |
| *magnesium citrate oral solution* | 9 | ACA; OTC |
| *meclizine oral tablet 12.5 mg, 25 mg* | 2 | |
| *mesalamine oral capsule (with del rel tablets)* | 3 | |
| *mesalamine oral capsule, extended release* | 3 | |
| *mesalamine oral capsule,extended release 24hr* | 3 | |
| *mesalamine oral tablet,delayed release (dr/ec) 1.2 gram* | 3 | |
| *mesalamine oral tablet,delayed release (dr/ec) 800 mg* | 3 | ST |
| *mesalamine rectal enema* | 2 | |
| *mesalamine rectal suppository* | 2 | QL (1 per 1 day) |
| *metoclopramide hcl oral solution* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *metoclopramide hcl oral tablet* | 2 | |
| *milk of magnesia* | 9 | ACA; OTC |
| *milk of magnesia concentrated* | 9 | ACA; OTC |
| MOVANTIK | 3 | QL (1 per 1 day) |
| *nitroglycerin rectal* | 3 | PA |
| OMVOH PEN SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 200 MG/2 ML | 5 | PA; SP; QL (2 per 28 days) |
| OMVOH PEN SUBCUTANEOUS PEN INJECTOR 300MG/3ML(100MG /ML-200 MG/2ML) | 5 | PA; SP; QL (3 per 28 days) |
| OMVOH SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML | 5 | PA; SP; QL (2 per 28 days) |
| OMVOH SUBCUTANEOUS SYRINGE 300MG/3ML(100MG /ML-200 MG/2ML) | 5 | PA; SP; QL (3 per 28 days) |
| *ondansetron hcl oral solution* | 2 | |
| *ondansetron hcl oral tablet 4 mg, 8 mg* | 2 | |
| *ondansetron oral tablet,disintegrating 4 mg, 8 mg* | 2 | |
| *onelax magnesium citrate* | 9 | ACA; OTC |
| *oral saline laxative* | 9 | ACA; OTC |
| PANCREAZE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT, 4,200-14,200- 24,600 UNIT | 4 | ST |
| *peg 3350-electrolytes* | 2 | ACA |
| *peg-electrolyte soln* | 2 | ACA |
| PERTZYE | 4 | ST |
| *phosphate laxative* | 9 | ACA; OTC |
| *polyethylene glycol 3350 oral powder* | 9 | ACA; OTC |
| *powderlax oral powder* | 9 | ACA; OTC |
| *prochlorperazine* | 2 | |
| *prochlorperazine maleate* | 2 | |
| PROCTOFOAM HC | 3 | |
| *procto-med hc* | 2 | |
| *proctosol hc topical* | 2 | |
| *proctozone-hc* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *prucalopride* | 3 | ST; QL (1 per 1 day) |
| *purelax oral powder* | 9 | ACA; OTC |
| RELISTOR ORAL | 4 | PA; QL (3 per 1 day) |
| RELISTOR SUBCUTANEOUS SOLUTION | 4 | PA; QL (0.6 per 1 day) |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML | 4 | PA; QL (0.6 per 1 day) |
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML | 4 | PA; QL (0.4 per 1 day) |
| *scopolamine base* | 2 | QL (10 per 30 days) |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML) | 5 | PA; SP; QL (1.2 per 42 days) |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML) | 5 | PA; SP; QL (2.4 per 42 days) |
| *smoothlax oral powder* | 9 | ACA; OTC |
| SUCRAID | 5 | PA; SP; QL (8 per 1 day) |
| *sulfasalazine* | 2 | |
| SYMPROIC | 3 | QL (1 per 1 day) |
| SYNDROS | 4 | PA |
| *trimethobenzamide oral* | 2 | |
| TRULANCE | 4 | PA; QL (1 per 1 day) |
| *ursodiol oral capsule 300 mg* | 3 | |
| *ursodiol oral tablet* | 3 | |
| VARUBI | 4 | QL (4 per 28 days) |
| VELSIPITY | 5 | PA; SP; QL (1 per 1 day) |
| VIBERZI | 4 | PA; QL (2 per 1 day) |
| VIOKACE | 4 | ST |
| VOWST | 4 | PA; SP; QL (12 per 365 days) |
| *women's gentle laxative(bisac)* | 9 | ACA; OTC |
| ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT | 3 | |
| ZYMFENTRA | 5 | PA; SP; QL (2 per 28 days) |
| **ULCER THERAPY** | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *amoxicil-clarithromy-lansopraz* | 3 | QL (224 per 365 days) |
| *cimetidine hcl oral* | 2 | |
| *cimetidine oral tablet 300 mg, 400 mg, 800 mg* | 2 | |
| *esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg* | 2 | QL (2 per 1 day) |
| *esomeprazole magnesium oral granules dr for susp in packet* | 3 | PA for Age greater than or equal to 9 year(s); QL (2 per 1 day) |
| *famotidine oral suspension for reconstitution* | 3 | |
| *famotidine oral tablet 20 mg, 40 mg* | 2 | |
| *lansoprazole oral capsule,delayed release(dr/ec)* | 2 | QL (2 per 1 day) |
| *lansoprazole oral tablet,disintegrat, delay rel* | 3 | PA for Age greater than or equal to 9 year(s); QL (1 per 1 day) |
| *misoprostol* | 2 | |
| *nizatidine oral capsule* | 3 | |
| *omeprazole oral capsule,delayed release(dr/ec)* | 2 | QL (2 per 1 day) |
| *pantoprazole oral tablet,delayed release (dr/ec)* | 2 | QL (2 per 1 day) |
| *rabeprazole oral tablet,delayed release (dr/ec)* | 3 | QL (2 per 1 day) |
| *sucralfate oral suspension* | 3 | |
| *sucralfate oral tablet* | 2 | |
| **IMMUNOLOGY, VACCINES & BIOTECHNOLOGY** | | |
| **BIOTECHNOLOGY DRUGS** | | |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 40 MCG/ML, 60 MCG/ML | 5 | PA; SP |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE | 5 | PA; SP |
| ARCALYST | 5 | PA; SP; QL (4 per 28 days) |
| EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 5 | PA; SP |
| FULPHILA | 5 | PA; SP |
| FYLNETRA | 5 | PA; SP |
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML | 5 | PA; SP; QL (3 per 1 day) |
| GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML | 5 | PA; SP; QL (1.5 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| GRANIX SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML | 5 | PA; SP; QL (2.4 per 1 day) |
| LEUKINE INJECTION RECON SOLN | 5 | PA; SP |
| MIRCERA | 5 | PA; SP |
| NEULASTA ONPRO | 5 | PA; SP |
| NEULASTA SUBCUTANEOUS SYRINGE | 5 | PA; SP |
| NEUPOGEN INJECTION SOLUTION 300 MCG/ML | 5 | PA; SP; QL (3 per 1 day) |
| NEUPOGEN INJECTION SOLUTION 480 MCG/1.6 ML | 5 | PA; SP; QL (4.8 per 1 day) |
| NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML | 5 | PA; SP; QL (1.5 per 1 day) |
| NEUPOGEN INJECTION SYRINGE 480 MCG/0.8 ML | 5 | PA; SP; QL (2.4 per 1 day) |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML | 5 | PA; SP; QL (3 per 1 day) |
| NIVESTYM INJECTION SOLUTION 480 MCG/1.6 ML | 5 | PA; SP; QL (4.8 per 1 day) |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML | 5 | PA; SP; QL (1.5 per 1 day) |
| NIVESTYM SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML | 5 | PA; SP; QL (2.4 per 1 day) |
| NYPOZI INJECTION SYRINGE 300 MCG/0.5 ML | 5 | PA; SP; QL (1.5 per 1 day) |
| NYPOZI INJECTION SYRINGE 480 MCG/0.8 ML | 5 | PA; SP; QL (2.4 per 1 day) |
| NYVEPRIA | 5 | PA; SP |
| PROCRIT | 5 | PA; SP |
| RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML | 5 | PA; SP; QL (1.5 per 1 day) |
| RELEUKO SUBCUTANEOUS SYRINGE 480 MCG/0.8 ML | 5 | PA; SP; QL (2.4 per 1 day) |
| RETACRIT | 5 | PA; SP |
| ROLVEDON | 5 | PA; SP |
| RYZNEUTA | 5 | PA; SP |
| STIMUFEND | 5 | PA; SP |
| UDENYCA | 5 | PA; SP |
| UDENYCA AUTOINJECTOR | 5 | PA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| UDENYCA ONBODY | 5 | PA; SP |
| XOLREMDI | 5 | PA; SP; QL (4 per 1 day) |
| ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML | 5 | PA; SP; QL (1.5 per 1 day) |
| ZARXIO INJECTION SYRINGE 480 MCG/0.8 ML | 5 | PA; SP; QL (2.4 per 1 day) |
| ZIEXTENZO | 5 | PA; SP |
| **GROWTH HORMONES** | | |
| EGRIFTA SV | 5 | PA; SP; QL (1 per 1 day) |
| EGRIFTA WR | 5 | PA; SP; QL (1 per 28 days) |
| GENOTROPIN | 5 | PA; SP |
| GENOTROPIN MINIQUICK | 5 | PA; SP |
| HUMATROPE INJECTION CARTRIDGE | 5 | PA; SP |
| NGENLA | 5 | PA; SP |
| NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 5 | PA; SP |
| OMNITROPE | 5 | PA; SP |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 5 | PA; SP |
| SKYTROFA SUBCUTANEOUS CARTRIDGE 0.7 MG, 1.4 MG, 1.8 MG, 13.3 MG, 2.1 MG, 2.5 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG | 5 | PA; SP; QL (4 per 28 days) |
| SKYTROFA SUBCUTANEOUS CARTRIDGE 11 MG, 7.6 MG, 9.1 MG | 5 | PA; SP; QL (8 per 28 days) |
| SOGROYA | 4 | PA; SP; QL (3 per 28 days) |
| ZOMACTON | 5 | PA; SP |
| **INTERFERONS** | | |
| ACTIMMUNE | 5 | PA; SP |
| ALFERON N | 5 | SP |
| BESREMI | 5 | PA; SP; QL (2 per 28 days) |
| PEGASYS | 5 | SP; QL (4 per 28 days) |
| **VACCINES & MISCELLANEOUS IMMUNOLOGICALS** | | |
| ABRYSVO (PF) | 9 | PA for Age less than or equal to 49 year(s); ACA; QL (1 per 720 days) |
| ACTHIB (PF) | 9 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| ADACEL(TDAP ADOLESN/ADULT)(PF) | 9 | ACA |
| AREXVY (PF) | 9 | PA for Age less than or equal to 49 year(s); ACA; QL (1 per 720 days) |
| BEXSERO | 9 | ACA |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE | 9 | ACA |
| BOTOX INJECTION RECON SOLN 100 UNIT | 5 | PA; SP; QL (2 per 63 days) |
| BOTOX INJECTION RECON SOLN 200 UNIT | 5 | PA; SP; QL (1 per 63 days) |
| CAPVAXIVE (PF) | 9 | ACA |
| COMIRNATY 2026-2027(5-11Y)(PF) | 9 | ACA |
| COMIRNATY 2026-27 (12Y UP)(PF) | 9 | ACA |
| DAPTACEL (DTAP PEDIATRIC) (PF) | 9 | ACA |
| DAXXIFY | 5 | PA; SP; QL (3 per 63 days) |
| DENGVAXIA (PF) | 9 | ACA |
| DYSPORT INTRAMUSCULAR RECON SOLN 300 UNIT | 5 | PA; SP; QL (1 per 63 days) |
| DYSPORT INTRAMUSCULAR RECON SOLN 500 UNIT | 5 | PA; SP; QL (3 per 63 days) |
| ENGERIX-B (PF) | 9 | ACA |
| ENGERIX-B PEDIATRIC (PF) | 9 | ACA |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 5 % | 5 | PA; SP |
| FLUAD 2026-2027 (65 YR UP)(PF) | 9 | ACA |
| FLUARIX 2026-2027 (PF) | 9 | ACA |
| FLUBLOK 2026-2027 (PF) | 9 | ACA |
| FLUCELVAX 2026-2027 (PF) | 9 | ACA |
| FLULAVAL 2026-2027 (PF) | 9 | ACA |
| FLUMIST 2026-2027 | 9 | ACA |
| FLUMIST HOME 2026-2027 | 9 | ACA |
| FLUZONE 2026-2027 | 9 | ACA |
| FLUZONE 2026-2027 (PF) | 9 | ACA |
| FLUZONE HIGH-DOSE 2026-27 (PF) | 9 | ACA |
| GARDASIL 9 (PF) | 9 | ACA |
| GRASTEK | 4 | PA; QL (1 per 1 day) |
| HAVRIX (PF) | 9 | ACA |
| HEPLISAV-B (PF) | 9 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| HIBERIX (PF) | 9 | ACA |
| INFANRIX (DTAP) (PF) | 9 | ACA |
| IPOL | 9 | ACA |
| JYNNEOS (PF) | 9 | ACA |
| KINRIX (PF) | 9 | ACA |
| MENQUADFI (PF) | 9 | ACA |
| MENVEO A-C-Y-W-135-DIP (PF) | 9 | ACA |
| M-M-R II (PF) | 9 | ACA |
| MNEXSPIKE 2026-2027 (PF) | 9 | ACA |
| MRESVIA (PF) | 9 | PA for Age less than or equal to 49 year(s); ACA; QL (1 per 720 days) |
| MYOBLOC | 5 | PA; SP; QL (1 per 63 days) |
| NUVAXOVID 2026-2027 (PF) | 9 | ACA |
| ODACTRA | 4 | PA; QL (1 per 1 day) |
| ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY | 4 | PA; QL (1 per 1 day) |
| PALFORZIA (LEVEL 1) | 5 | PA; SP; QL (45 per 365 days) |
| PALFORZIA (LEVEL 2) | 5 | PA; SP; QL (90 per 365 days) |
| PALFORZIA (LEVEL 3) | 5 | PA; SP; QL (45 per 365 days) |
| PALFORZIA (LEVEL 4) | 5 | PA; SP; QL (15 per 365 days) |
| PALFORZIA (LEVEL 5) | 5 | PA; SP; QL (30 per 365 days) |
| PALFORZIA (LEVEL 6) | 5 | PA; SP; QL (60 per 365 days) |
| PALFORZIA (LEVEL 7) | 5 | PA; SP; QL (30 per 365 days) |
| PALFORZIA (LEVEL 8) | 5 | PA; SP; QL (60 per 365 days) |
| PALFORZIA (LEVEL 9) | 5 | PA; SP; QL (30 per 365 days) |
| PALFORZIA (LEVEL 10) | 5 | PA; SP; QL (60 per 365 days) |
| PALFORZIA INITIAL (4-17 YRS) | 5 | PA; SP; QL (13 per 365 days) |
| PALFORZIA LEVEL 11 MAINTENANCE | 5 | PA; SP; QL (30 per 30 days) |
| PEDIARIX (PF) | 9 | ACA |
| PEDVAX HIB (PF) | 9 | ACA |
| PENBRAYA (PF) | 9 | ACA |
| PENMENVY MEN A-B-C-W-Y (PF) | 9 | ACA |
| PENTACEL (PF) | 9 | ACA |
| PNEUMOVAX-23 INJECTION SYRINGE | 9 | ACA |
| PREVNAR 20 (PF) | 9 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| PRIORIX (PF) | 9 | ACA |
| PROQUAD (PF) | 9 | ACA |
| QUADRACEL (PF) | 9 | ACA |
| RAGWITEK | 4 | PA; QL (1 per 1 day) |
| RECOMBIVAX HB (PF) | 9 | ACA |
| ROTARIX | 9 | ACA |
| ROTATEQ VACCINE | 9 | ACA |
| SHINGRIX (PF) INTRAMUSCULAR SYRINGE | 9 | ACA |
| SPIKEVAX 2026-2027(12Y UP)(PF) | 9 | ACA |
| SPIKEVAX 2026-27 (6M-11Y) (PF) | 9 | ACA |
| TENIVAC (PF) | 9 | ACA |
| TRUMENBA | 9 | ACA |
| TWINRIX (PF) | 9 | ACA |
| VAQTA (PF) | 9 | ACA |
| VARIVAX (PF) | 9 | ACA |
| VAXELIS (PF) INTRAMUSCULAR SYRINGE | 9 | ACA |
| VAXNEUVANCE (PF) | 9 | ACA |
| XEOMIN INTRAMUSCULAR RECON SOLN 100 UNIT, 50 UNIT | 5 | PA; SP; QL (1 per 63 days) |
| XEOMIN INTRAMUSCULAR RECON SOLN 200 UNIT | 5 | PA; SP; QL (2 per 63 days) |
| **MUSCULOSKELETAL & RHEUMATOLOGY** | | |
| **GOUT THERAPY** | | |
| *allopurinol oral tablet 100 mg, 300 mg* | 2 | |
| *colchicine oral tablet* | 2 | |
| *febuxostat* | 2 | ST |
| *probenecid* | 2 | |
| *probenecid-colchicine* | 2 | |
| **OSTEOPOROSIS THERAPY** | | |
| *alendronate oral tablet 10 mg* | 1 | QL (1 per 1 day) |
| *alendronate oral tablet 35 mg, 70 mg* | 1 | QL (4 per 28 days) |
| FOSAMAX PLUS D | 3 | QL (4 per 28 days) |
| *ibandronate oral* | 2 | QL (1 per 28 days) |
| *raloxifene* | 2 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *risedronate oral tablet 150 mg* | 3 | QL (1 per 28 days) |
| *risedronate oral tablet 35 mg* | 3 | QL (4 per 28 days) |
| *risedronate oral tablet 5 mg* | 3 | QL (1 per 1 day) |
| *teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)* | 4 | PA; SP; QL (1 per 28 days) |
| **OTHER RHEUMATOLOGICALS** | | |
| ACTEMRA ACTPEN | 5 | PA; SP; QL (3.6 per 28 days) |
| ACTEMRA SUBCUTANEOUS | 5 | PA; SP; QL (3.6 per 28 days) |
| ADALIMUMAB-ADBM | 5 | PA; SP; QL (2 per 28 days) |
| BENLYSTA SUBCUTANEOUS | 5 | PA; SP; QL (4 per 28 days) |
| ENBREL MINI | 5 | PA; SP; QL (4 per 28 days) |
| ENBREL SUBCUTANEOUS SOLUTION | 5 | PA; SP; QL (4 per 28 days) |
| ENBREL SUBCUTANEOUS SYRINGE | 5 | PA; SP; QL (4 per 28 days) |
| ENBREL SURECLICK | 5 | PA; SP; QL (4 per 28 days) |
| KEVZARA SUBCUTANEOUS PEN INJECTOR | 5 | PA; SP; QL (2.28 per 28 days) |
| KEVZARA SUBCUTANEOUS SYRINGE 200 MG/1.14 ML | 5 | PA; SP; QL (2.28 per 28 days) |
| KINERET | 5 | PA; SP; QL (18.76 per 28 days) |
| *leflunomide* | 2 | |
| LEQSELVI | 5 | PA; SP; QL (2 per 1 day) |
| *milnacipran oral tablet* | 3 | ST; QL (2 per 1 day) |
| OLUMIANT | 5 | PA; SP; QL (1 per 1 day) |
| ORENCIA CLICKJECT | 5 | PA; SP; QL (4 per 28 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML | 5 | PA; SP; QL (4 per 28 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML | 5 | PA; SP; QL (1.6 per 28 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML | 5 | PA; SP; QL (2.8 per 28 days) |
| OTEZLA | 5 | PA; SP; QL (2 per 1 day) |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) | 5 | PA; SP; QL (55 per 365 days) |
| OTEZLA XR | 5 | PA; SP; QL (1 per 1 day) |
| OTEZLA XR INITIATION | 5 | PA; SP; QL (41 per 365 days) |
| *penicillamine* | 5 | PA; SP; QL (16 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| RASUVO (PF) | 4 | ST |
| RINVOQ LQ | 5 | PA; SP; QL (12 per 1 day) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG | 5 | PA; SP; QL (1 per 1 day) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG | 5 | PA; SP; QL (56 per 365 days) |
| SIMLANDI(CF) AUTOINJECTOR | 5 | PA; SP; QL (2 per 28 days) |
| SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML | 5 | PA; SP; QL (2 per 28 days) |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML | 5 | PA; SP; QL (1 per 28 days) |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML | 5 | PA; SP; QL (0.5 per 28 days) |
| SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; SP; QL (1 per 28 days) |
| SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML | 5 | PA; SP; QL (0.5 per 28 days) |
| *tofacitinib oral solution* | 5 | PA; SP; QL (10 per 1 day) |
| *tofacitinib oral tablet* | 5 | PA; SP; QL (2 per 1 day) |
| *tofacitinib oral tablet extended release 24 hr* | 5 | PA; SP; QL (1 per 1 day) |
| TYENNE AUTOINJECTOR | 5 | PA; SP; QL (3.6 per 28 days) |
| TYENNE SUBCUTANEOUS | 5 | PA; SP; QL (3.6 per 28 days) |
| **OBSTETRICS & GYNECOLOGY** | | |
| **DIAPHRAGMS AND OTHER NON-ORAL CONTRACEPTIVES** | | |
| CAYA CONTOURED | 9 | ACA |
| DUREX AVANTI BARE REAL FEEL | 9 | ACA; OTC |
| DUREX TROPICAL CONDOM | 9 | ACA; OTC |
| FC2 FEMALE CONDOM | 9 | 12 per fill; ACA; OTC |
| FEMCAP VAGINAL DEVICE 22 MM | 9 | ACA |
| TRUSTEX-RIA NON-LUB CONDOMS | 9 | ACA; OTC |
| **ESTROGENS & PROGESTINS** | | |
| *abigale* | 3 | |
| *abigale lo* | 3 | |
| BIJUVA | 4 | QL (1 per 1 day) |
| *camila* | 2 | ACA |
| COMBIPATCH | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *conjugated estrogens* | 3 | |
| *covaryx* | 3 | |
| *covaryx h.s.* | 3 | |
| CRINONE | 4 | PA |
| *deblitane* | 2 | ACA |
| *dotti* | 3 | QL (8 per 28 days) |
| DUAVEE | 4 | PA |
| *eemt* | 3 | |
| *eemt hs* | 3 | |
| *emzahh* | 2 | ACA |
| *errin* | 2 | ACA |
| *estradiol oral* | 2 | |
| *estradiol transdermal patch semiweekly* | 3 | QL (8 per 28 days) |
| *estradiol transdermal patch weekly* | 3 | QL (4 per 28 days) |
| *estradiol vaginal* | 3 | |
| *estradiol-norethindrone acet* | 3 | |
| *estrogens-methyltestosterone* | 3 | |
| *fyavolv* | 3 | |
| *gallifrey* | 2 | |
| *heather* | 2 | ACA |
| *incassia* | 2 | ACA |
| *jencycla* | 2 | ACA |
| *jinteli* | 3 | |
| *lyleq* | 2 | ACA |
| *lyllana* | 3 | QL (8 per 28 days) |
| *lyza* | 2 | ACA |
| *medroxyprogesterone intramuscular* | 2 | ACA |
| *medroxyprogesterone oral* | 2 | |
| *meleya* | 2 | ACA |
| *mimvey* | 3 | |
| *nora-be* | 2 | ACA |
| *norethindrone (contraceptive)* | 2 | ACA |
| *norethindrone acetate* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg* | 3 | |
| OPILL | 9 | ACA; OTC |
| *orquidea* | 2 | ACA |
| PREMARIN VAGINAL | 3 | |
| PREMPHASE | 3 | |
| PREMPRO | 3 | |
| *progesterone* | 2 | |
| *progesterone micronized oral* | 2 | |
| *sharobel* | 2 | ACA |
| *tulana* | 2 | ACA |
| *yuvafem* | 3 | |
| **MISCELLANEOUS OB/GYN** | | |
| CLEOCIN VAGINAL SUPPOSITORY | 4 | |
| *clindamycin phosphate vaginal* | 2 | |
| CLINDESSE | 4 | |
| *eluryng* | 2 | ACA |
| *enilloring* | 2 | ACA |
| *etonogestrel-ethinyl estradiol* | 2 | ACA |
| GYNAZOLE-1 | 4 | |
| INTRAROSA | 4 | |
| *metronidazole vaginal gel 0.75 % (37.5mg/5 gram)* | 2 | |
| *miconazole-3 vaginal suppository* | 2 | |
| *mifepristone oral tablet 200 mg* | 3 | PA |
| MYFEMBREE | 4 | PA; QL (1 per 1 day) |
| *norelgestromin-ethin.estradiol* | 2 | ACA |
| NUVESSA | 4 | |
| ORIAHNN | 4 | PA; QL (2 per 1 day) |
| OSPHENA | 4 | PA |
| *terconazole* | 2 | |
| *tranexamic acid oral* | 3 | |
| *vandazole* | 2 | |
| XACIATO | 4 | |
| *xulane* | 2 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *zafemy* | 2 | ACA |
| **ORAL CONTRACEPTIVES & RELATED AGENTS** | | |
| *afirmelle* | 2 | ACA |
| *after pill* | 9 | ACA; OTC |
| *altavera (28)* | 2 | ACA |
| *alyacen 1/35 (28)* | 2 | ACA |
| *alyacen 7/7/7 (28)* | 2 | ACA |
| *amethia* | 2 | ACA |
| *amethyst (28)* | 2 | ACA |
| *apri* | 2 | ACA |
| *aranelle (28)* | 2 | ACA |
| *ashlyna* | 2 | ACA |
| *aubra* | 2 | ACA |
| *aubra eq* | 2 | ACA |
| *aurovela 1.5/30 (21)* | 2 | ACA |
| *aurovela 1/20 (21)* | 2 | ACA |
| *aurovela 24 fe* | 2 | ACA |
| *aurovela fe 1.5/30 (28)* | 2 | ACA |
| *aurovela fe 1-20 (28)* | 2 | ACA |
| *aviane* | 2 | ACA |
| *ayuna* | 2 | ACA |
| *azurette (28)* | 2 | ACA |
| *balziva (28)* | 2 | ACA |
| *blisovi 24 fe* | 2 | ACA |
| *blisovi fe 1.5/30 (28)* | 2 | ACA |
| *blisovi fe 1/20 (28)* | 2 | ACA |
| *briellyn* | 2 | ACA |
| *camrese* | 2 | ACA |
| *camrese lo* | 2 | ACA |
| *caziant (28)* | 2 | ACA |
| *charlotte 24 fe* | 2 | ACA |
| *chateal eq (28)* | 2 | ACA |
| *cryselle (28)* | 2 | ACA |
| *cyred* | 2 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *cyred eq* | 2 | ACA |
| *dasetta 1/35 (28)* | 2 | ACA |
| *dasetta 7/7/7 (28)* | 2 | ACA |
| *daysee* | 2 | ACA |
| *desog-e.estradiol/e.estradiol* | 2 | ACA |
| *dolishale* | 2 | ACA |
| *drospirenone-ethinyl estradiol* | 2 | ACA |
| *econtra ez* | 9 | ACA; OTC |
| *econtra one-step* | 9 | ACA; OTC |
| *elinest* | 2 | ACA |
| ELLA | 4 | ACA |
| *enpresse* | 2 | ACA |
| *enskyce* | 2 | ACA |
| *estarylla* | 2 | ACA |
| *falmina (28)* | 2 | ACA |
| *feirza* | 2 | ACA |
| *finzala* | 2 | ACA |
| *galbriela* | 2 | ACA |
| *hailey* | 2 | ACA |
| *hailey 24 fe* | 2 | ACA |
| *hailey fe 1.5/30 (28)* | 2 | ACA |
| *hailey fe 1/20 (28)* | 2 | ACA |
| *iclevia* | 2 | ACA |
| *introvale* | 2 | ACA |
| *isibloom* | 2 | ACA |
| *jaimiess* | 2 | ACA |
| *jasmiel (28)* | 2 | ACA |
| *jolessa* | 2 | ACA |
| *juleber* | 2 | ACA |
| *junel 1.5/30 (21)* | 2 | ACA |
| *junel 1/20 (21)* | 2 | ACA |
| *junel fe 1.5/30 (28)* | 2 | ACA |
| *junel fe 1/20 (28)* | 2 | ACA |
| *junel fe 24* | 2 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *kaitlib fe* | 2 | ACA |
| *kalliga* | 2 | ACA |
| *kariva (28)* | 2 | ACA |
| *kelnor 1/35 (28)* | 2 | ACA |
| *kurvelo (28)* | 2 | ACA |
| *larin 1.5/30 (21)* | 2 | ACA |
| *larin 1/20 (21)* | 2 | ACA |
| *larin 24 fe* | 2 | ACA |
| *larin fe 1.5/30 (28)* | 2 | ACA |
| *larin fe 1/20 (28)* | 2 | ACA |
| *lessina* | 2 | ACA |
| *levonest (28)* | 2 | ACA |
| *levonorgestrel* | 9 | ACA; OTC |
| *levonorgestrel-ethinyl estrad* | 2 | ACA |
| *levonorg-eth estrad triphasic* | 2 | ACA |
| LO LOESTRIN FE | 3 | |
| *lojaimiess* | 2 | ACA |
| *loryna (28)* | 2 | ACA |
| *low-ogestrel (28)* | 2 | ACA |
| *lo-zumandimine (28)* | 2 | ACA |
| *luizza* | 2 | ACA |
| *lutera (28)* | 2 | ACA |
| *marlissa (28)* | 2 | ACA |
| *mibelas 24 fe* | 2 | ACA |
| *microgestin 1.5/30 (21)* | 2 | ACA |
| *microgestin 1/20 (21)* | 2 | ACA |
| *microgestin fe 1.5/30 (28)* | 2 | ACA |
| *microgestin fe 1/20 (28)* | 2 | ACA |
| *mili* | 2 | ACA |
| *mono-linyah* | 2 | ACA |
| *my choice* | 9 | ACA; OTC |
| *my way* | 9 | ACA; OTC |
| *necon 0.5/35 (28)* | 2 | ACA |
| *new day* | 9 | ACA; OTC |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *nikki (28)* | 2 | ACA |
| *norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg* | 2 | ACA |
| *norethindrone-e.estradiol-iron oral tablet,chewable* | 2 | ACA |
| *norgestimate-ethinyl estradiol* | 2 | ACA |
| *nortrel 0.5/35 (28)* | 2 | ACA |
| *nortrel 1/35 (21)* | 2 | ACA |
| *nortrel 1/35 (28)* | 2 | ACA |
| *nortrel 7/7/7 (28)* | 2 | ACA |
| *nylia 1/35 (28)* | 2 | ACA |
| *nylia 7/7/7 (28)* | 2 | ACA |
| *ocella* | 2 | ACA |
| *opcicon one-step* | 9 | ACA; OTC |
| *option-2* | 9 | ACA; OTC |
| *philith* | 2 | ACA |
| *pimtrea (28)* | 2 | ACA |
| *portia 28* | 2 | ACA |
| *reclipsen (28)* | 2 | ACA |
| *setlakin* | 2 | ACA |
| *shewise* | 9 | ACA; OTC |
| *simliya (28)* | 2 | ACA |
| *simpesse* | 2 | ACA |
| *sprintec (28)* | 2 | ACA |
| *syeda* | 2 | ACA |
| *tarina 24 fe* | 2 | ACA |
| *tarina fe 1/20 (28)* | 2 | ACA |
| *tilia fe* | 2 | ACA |
| *tri-estarylla* | 2 | ACA |
| *tri-legest fe* | 2 | ACA |
| *tri-linyah* | 2 | ACA |
| *tri-lo-estarylla* | 2 | ACA |
| *tri-lo-marzia* | 2 | ACA |
| *tri-lo-mili* | 2 | ACA |
| *tri-lo-sprintec* | 2 | ACA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *tri-mili* | 2 | ACA |
| *tri-sprintec (28)* | 2 | ACA |
| *tri-vylibra* | 2 | ACA |
| *tri-vylibra lo* | 2 | ACA |
| *turqoz (28)* | 2 | ACA |
| *tydemy* | 2 | ACA |
| *valtya* | 2 | ACA |
| *velivet triphasic regimen (28)* | 2 | ACA |
| *vestura (28)* | 2 | ACA |
| *vienva* | 2 | ACA |
| *viorele (28)* | 2 | ACA |
| *volnea (28)* | 2 | ACA |
| *vyfemla (28)* | 2 | ACA |
| *vylibra* | 2 | ACA |
| *wera (28)* | 2 | ACA |
| *wymzya fe* | 2 | ACA |
| *xarah fe* | 2 | ACA |
| *xelria fe* | 2 | ACA |
| *your choice* | 9 | ACA; OTC |
| *zarah* | 2 | ACA |
| *zovia 1-35 (28)* | 2 | ACA |
| *zumandimine (28)* | 2 | ACA |
| **OXYTOCICS** | | |
| *methylergonovine oral* | 3 | QL (8 per 1 day) |
| **OPHTHALMOLOGY** | | |
| **ANTIBIOTICS** | | |
| *bacitracin ophthalmic (eye)* | 3 | |
| *bacitracin-polymyxin b* | 2 | |
| BETADINE OPHTHALMIC PREP | 4 | |
| CILOXAN OPHTHALMIC (EYE) OINTMENT | 4 | |
| *ciprofloxacin hcl ophthalmic (eye)* | 2 | |
| *erythromycin ophthalmic (eye)* | 2 | |
| *gatifloxacin* | 3 | |
| *gentamicin ophthalmic (eye) drops* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *levofloxacin ophthalmic (eye)* | 3 | |
| *moxifloxacin ophthalmic (eye) drops* | 2 | |
| NATACYN | 4 | |
| *neomycin-bacitracin-polymyxin* | 2 | |
| *neomycin-polymyxin-gramicidin* | 2 | |
| *ofloxacin ophthalmic (eye)* | 2 | |
| *polymyxin b sulf-trimethoprim* | 2 | |
| *tobramycin ophthalmic (eye)* | 2 | |
| **ANTIVIRALS** | | |
| *trifluridine* | 2 | |
| ZIRGAN | 4 | |
| **BETA-BLOCKERS** | | |
| *betaxolol ophthalmic (eye)* | 3 | |
| *carteolol* | 3 | |
| *levobunolol ophthalmic (eye) drops 0.5 %* | 2 | |
| *timolol maleate ophthalmic (eye) drops* | 2 | |
| **CYCLOPLEGIC MYDRIATICS** | | |
| *atropine ophthalmic (eye) drops 1 %* | 3 | |
| *cyclopentolate* | 2 | |
| *homatropaire* | 2 | |
| *tropicamide* | 2 | |
| **DIRECT ACTING MIOTICS** | | |
| *pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %* | 2 | |
| **MISCELLANEOUS OPHTHALMOLOGICS** | | |
| *allergy eye (ketotifen)* | 2 | OTC |
| *azelastine ophthalmic (eye)* | 2 | |
| *bepotastine besilate* | 3 | ST |
| *cromolyn ophthalmic (eye)* | 2 | |
| *cyclosporine ophthalmic (eye)* | 3 | QL (2 per 1 day) |
| CYSTADROPS | 5 | PA; SP; QL (20 per 28 days) |
| CYSTARAN | 5 | PA; SP; QL (60 per 28 days) |
| *epinastine* | 3 | |
| *eye itch relief* | 2 | OTC |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *ketotifen fumarate* | 2 | OTC |
| OXERVATE | 5 | PA; SP; QL (56 per 720 days) |
| *proparacaine* | 2 | |
| *tetracaine hcl* | 2 | |
| TETRACAINE HCL (PF) OPHTHALMIC (EYE) | 2 | |
| XDEMVY | 5 | PA; SP; QL (10 per 365 days) |
| XIIDRA | 3 | QL (2 per 1 day) |
| **NON-STEROIDAL ANTI-INFLAMMATORY AGENTS** | | |
| *bromfenac ophthalmic (eye) drops 0.09 %* | 3 | |
| *diclofenac sodium ophthalmic (eye)* | 2 | |
| *flurbiprofen sodium* | 3 | |
| *ketorolac ophthalmic (eye)* | 2 | |
| **ORAL DRUGS FOR GLAUCOMA** | | |
| *acetazolamide* | 2 | |
| *methazolamide* | 3 | |
| **OTHER GLAUCOMA DRUGS** | | |
| *bimatoprost ophthalmic (eye)* | 3 | |
| *brimonidine-timolol* | 3 | |
| *brinzolamide* | 3 | |
| *dorzolamide* | 2 | |
| *dorzolamide-timolol* | 2 | |
| *dorzolamide-timolol (pf) ophthalmic (eye) dropperette* | 3 | |
| *latanoprost* | 2 | |
| *tafluprost (pf)* | 3 | ST |
| *travoprost* | 3 | ST |
| **STEROID-ANTIBIOTIC COMBINATIONS** | | |
| *neomycin-bacitracin-poly-hc* | 2 | |
| *neomycin-polymyxin b-dexameth* | 2 | |
| *neomycin-polymyxin-hc ophthalmic (eye)* | 2 | |
| *tobramycin-dexamethasone* | 2 | |
| **STEROIDS** | | |
| *dexamethasone sodium phosphate ophthalmic (eye)* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| FLAREX | 4 | |
| *fluorometholone* | 2 | |
| *loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %* | 3 | |
| *prednisolone acetate* | 2 | |
| *prednisolone sodium phosphate ophthalmic (eye)* | 2 | |
| **STEROID-SULFONAMIDE COMBINATIONS** | | |
| *sulfacetamide-prednisolone* | 2 | |
| **SULFONAMIDES** | | |
| *sulfacetamide sodium ophthalmic (eye) drops* | 3 | |
| **SYMPATHOMIMETICS** | | |
| *apraclonidine* | 2 | |
| *brimonidine ophthalmic (eye) drops 0.15 %* | 3 | |
| *brimonidine ophthalmic (eye) drops 0.2 %* | 2 | |
| **VASOCONSTRICTOR DECONGESTANTS** | | |
| *phenylephrine hcl ophthalmic (eye)* | 3 | |
| **RESPIRATORY, ALLERGY, COUGH & COLD** | | |
| **ANTIHISTAMINE & ANTIALLERGENIC AGENTS** | | |
| AUVI-Q INJECTION AUTO-INJECTOR 0.1 MG/0.1 ML | 4 | PA |
| *carbinoxamine maleate oral tablet 4 mg* | 2 | |
| *cetirizine oral solution 1 mg/ml* | 2 | |
| *clemastine oral tablet* | 3 | QL (3 per 1 day) |
| *clemsza* | 3 | QL (3 per 1 day) |
| *cyproheptadine oral syrup* | 2 | |
| *cyproheptadine oral tablet* | 2 | |
| *desloratadine oral tablet* | 2 | |
| *epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml* | 3 | |
| *hydroxyzine hcl oral solution 10 mg/5 ml* | 2 | |
| *hydroxyzine hcl oral tablet* | 2 | |
| *hydroxyzine pamoate* | 2 | |
| *levocetirizine* | 2 | |
| *promethazine oral* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *promethazine rectal* | 2 | |
| *promethegan* | 2 | |
| **COUGH & COLD THERAPY** | | |
| *benzonatate oral capsule 100 mg, 200 mg* | 2 | |
| *benzonatate oral capsule 150 mg* | 3 | |
| *codeine-guaifenesin* | 2 | |
| *g tussin ac* | 2 | |
| *hydrocodone-chlorpheniramine* | 2 | QL (120 per 30 days) |
| *hydrocodone-homatropine oral solution 5-1.5 mg/5 ml* | 2 | |
| *hydrocodone-homatropine oral tablet* | 2 | |
| *maxi-tuss ac* | 2 | |
| *promethazine-codeine* | 2 | |
| *promethazine-dm* | 2 | |
| *promethazine-phenylephrine* | 2 | |
| TUXARIN ER | 4 | QL (24 per 30 days) |
| **PULMONARY AGENTS** | | |
| *24 hour nasal allergy* | 2 | OTC |
| *acetylcysteine* | 2 | |
| ADEMPAS | 5 | PA; SP; LA; QL (3 per 1 day) |
| ADVAIR HFA | 3 | QL (1 per 30 days) |
| *albuterol sulfate inhalation* | 2 | |
| *albuterol sulfate oral syrup* | 2 | |
| *albuterol sulfate oral tablet* | 2 | |
| ALYFTREK ORAL TABLET 10-50-125 MG | 5 | PA; SP; QL (2 per 1 day) |
| ALYFTREK ORAL TABLET 4-20-50 MG | 5 | PA; SP; QL (3 per 1 day) |
| *alyq* | 5 | PA; SP; QL (2 per 1 day) |
| *ambrisentan* | 5 | PA; SP; LA; QL (1 per 1 day) |
| ANDEMBRY AUTOINJECTOR | 5 | PA; SP; QL (1.2 per 30 days) |
| ANORO ELLIPTA | 3 | QL (1 per 30 days) |
| ARNUITY ELLIPTA | 3 | QL (1 per 30 days) |
| ASMANEX HFA | 3 | QL (13 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) | 3 | QL (1 per 30 days) |
| *bosentan oral tablet* | 5 | PA; SP; LA; QL (2 per 1 day) |
| *bosentan oral tablet for suspension* | 5 | PA; SP; LA; QL (4 per 1 day) |
| BREO ELLIPTA | 3 | QL (1 per 30 days) |
| *breyna* | 3 | QL (1 per 30 days) |
| BRONCHITOL | 5 | PA; 20 capsules per day; 10 capsules every 365 days; SP |
| *budesonide inhalation* | 2 | QL (120 per 30 days) |
| *budesonide nasal* | 2 | OTC |
| *budesonide-formoterol* | 3 | QL (1 per 30 days) |
| CINRYZE | 5 | PA; SP |
| COMBIVENT RESPIMAT | 3 | QL (8 per 30 days) |
| *cromolyn inhalation* | 2 | |
| DAWNZERA | 5 | PA; SP; LA; QL (0.8 per 28 days) |
| DULERA | 3 | QL (13 per 30 days) |
| EKTERLY | 5 | PA; SP; QL (4 per 1 day) |
| FASENRA PEN | 5 | PA; SP; QL (1 per 42 days) |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML | 5 | PA; SP; QL (0.5 per 42 days) |
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | 5 | PA; SP; QL (1 per 42 days) |
| *flunisolide* | 3 | ST |
| *fluticasone propionate nasal* | 2 | QL (1 per 30 days) |
| *fluticasone propion-salmeterol inhalation blister with device* | 2 | QL (1 per 30 days) |
| HAEGARDA | 5 | PA; SP; LA |
| HYPER-SAL INHALATION SOLUTION FOR NEBULIZATION 3.5 % | 4 | |
| *icatibant* | 5 | PA; SP; QL (9 per 28 days) |
| INCRUSE ELLIPTA | 3 | QL (1 per 30 days) |
| *ipratropium bromide inhalation hfa aerosol inhaler* | 3 | QL (2 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *ipratropium bromide inhalation solution* | 2 | |
| *ipratropium-albuterol* | 2 | QL (540 per 30 days) |
| JASCAYD | 5 | PA; SP; QL (2 per 1 day) |
| KALYDECO | 5 | PA; SP; QL (2 per 1 day) |
| *levalbuterol hcl* | 3 | |
| *macitentan* | 5 | PA; SP; QL (1 per 1 day) |
| *mometasone nasal* | 3 | ST; QL (17 per 30 days) |
| *montelukast* | 2 | |
| *nasal allergy* | 2 | OTC |
| *nintedanib* | 5 | PA; SP; QL (2 per 1 day) |
| NUCALA | 5 | PA; SP; LA; QL (1 per 28 days) |
| OHTUVAYRE | 5 | PA; SP; QL (5 per 1 day) |
| OPSYNVI | 5 | PA; SP; QL (1 per 1 day) |
| ORKAMBI ORAL GRANULES IN PACKET | 5 | PA; SP; QL (2 per 1 day) |
| ORKAMBI ORAL TABLET | 5 | PA; SP; QL (4 per 1 day) |
| ORLADEYO | 5 | PA; SP; LA; QL (1 per 1 day) |
| *pirfenidone oral capsule* | 5 | PA; SP; QL (6 per 1 day) |
| *pirfenidone oral tablet 267 mg* | 5 | PA; SP; QL (6 per 1 day) |
| PIRFENIDONE ORAL TABLET 534 MG | 5 | PA; SP; QL (3 per 1 day) |
| *pirfenidone oral tablet 801 mg* | 5 | PA; SP; QL (3 per 1 day) |
| PULMOZYME | 5 | PA; SP; QL (5 per 1 day) |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION | 3 | QL (10.6 per 30 days) |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION | 3 | QL (21.2 per 30 days) |
| *roflumilast* | 3 | PA; QL (1 per 1 day) |
| RUCONEST | 5 | PA; SP; QL (2 per 28 days) |
| *sajazir* | 5 | PA; SP; QL (9 per 28 days) |
| SEREVENT DISKUS | 3 | QL (1 per 30 days) |
| *sildenafil (pulm.hypertension) oral suspension for reconstitution* | 5 | PA; SP; QL (6 per 1 day) |
| *sildenafil (pulm.hypertension) oral tablet* | 5 | PA; SP; QL (3 per 1 day) |
| *sodium chloride inhalation* | 2 | |
| SPIRIVA RESPIMAT | 3 | QL (4 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| STIOLTO RESPIMAT | 3 | QL (4 per 30 days) |
| STRIVERDI RESPIMAT | 3 | QL (4 per 30 days) |
| SYMDEKO | 5 | PA; SP; QL (2 per 1 day) |
| *tadalafil (pulm. hypertension)* | 5 | PA; SP; QL (2 per 1 day) |
| TADLIQ | 5 | PA; SP; QL (10 per 1 day) |
| TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; SP; LA; QL (1 per 28 days) |
| TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML) | 5 | PA; SP; LA; QL (2 per 28 days) |
| *terbutaline oral* | 2 | |
| TEZSPIRE | 5 | PA; SP; QL (1.91 per 28 days) |
| *theophylline oral tablet extended release 12 hr* | 2 | |
| *theophylline oral tablet extended release 24 hr* | 2 | |
| TRELEGY ELLIPTA | 3 | QL (1 per 30 days) |
| *triamcinolone acetonide nasal* | 2 | OTC |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL | 5 | PA; SP; QL (2 per 1 day) |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL | 5 | PA; SP; QL (3 per 1 day) |
| TYVASO | 5 | PA; SP; QL (11.6 per 365 days) |
| TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16 MCG, 32 MCG, 48 MCG, 64 MCG, 80 MCG | 5 | PA; SP; QL (1 per 28 days) |
| TYVASO DPI INHALATION CARTRIDGE WITH INHALER 16(112)-32(112) -48(28) MCG | 5 | PA; SP; QL (1 per 365 days) |
| TYVASO DPI INHALATION CARTRIDGE WITH INHALER 32-64 MCG, 48-64 MCG, 48-80 MCG | 5 | PA; SP; QL (224 per 28 days) |
| TYVASO REFILL KIT | 5 | PA; SP; QL (81.2 per 28 days) |
| TYVASO STARTER KIT | 5 | PA; SP; QL (1 per 365 days) |
| WINREVAIR | 5 | PA; SP; QL (1 per 20 days) |
| *wixela inhub* | 2 | QL (1 per 30 days) |
| XHANCE | 4 | PA; QL (32 per 30 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML | 5 | PA; SP; LA; QL (1 per 28 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 300 MG/2 ML | 5 | PA; SP; LA; QL (2 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML | 5 | PA; SP; LA; QL (0.5 per 28 days) |
| XOLAIR SUBCUTANEOUS RECON SOLN | 5 | PA; SP; LA; QL (1 per 28 days) |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; SP; LA; QL (1 per 28 days) |
| XOLAIR SUBCUTANEOUS SYRINGE 300 MG/2 ML | 5 | PA; SP; LA; QL (2 per 28 days) |
| XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; SP; LA; QL (0.5 per 28 days) |
| YUTREPIA INHALATION CAPSULE, W/INHALATION DEVICE 106 MCG, 79.5 MCG | 5 | PA; SP; QL (224 per 28 days) |
| YUTREPIA INHALATION CAPSULE, W/INHALATION DEVICE 26.5 MCG, 53 MCG | 5 | PA; SP; QL (112 per 28 days) |
| *zafirlukast* | 3 | |
| **PULMONARY DEVICES** | | |
| AEROCHAMBER MECHANICAL VENT | 3 | |
| AEROCHAMBER MINI | 3 | |
| AEROCHAMBER PLUS FLOW-VU | 3 | |
| AEROCHAMBER PLUS Z STAT | 3 | |
| AEROCHAMBER2GO | 3 | |
| AEROVENT PLUS | 3 | |
| COMPACT SPACE CHAMBER | 3 | |
| EASIVENT HOLDING CHAMBER | 3 | |
| FLEXICHAMBER | 3 | |
| MICROCHAMBER | 3 | |
| OPTICHAMBER DIAMOND VHC | 3 | |
| POCKET CHAMBER | 3 | |
| RITEFLO AEROCHAMBER | 3 | |
| SPACE CHAMBER | 3 | |
| VORTEX HOLDING CHAMBER | 3 | |
| **UROLOGICALS** | | |
| **ANTICHOLINERGICS & ANTISPASMODICS** | | |
| *darifenacin* | 3 | |
| *fesoterodine* | 3 | ST; QL (1 per 1 day) |
| *flavoxate* | 2 | |
| *mirabegron oral tablet extended release 24 hr* | 3 | ST; QL (1 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *oxybutynin chloride oral syrup* | 2 | |
| *oxybutynin chloride oral tablet 5 mg* | 2 | |
| *oxybutynin chloride oral tablet extended release 24hr* | 2 | |
| *solifenacin* | 2 | |
| *tolterodine* | 3 | |
| *trospium oral capsule,extended release 24hr* | 3 | |
| *trospium oral tablet* | 2 | |
| **BENIGN PROSTATIC HYPERPLASIA (BPH) THERAPY** | | |
| *alfuzosin* | 2 | |
| *dutasteride* | 2 | |
| *dutasteride-tamsulosin* | 3 | |
| *finasteride oral tablet 5 mg* | 2 | |
| *silodosin* | 3 | |
| *tadalafil oral tablet 5 mg* | 2 | PA; QL (1 per 1 day) |
| *tamsulosin* | 2 | |
| **CHOLINERGIC STIMULANTS** | | |
| *bethanechol chloride* | 2 | |
| **MISCELLANEOUS UROLOGICALS** | | |
| CYSTAGON | 5 | SP; LA |
| OXLUMO | 5 | PA; SP |
| *potassium citrate oral tablet extended release* | 2 | |
| PROCYSBI | 5 | PA; SP |
| RENACIDIN | 5 | |
| RIVFLOZA | 5 | PA; SP; QL (1 per 28 days) |
| **URINARY ANESTHETICS** | | |
| *phenazopyridine oral tablet 100 mg, 200 mg* | 2 | |
| **VITAMINS, HEMATINICS & ELECTROLYTES** | | |
| **ELECTROLYTES** | | |
| *calcium acetate(phosphat bind)* | 2 | QL (12 per 1 day) |
| CALCIUM GLUC IN NACL, ISO-OSM INTRAVENOUS SOLUTION 1 GRAM/100 ML | 5 | |
| *effer-k oral tablet, effervescent 25 meq* | 2 | |
| *ferric citrate* | 3 | ST; QL (12 per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *kionex oral suspension* | 3 | |
| *klor-con 10* | 2 | |
| *klor-con 8* | 2 | |
| *klor-con m10* | 2 | |
| *klor-con m15* | 2 | |
| *klor-con m20* | 2 | |
| *lanthanum* | 3 | ST; QL (3 per 1 day) |
| LOKELMA | 4 | PA; QL (3 per 1 day) |
| *potassium chloride oral capsule, extended release* | 2 | |
| *potassium chloride oral liquid* | 2 | |
| *potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq* | 2 | |
| *potassium chloride oral tablet,er particles/crystals* | 2 | |
| *sevelamer carbonate oral tablet* | 2 | QL (17 per 1 day) |
| *sodium polystyrene sulfonate oral powder* | 2 | |
| *sodium polystyrene sulfonate oral suspension* | 3 | |
| *sps (with sorbitol)* | 3 | |
| VELTASSA ORAL POWDER IN PACKET 1 GRAM | 4 | PA; QL (4 per 1 day) |
| VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 8.4 GRAM | 4 | PA; QL (1 per 1 day) |
| **MISCELLANEOUS VITAMINS, HEMATINICS, & ELECTROLYTES** | | |
| AQNEURSA | 5 | PA; SP; LA; QL (4 per 1 day) |
| DOJOLVI | 5 | PA; SP; LA |
| **VITAMINS & HEMATINICS** | | |
| *b complex 1 (with folic acid)* | 9 | ACA; OTC |
| *b complex-vitamin c-folic acid oral tablet* | 9 | ACA; OTC |
| *bal-care dha* | 2 | |
| *b-complex with vitamin c oral tablet 400-500 mcg-mg* | 9 | ACA; OTC |
| *classic prenatal* | 9 | ACA; OTC |
| *complete natal dha* | 2 | |
| *cyanocobalamin (vitamin b-12) injection* | 2 | |
| *dialyvite 800 oral tablet* | 9 | ACA; OTC |
| *elite-ob* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *ergocalciferol (vitamin d2) oral capsule 1,250 mcg (50,000 unit)* | 2 | |
| *flotrex* | 9 | ACA; OTC |
| *fluoride (sodium) oral drops* | 9 | ACA; OTC |
| *fluoride (sodium) oral tablet,chewable* | 9 | ACA; OTC |
| *folic acid oral tablet 1 mg* | 2 | |
| *folic acid oral tablet 400 mcg, 800 mcg* | 9 | ACA; OTC |
| *folitab* | 9 | ACA; OTC |
| *folivane-ob* | 2 | |
| *foltabs 800* | 9 | ACA; OTC |
| *full spectrum b-vitamin c* | 9 | ACA; OTC |
| *kobee* | 9 | ACA; OTC |
| *ludent fluoride* | 9 | ACA; OTC |
| *m-natal plus* | 2 | |
| *multi-vitamin with fluoride* | 9 | ACA; OTC |
| *multivit-fluoride (metafolin) oral tablet,chewable 0.5 mg fluoride* | 9 | ACA; OTC |
| *mvc-fluoride* | 9 | ACA; OTC |
| *mynatal* | 2 | |
| *mynatal plus* | 2 | |
| *mynatal-z* | 2 | |
| *nephro vitamins* | 9 | ACA; OTC |
| *newgen* | 2 | |
| *pnv-dha* | 2 | |
| *pnv-omega* | 2 | |
| *pnv-select* | 2 | |
| *pr natal 400* | 2 | |
| *pr natal 400 ec* | 2 | |
| *pr natal 430* | 2 | |
| *pr natal 430 ec* | 2 | |
| *prenatabs fa* | 2 | |
| *prenatabs rx* | 2 | |
| *prenatal complete* | 9 | ACA; OTC |
| *prenatal multi-dha (algal oil)* | 9 | ACA; OTC |
| *prenatal multivitamins* | 9 | ACA; OTC |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|---|---|
| *prenatal one daily* | 9 | ACA; OTC |
| *prenatal oral tablet 28 mg iron- 800 mcg* | 9 | ACA; OTC |
| *prenatal plus* | 2 | |
| *prenatal plus (calcium carb)* | 2 | |
| *prenatal vit no.179-iron-folic* | 9 | ACA; OTC |
| *prenatal vitamin oral tablet 27 mg iron- 0.8 mg* | 9 | ACA; OTC |
| *prenatal vitamin with minerals* | 9 | ACA; OTC |
| *prenatal-u* | 2 | |
| *purevita folic acid oral tablet* | 9 | ACA; OTC |
| *renal vitamin* | 9 | ACA; OTC |
| *renal-vite* | 9 | ACA; OTC |
| *rena-vite* | 9 | ACA; OTC |
| *soluvita a,c,d with fluoride* | 9 | ACA; OTC |
| *stress formula with iron(sulf)* | 9 | ACA; OTC |
| *super b-50 complex* | 9 | ACA; OTC |
| *super quints* | 9 | ACA; OTC |
| *taron-c dha* | 2 | |
| *tricon* | 9 | ACA; OTC |
| *trinatal rx 1* | 2 | |
| *trinate* | 2 | |
| *tri-vitamin with fluoride* | 9 | ACA; OTC |
| *westab plus* | 2 | |
| *zatean-pn dha* | 2 | |
| *zatean-pn plus* | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

# Index


**2**
*24 hour nasal allergy* ..... 86
**A**
*abacavir* ..... 3
*abacavir-lamivudine* ..... 3
*abigale* ..... 75
*abigale lo* ..... 75
ABILIFY ASIMTUFII ..... 30
ABILIFY MAINTENA ..... 30
*abiraterone* ..... 10
*abirtega* ..... 10
ABRYSVO (PF) ..... 70
*acamprosate* ..... 52
*acarbose* ..... 61
*acebutolol* ..... 39
*acetaminophen-codeine* ..... 25
*acetazolamide* ..... 84
*acetic acid* ..... 55
*acetylcysteine* ..... 86
*acitretin* ..... 46
ACTEMRA ..... 74
ACTEMRA ACTPEN ..... 74
ACTHAR ..... 55
ACTHAR SELFJECT ..... 55
ACTHIB (PF) ..... 70
ACTIMMUNE ..... 70
*acyclovir* ..... 3, 50
ADACEL(TDAP ADOLESN/ADULT)(PF) 71
ADALIMUMAB-ADBM .... 74
*adapalene* ..... 48
*adapalene-benzoyl peroxide* ..... 48
ADBRY ..... 47
ADDYI ..... 30
*adefovir* ..... 3
ADEMPAS ..... 86
*adult aspirin regimen* ..... 27
ADVAIR HFA ..... 86
AEROCHAMBER MECHANICAL VENT .... 90
AEROCHAMBER MINI ..... 90
AEROCHAMBER PLUS FLOW-VU ..... 90
AEROCHAMBER PLUS Z STAT ..... 90
AEROCHAMBER2GO ..... 90
AEROVENT PLUS ..... 90
*afirmelle* ..... 78
*after pill* ..... 78
AGAMREE ..... 55
AIMOVIG AUTOINJECTOR ..... 23
AJOVY AUTOINJECTOR .. 23
AJOVY SYRINGE ..... 23
AKEEGA ..... 10
AKYNZEO (NETUPITANT) ..... 63
*albendazole* ..... 7
*albuterol sulfate* ..... 86
*alclometasone* ..... 50
ALECENSA ..... 10
*alendronate* ..... 73
ALFERON N ..... 70
*alfuzosin* ..... 91
ALHEMO PEN ..... 43
ALINIA ..... 7
*aliskiren* ..... 39
*allergy eye (ketotifen)* ..... 83
*allopurinol* ..... 73
*almotriptan malate* ..... 23
*alosetron* ..... 63
*alprazolam* ..... 30
*altavera (28)* ..... 78
ALUNBRIG ..... 10
ALVAIZ ..... 43
*alvimopan* ..... 63
*alyacen 1/35 (28)* ..... 78
*alyacen 7/7/7 (28)* ..... 78
ALYFTREK ..... 86
*alyq* ..... 86
*amantadine hcl* ..... 4
*ambrisentan* ..... 86
*amethia* ..... 78
*amethyst (28)* ..... 78
*amikacin* ..... 7
*amiloride* ..... 39
*amiloride-hydrochlorothiazide* ..... 39
*aminocaproic acid* ..... 43
*amiodarone* ..... 39
*amitriptyline* ..... 30
*amitriptyline-chlordiazepoxide* ..... 30
*amlodipine* ..... 39
*amlodipine-atorvastatin* ..... 44
*amlodipine-benazepril* ..... 39
*amlodipine-olmesartan* ..... 39
*amlodipine-valsartan* ..... 39
*ammonium lactate* ..... 47
*amnesteem* ..... 48
*amoxapine* ..... 30
*amoxicil-clarithromy-lansopraz* ..... 68
*amoxicillin* ..... 9
*amoxicillin-pot clavulanate* .... 9
*ampicillin* ..... 9
*anagrelide* ..... 52
*anastrozole* ..... 10
ANDEMBRY AUTOINJECTOR ..... 86
ANORO ELLIPTA ..... 86
*anucort-hc* ..... 63
*apomorphine* ..... 22
*apraclonidine* ..... 85
*aprepitant* ..... 63
*apri* ..... 78
APTIVUS ..... 4
AQNEURSA ..... 92
*aranelle (28)* ..... 78
ARANESP (IN POLYSORBATE) ..... 68
ARCALYST ..... 68
AREXVY (PF) ..... 71
ARIKAYCE ..... 7
*aripiprazole* ..... 30
ARISTADA ..... 30
ARISTADA INITIO ..... 30
*armodafinil* ..... 30
ARNUITY ELLIPTA ..... 86
*ascomp with codeine* ..... 25
*asenapine maleate* ..... 30
*ashlyna* ..... 78
ASMANEX HFA ..... 86
ASMANEX TWISTHALER 87
*aspirin* ..... 27
*aspirin childrens* ..... 27
*aspirin-dipyridamole* ..... 43
*atazanavir* ..... 4
*atenolol* ..... 39
*atenolol-chlorthalidone* ..... 39
*atomoxetine* ..... 31


You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*atorvastatin* ..... 44
*atovaquone* ..... 8
*atovaquone-proguanil* ..... 8
*atropine* ..... 83
ATTRUBY ..... 45
*aubra* ..... 78
*aubra eq* ..... 78
AUGTYRO ..... 10, 11
*aurovela 1.5/30 (21)* ..... 78
*aurovela 1/20 (21)* ..... 78
*aurovela 24 fe* ..... 78
*aurovela fe 1.5/30 (28)* ..... 78
*aurovela fe 1-20 (28)* ..... 78
AUSTEDO ..... 23
AUSTEDO XR ..... 23
AUSTEDO XR TITRATION KT(WK1-4) ..... 24
AUVI-Q ..... 85
*aviane* ..... 78
*avidoxy* ..... 9
AVMAPKI-FAKZYNJA ..... 11
AVONEX ..... 38
*ayuna* ..... 78
AYVAKIT ..... 11
*azathioprine* ..... 11
*azelaic acid* ..... 48
*azelastine* ..... 54, 83
*azithromycin* ..... 7
*azurette (28)* ..... 78

**B**

*b complex 1 (with folic acid)* 92
*b complex-vitamin c-folic acid* ..... 92
*bacitracin* ..... 82
*bacitracin-polymyxin b* ..... 82
*baclofen* ..... 25
*bal-care dha* ..... 92
*balsalazide* ..... 64
BALVERSA ..... 11
*balziva (28)* ..... 78
BAQSIMI ..... 57
BARACLUDE ..... 4
*bayer low dose aspirin* ..... 27
*b-complex with vitamin c* ..... 92
BD MICROTAINER LANCET ..... 57
BD SPECIALTY USE NEEDLES ..... 57
BELBUCA ..... 26
*benazepril* ..... 39
*benazepril-hydrochlorothiazide* ..... 39
BENLYSTA ..... 74
BENZNIDAZOLE ..... 8
*benzonatate* ..... 86
*benztropine* ..... 22
*bepotastine besilate* ..... 83
BESREMI ..... 70
BETADINE OPHTHALMIC PREP ..... 82
*betaine* ..... 64
*betamethasone dipropionate* 50
*betamethasone valerate* ..... 50
*betamethasone, augmented* ..50
BETASERON ..... 38
*betaxolol* ..... 40, 83
*bethanechol chloride* ..... 91
*bexarotene* ..... 11
BEXSERO ..... 71
*bicalutamide* ..... 11
BIJUVA ..... 75
BIKTARVY ..... 4
*bimatoprost* ..... 84
BIMZELX ..... 46
BIMZELX AUTOINJECTOR ..... 46
*bisacodyl* ..... 64
*bisoprolol fumarate* ..... 40
*bisoprolol-hydrochlorothiazide* ..... 40
*blisovi 24 fe* ..... 78
*blisovi fe 1.5/30 (28)* ..... 78
*blisovi fe 1/20 (28)* ..... 78
BOOSTRIX TDAP ..... 71
*bosentan* ..... 87
BOSULIF ..... 11
*bosutinib* ..... 11
BOTOX ..... 71
BRAFTOVI ..... 11
BREO ELLIPTA ..... 87
*breyna* ..... 87
*briellyn* ..... 78
*brimonidine* ..... 48, 85
*brimonidine-timolol* ..... 84
*brinzolamide* ..... 84
*brivaracetam* ..... 20
BRIXADI ..... 26
*bromfenac* ..... 84
*bromocriptine* ..... 22
BRONCHITOL ..... 87
BRUKINSA ..... 11
*budesonide* ..... 64, 87
*budesonide-formoterol* ..... 87
*bumetanide* ..... 40
*buprenorphine* ..... 26
*buprenorphine hcl* ..... 26
*buprenorphine-naloxone* 27, 28
*bupropion hcl* ..... 31
*bupropion hcl (smoking deter)* ..... 54
*buspirone* ..... 31
*butalbital-acetaminop-caf-cod* ..... 26
*butalbital-acetaminophen* ..... 26
*butalbital-acetaminophen-caff* ..... 26
*butalbital-aspirin-caffeine* ..... 26
*butorphanol* ..... 28
BYLVAY ..... 64
BYNFEZIA ..... 11

**C**

*cabergoline* ..... 59
CABLIVI ..... 43
CABOMETYX ..... 11
*caffeine citrate* ..... 52
*calcipotriene* ..... 46
*calcitonin (salmon)* ..... 59
*calcitriol* ..... 59
*calcium acetate(phosphat bind)* ..... 91
CALCIUM GLUC IN NACL, ISO-OSM ..... 91
CALQUENCE (ACALABRUTINIB MAL) ..... 11
*camila* ..... 75
*camrese* ..... 78
*camrese lo* ..... 78
CAMZYOS ..... 45
*candesartan* ..... 40
*candesartan-hydrochlorothiazid* ..... 40
*capecitabine* ..... 11
CAPRELSA ..... 11
*captopril* ..... 40
CAPVAXIVE (PF) ..... 71
*carbamazepine* ..... 20
*carbidopa* ..... 22
*carbidopa-levodopa* ..... 22

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*carbidopa-levodopa-entacapone* ..... 22
*carbinoxamine maleate* ..... 85
*carglumic acid* ..... 52
*carisoprodol* ..... 25
*carteolol* ..... 83
*cartia xt* ..... 40
*carvedilol* ..... 40
CAYA CONTOURED ..... 75
CAYSTON ..... 8
*caziant (28)* ..... 78
*cefaclor* ..... 6
*cefadroxil* ..... 6, 7
*cefdinir* ..... 7
*cefixime* ..... 7
*cefpodoxime* ..... 7
*cefprozil* ..... 7
*cefuroxime axetil* ..... 7
*celecoxib* ..... 28
*cephalexin* ..... 7
CERDELGA ..... 59
*cetirizine* ..... 85
*cevimeline* ..... 52
*charlotte 24 fe* ..... 78
*chateal eq (28)* ..... 78
CHEMET ..... 52
*chlordiazepoxide hcl* ..... 31
*chlordiazepoxide-clidinium* ..... 63
*chlorhexidine gluconate* ..... 54
*chloroquine phosphate* ..... 8
*chlorpromazine* ..... 31
*chlorthalidone* ..... 40
*chlorzoxazone* ..... 25
CHOLBAM ..... 64
*cholestyramine (with sugar)* ..... 44
*cholestyramine light* ..... 44
CHORIONIC GONADOTROPIN, HUMAN ..... 59
*ciclodan* ..... 50
*ciclopirox* ..... 50
*cilostazol* ..... 43
CILOXAN ..... 82
*cimetidine* ..... 68
*cimetidine hcl* ..... 68
CIMZIA ..... 64
CIMZIA POWDER FOR RECONST ..... 64
*cinacalcet* ..... 59
CINRYZE ..... 87
*ciprofloxacin hcl* ..... 9, 55, 82
*ciprofloxacin-dexamethasone* ..... 55
*ciprofloxacin-hydrocortisone* ..... 55
*citalopram* ..... 31
*citroma* ..... 64
*claravis* ..... 48
*clarithromycin* ..... 7
*classic prenatal* ..... 92
*clearlax* ..... 64
*clemastine* ..... 85
*clemsza* ..... 85
CLEOCIN ..... 77
*clindacin etz* ..... 48
*clindacin p* ..... 48
*clindamycin hcl* ..... 8
*clindamycin pediatric* ..... 8
*clindamycin phosphate* ..... 48, 49, 77
*clindamycin-benzoyl peroxide* ..... 49
CLINDESSE ..... 77
*clobazam* ..... 20
*clobetasol* ..... 51
*clobetasol-emollient* ..... 51
*clomiphene citrate* ..... 59
*clomipramine* ..... 31
*clonazepam* ..... 20
*clonidine* ..... 40
*clonidine hcl* ..... 31, 40
*clopidogrel* ..... 43
*clorazepate dipotassium* ..... 31
*clotrimazole* ..... 3
*clotrimazole-betamethasone* ..... 50
*clozapine* ..... 31
COARTEM ..... 8
*codeine sulfate* ..... 26
*codeine-butalbital-asa-caff* ..... 26
*codeine-guaifenesin* ..... 86
*colchicine* ..... 73
*colesevelam* ..... 44
*colestipol* ..... 44
COMBIPATCH ..... 75
COMBIVENT RESPIMAT ..... 87
COMETRIQ ..... 11
COMIRNATY 2026-2027(5-11Y)(PF) ..... 71
COMIRNATY 2026-27 (12Y UP)(PF) ..... 71
COMPACT SPACE CHAMBER ..... 90
*complete natal dha* ..... 92
*compro* ..... 64
*conjugated estrogens* ..... 76
*constulose* ..... 64
COPIKTRA ..... 11
CORTISPORIN-TC ..... 55
CORTROPHIN GEL ..... 55
COSENTYX ..... 46
COSENTYX (2 SYRINGES) ..... 46
COSENTYX PEN ..... 46
COSENTYX PEN (2 PENS) 46
COSENTYX UNOREADY PEN ..... 46
COTELLIC ..... 11
*covaryx* ..... 76
*covaryx h.s.* ..... 76
CRENESSITY ..... 59
CREON ..... 64
CRINONE ..... 76
*cromolyn* ..... 64, 83, 87
*cryselle (28)* ..... 78
CTEXLI ..... 64
CUVRIOR ..... 52
*cyanocobalamin (vitamin b-12)* ..... 92
*cyclobenzaprine* ..... 25
*cyclopentolate* ..... 83
*cyclophosphamide* ..... 11
CYCLOPHOSPHAMIDE ..... 11
*cycloserine* ..... 8
CYCLOSET ..... 61
*cyclosporine* ..... 11, 83
*cyclosporine modified* ..... 11
*cyproheptadine* ..... 85
*cyred* ..... 78
*cyred eq* ..... 79
CYSTADROPS ..... 83
CYSTAGON ..... 91
CYSTARAN ..... 83

**D**

*dabigatran etexilate* ..... 43
*dalfampridine* ..... 24
*danazol* ..... 59
*dantrolene* ..... 25
DANZITEN ..... 12
*dapagliflozin* ..... 61
*dapagliflozin-metformin* ..... 61

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*dapsone* ..... 8, 49
DAPTACEL (DTAP PEDIATRIC) (PF) ..... 71
*darifenacin* ..... 90
*darunavir* ..... 4
*dasatinib* ..... 12
*dasetta 1/35 (28)* ..... 79
*dasetta 7/7/7 (28)* ..... 79
DAURISMO ..... 12
DAWNZERA ..... 87
DAXXIFY ..... 71
DAYBUE ..... 24
DAYBUE STIX ..... 24
*daysee* ..... 79
*deblitane* ..... 76
*deferasirox* ..... 52
*deferiprone* ..... 52
*deflazacort* ..... 55
*demeclocycline* ..... 9
DENGVAXIA (PF) ..... 71
*denta 5000 plus* ..... 54
*denta 5000 plus sensitive* ..... 54
*dentagel* ..... 54
*dermacinrx lidocan* ..... 49
DESCOVY ..... 4
*desipramine* ..... 31
*desloratadine* ..... 85
*desmopressin* ..... 59
DESMOPRESSIN ..... 59
*desog-e.estradiol/e.estradiol* 79
*desonide* ..... 51
*desoximetasone* ..... 51
*desvenlafaxine succinate* ..... 31
*dexamethasone* ..... 55, 56
*dexamethasone sodium phosphate* ..... 84
DEXCOM G6 RECEIVER .. 56
DEXCOM G6 SENSOR ..... 56
DEXCOM G6 TRANSMITTER ..... 56
DEXCOM G7 15 DAY SENSOR ..... 56
DEXCOM G7 RECEIVER .. 56
DEXCOM G7 SENSOR ..... 56
*dexmethylphenidate* ..... 31
*dextroamphetamine sulfate* . 31, 32
*dextroamphetamine-amphetamine* ..... 32
*dextromethorphan-quinidine* 24
DIACOMIT ..... 20
*dialyvite 800* ..... 92
*diazepam* ..... 20, 32
*diazepam intensol* ..... 32
*dichlorphenamide* ..... 24
*diclofenac potassium* ..... 28
*diclofenac sodium* ..... 28, 47, 84
*diclofenac-misoprostol* ..... 28
*dicloxacillin* ..... 9
*dicyclomine* ..... 63
DIFICID ..... 7
*diflunisal* ..... 28
*digenyx* ..... 63
*digoxin* ..... 42, 43
*dihydroergotamine* ..... 23
DILANTIN ..... 20
*diltiazem* ..... 40
*dilt-xr* ..... 40
*dimethyl fumarate* ..... 38
DIPENTUM ..... 64
*diphenoxylate-atropine* ..... 63
*dipyridamole* ..... 43
*disopyramide phosphate* ..... 39
*disulfiram* ..... 52
*divalproex* ..... 20
*dofetilide* ..... 39
DOJOLVI ..... 92
*dolishale* ..... 79
*donepezil* ..... 24
DOPTELET (15 TAB PACK) ..... 43
DOPTELET SPRINKLE ..... 43
*dorzolamide* ..... 84
*dorzolamide-timolol* ..... 84
*dorzolamide-timolol (pf)* ..... 84
*dotti* ..... 76
DOVATO ..... 4
*doxazosin* ..... 40
*doxepin* ..... 32
*doxercalciferol* ..... 59
*doxycycline hyclate* ..... 9
*doxycycline monohydrate* . 9, 10
*doxylamine-pyridoxine (vit b6)* ..... 64
*dronabinol* ..... 64
*drospirenone-ethinyl estradiol* ..... 79
DROXIA ..... 12
*droxidopa* ..... 52
DRYSOL DAB-O-MATIC .. 47
DUAVEE ..... 76
*dulcolax (magnesium hydroxide)* ..... 64
DULERA ..... 87
*duloxetine* ..... 32
DUPIXENT PEN ..... 47
DUPIXENT SYRINGE ..... 48
DUREX AVANTI BARE REAL FEEL ..... 75
DUREX TROPICAL CONDOM ..... 75
*dutasteride* ..... 91
*dutasteride-tamsulosin* ..... 91
DUVYZAT ..... 52
DYSPORT ..... 71

**E**

*e.e.s. 400* ..... 7
EASIVENT HOLDING CHAMBER ..... 90
EBGLYSS PEN ..... 48
EBGLYSS SYRINGE ..... 48
*econazole nitrate* ..... 50
*econtra ez* ..... 79
*econtra one-step* ..... 79
*ecotrin low strength* ..... 28
*ed-spaz* ..... 63
EDURANT PED ..... 4
*eemt* ..... 76
*eemt hs* ..... 76
*efavirenz* ..... 4
*efavirenz-emtricitabin-tenofov* 4
*efavirenz-lamivu-tenofov disop* ..... 4
*effer-k* ..... 91
EGRIFTA SV ..... 70
EGRIFTA WR ..... 70
EKTERLY ..... 87
*eletriptan* ..... 23
ELIGARD ..... 12
ELIGARD (3 MONTH) ..... 12
ELIGARD (4 MONTH) ..... 12
ELIGARD (6 MONTH) ..... 12
*elinest* ..... 79
ELIQUIS ..... 43
ELIQUIS DVT-PE TREAT 30D START ..... 43
*elite-ob* ..... 92
ELLA ..... 79
*eltrombopag olamine* ..... 43
*eluryng* ..... 77

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

EMGALITY PEN .....23
EMGALITY SYRINGE.....23
EMPAVELI.....52
*emtricitabine*.....4
*emtricitabine-tenofovir (tdf)*...4
*emtricita-rilpivirine-tenof df*..4
EMTRIVA.....4
EMVERM .....8
*emzahh*.....76
*enalapril maleate*.....40
*enalapril-hydrochlorothiazide* .....40
ENBREL .....74
ENBREL MINI .....74
ENBREL SURECLICK.....74
*endocet* .....26
ENGERIX-B (PF) .....71
ENGERIX-B PEDIATRIC (PF).....71
*enilloring*.....77
*enoxaparin*.....43
*enpresse*.....79
ENSACOVE.....12
*enskyce* .....79
ENSPRYNG.....12
*entacapone* .....22
*entecavir*.....4
ENTYVIO PEN.....64
*enulose*.....64
EOHILIA.....64
EPCLUSA .....4
EPIDIOLEX.....20
*epinastine* .....83
*epinephrine*.....85
*eplerenone* .....40
EPOGEN .....68
EQUETRO .....20
*ergocalciferol (vitamin d2)*...93
*ergoloid* .....32
ERGOMAR.....23
*ergotamine-caffeine*.....23
ERIVEDGE.....12
ERLEADA .....12
*erlotinib*.....12
*errin*.....76
*ery pads* .....49
*ery-tab* .....7
*erythrocin (as stearate)* .....7
*erythromycin*.....7, 82
*erythromycin ethylsuccinate*...7
*erythromycin with ethanol*....49
*erythromycin-benzoyl peroxide* .....49
ERZOFRI .....32
*escitalopram oxalate* .....32
*eslicarbazepine*.....20
*esomeprazole magnesium*.....68
*estarylla*.....79
*estazolam*.....32
*estradiol*.....76
*estradiol-norethindrone acet*76
*estrogens-methyltestosterone*76
*eszopiclone* .....32
*ethacrynic acid* .....40
*ethambutol*.....8
*ethosuximide*.....20
*etodolac* .....28
*etonogestrel-ethinyl estradiol* .....77
*etoposide*.....12
*etravirine* .....4
EUCRISA.....48
EULEXIN.....12
*everolimus (antineoplastic)* ..12
EVOTAZ.....4
EVRYSDI.....24
*exemestane*.....12
*eye itch relief* .....83
*ezetimibe*.....44
*ezetimibe-simvastatin* .....44
**F**
FABHALTA.....52
*falmina (28)* .....79
*famciclovir*.....4
*famotidine*.....68
FASENRA.....87
FASENRA PEN .....87
FC2 FEMALE CONDOM ...75
*febuxostat*.....73
*feirza*.....79
*felbamate* .....20
*felodipine*.....40
FEMCAP.....75
*fenofibrate* .....44
*fenofibrate micronized*.....44
*fenofibrate nanocrystallized*.44
*fenofibric acid (choline)* .....44
FENSOLVI.....12
*fentanyl* .....26
*ferric citrate*.....91
FERRIPROX .....52
*fesoterodine* .....90
*fidaxomicin* .....7
FILSPARI.....45
FILSUVEZ .....48
*finasteride* .....91
*fingolimod*.....38
FINTEPLA .....20
*finzala* .....79
FIRDAPSE .....24
FIRMAGON KIT W DILUENT SYRINGE .....12
*flac otic oil*.....55
FLAREX.....85
*flavoxate* .....90
FLEBOGAMMA DIF .....71
*flecainide* .....39
FLEXICHAMBER.....90
*flotrex*.....93
FLUAD 2026-2027 (65 YR UP)(PF).....71
FLUARIX 2026-2027 (PF) ..71
FLUBLOK 2026-2027 (PF) .71
FLUCELVAX 2026-2027 (PF) .....71
*fluconazole*.....3
*flucytosine*.....3
*fludrocortisone* .....56
FLULAVAL 2026-2027 (PF) .....71
FLUMIST 2026-2027.....71
FLUMIST HOME 2026-2027 .....71
*flunisolide* .....87
*fluocinolone* .....51
*fluocinolone acetonide oil* ....55
*fluocinolone and shower cap*51
*fluocinonide*.....51
*fluoride (sodium)* .....54, 93
*fluorometholone*.....85
*fluorouracil*.....48
*fluoxetine* .....32
*fluphenazine decanoate* .....32
*fluphenazine hcl*.....33
*flurazepam* .....33
*flurbiprofen*.....28
*flurbiprofen sodium* .....84
*fluticasone propionate*....51, 87
*fluticasone propion-salmeterol* .....87

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*fluvoxamine* ..... 33
FLUZONE 2026-2027 ..... 71
FLUZONE 2026-2027 (PF) . 71
FLUZONE HIGH-DOSE 2026-27 (PF) ..... 71
*folic acid* ..... 93
*folitab* ..... 93
*folivane-ob* ..... 93
*foltabs 800* ..... 93
*fondaparinux* ..... 43
FORZINITY ..... 52
FOSAMAX PLUS D ..... 73
*fosamprenavir* ..... 4
*fosfomycin tromethamine* ..... 10
*fosinopril* ..... 40
*fosinopril-hydrochlorothiazide* ..... 40
FOTIVDA ..... 12
FRAGMIN ..... 43
FREESTYLE CONTROL .... 56
FREESTYLE FREEDOM ... 57
FREESTYLE FREEDOM LITE ..... 57
FREESTYLE INSULINX .... 57
FREESTYLE INSULINX TEST STRIPS ..... 57
FREESTYLE LIBRE 14 DAY READER ..... 57
FREESTYLE LIBRE 14 DAY SENSOR ..... 57
FREESTYLE LIBRE 2 PLUS SENSOR ..... 57
FREESTYLE LIBRE 2 READER ..... 57
FREESTYLE LIBRE 2 SENSOR ..... 57
FREESTYLE LIBRE 3 PLUS SENSOR ..... 57
FREESTYLE LIBRE 3 READER ..... 57
FREESTYLE LIBRE 3 SENSOR ..... 57
FREESTYLE TEST ..... 57
*frovatriptan* ..... 23
FRUZAQLA ..... 12
*full spectrum b-vitamin c* ..... 93
FULPHILA ..... 68
*furosemide* ..... 40
*fyavolv* ..... 76
FYLNETRA ..... 68

**G**

*g tussin ac* ..... 86
*gabapentin* ..... 20
GALAFOLD ..... 59
*galantamine* ..... 24
*galbriela* ..... 79
*gallifrey* ..... 76
GARDASIL 9 (PF) ..... 71
*gatifloxacin* ..... 82
GATTEX 30-VIAL ..... 64
*gavilax* ..... 64
*gavilyte-c* ..... 64
*gavilyte-g* ..... 64
*gavilyte-n* ..... 64
GAVRETO ..... 12
*gefitinib* ..... 12
GELCLAIR ..... 54
*gemfibrozil* ..... 44
*generlac* ..... 64
*gengraf* ..... 12
GENOTROPIN ..... 70
GENOTROPIN MINIQUICK ..... 70
*gentamicin* ..... 50, 82
GENTEEL VACUUM LANCING DEVICE ..... 57
*gentle laxative (bisacodyl)* .... 65
*gentle laxative (mag hydrox)* 65
*gentlelax* ..... 65
GENVOYA ..... 4
GILOTRIF ..... 13
*glatiramer* ..... 38
*glatopa* ..... 38
*glimepiride* ..... 61
*glipizide* ..... 61
*glipizide-metformin* ..... 61
GLUCAGON (HCL) EMERGENCY KIT ..... 57
*glucagon emergency kit (human)* ..... 57
*glutamine (sickle cell)* ..... 52
*glyburide* ..... 61
*glyburide-metformin* ..... 61
*glycerol phenylbutyrate* ..... 52
*glycopyrrolate* ..... 63
GLYXAMBI ..... 61
GOMEKLI ..... 13
*granisetron hcl* ..... 65
GRANIX ..... 68, 69
GRASTEK ..... 71
*griseofulvin microsize* ..... 3
*griseofulvin ultramicrosize* ..... 3
*guanfacine* ..... 33, 40
GVOKE ..... 57
GVOKE HYPOPEN 2-PACK ..... 57
GVOKE PFS 2-PACK SYRINGE ..... 57
GYNAZOLE-1 ..... 77

**H**

HAEGARDA ..... 87
*hailey* ..... 79
*hailey 24 fe* ..... 79
*hailey fe 1.5/30 (28)* ..... 79
*hailey fe 1/20 (28)* ..... 79
*halobetasol propionate* ..... 51
*haloperidol* ..... 33
*haloperidol decanoate* ..... 33
*haloperidol lactate* ..... 33
HARLIKU ..... 52
HARVONI ..... 4
HAVRIX (PF) ..... 71
*heather* ..... 76
HEMANGEOL ..... 41
*hemmorex-hc* ..... 65
*heparin (porcine)* ..... 43
*heparin, porcine (pf)* ..... 43
HEPLISAV-B (PF) ..... 71
HERNEXEOS ..... 13
HETLIOZ LQ ..... 33
HIBERIX (PF) ..... 72
*homatropaire* ..... 83
HUMALOG JUNIOR KWIKPEN U-100 ..... 58
HUMALOG KWIKPEN INSULIN ..... 58
HUMALOG MIX 50-50 KWIKPEN ..... 58
HUMALOG MIX 75-25 KWIKPEN ..... 58
HUMALOG MIX 75-25(U-100)INSULN ..... 58
HUMALOG U-100 INSULIN ..... 58
HUMATROPE ..... 70
HUMULIN 70/30 U-100 INSULIN ..... 58
HUMULIN 70/30 U-100 KWIKPEN ..... 58

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

HUMULIN N NPH INSULIN KWIKPEN ..... 58
HUMULIN N NPH U-100 INSULIN ..... 58
HUMULIN R REGULAR U-100 INSULN ..... 58
HUMULIN R U-500 (CONC) KWIKPEN ..... 58
HYCAMTIN ..... 13
*hydralazine* ..... 41
*hydrochlorothiazide* ..... 41
*hydrocodone bitartrate* ..... 26
*hydrocodone-acetaminophen* 26
*hydrocodone-chlorpheniramine* ..... 86
*hydrocodone-homatropine* ... 86
*hydrocodone-ibuprofen* ..... 26
*hydrocortisone* ..... 51, 56, 65
*hydrocortisone acetate* ..... 65
*hydrocortisone butyrate* ..... 51
*hydrocortisone sod succinate* ..... 56
*hydrocortisone valerate* ..... 51
*hydrocortisone-acetic acid* ... 55
*hydrocortisone-pramoxine* ... 65
*hydromorphone* ..... 26, 27
*hydroxychloroquine* ..... 8
*hydroxyurea* ..... 13
*hydroxyzine hcl* ..... 85
*hydroxyzine pamoate* ..... 85
HYFTOR ..... 48
HYMPAVZI PEN ..... 43
*hyoscyamine sulfate* ..... 63
*hyosyne* ..... 63
HYPER-SAL ..... 87
HYRNUO ..... 13

**I**

*ibandronate* ..... 73
IBRANCE ..... 13
IBSRELA ..... 65
IBTROZI ..... 13
*ibu* ..... 28
*ibuprofen* ..... 28
*icatibant* ..... 87
*iclevia* ..... 79
ICLUSIG ..... 13
*icosapent ethyl* ..... 44
IDHIFA ..... 13
ILUMYA ..... 46
*imatinib* ..... 13
IMBRUVICA ..... 13
IMCIVREE ..... 52
*imipramine hcl* ..... 33
*imiquimod* ..... 48
IMKELDI ..... 13
INBRIJA ..... 22
*incassia* ..... 76
INCRELEX ..... 52
INCRUSE ELLIPTA ..... 87
*indapamide* ..... 41
*indomethacin* ..... 28
INFANRIX (DTAP) (PF) ..... 72
INGREZZA ..... 24
INGREZZA INITIATION PK(TARDIV) ..... 24
INGREZZA SPRINKLE ..... 24
INLURIYO ..... 13
INLYTA ..... 13
INQOVI ..... 13
INREBIC ..... 13
INSULIN GLARGINE-YFGN ..... 58
INSULIN LISPRO ..... 58
INSULIN LISPRO PROTAMIN-LISPRO ..... 58
INSULIN SYRINGE-NEEDLE U-100 ..... 57
INTELENCE ..... 4
INTRAROSA ..... 77
*introvale* ..... 79
INVEGA HAFYERA ..... 33
INVEGA SUSTENNA ..... 33
INVEGA TRINZA ..... 34
IPOL ..... 72
*ipratropium bromide* 55, 87, 88
*ipratropium-albuterol* ..... 88
IQIRVO ..... 65
*irbesartan* ..... 41
*irbesartan-hydrochlorothiazide* ..... 41
ISENTRESS ..... 4, 5
ISENTRESS HD ..... 4
*isibloom* ..... 79
*isoniazid* ..... 8
*isosorbide dinitrate* ..... 45
*isosorbide mononitrate* ..... 45
*isradipine* ..... 41
ISTURISA ..... 59
ITOVEBI ..... 13
*itraconazole* ..... 3
*ivabradine* ..... 45
*ivermectin* ..... 8, 49
IWILFIN ..... 13

**J**

*jaimiess* ..... 79
JAKAFI ..... 13
JAKAFI XR ..... 13
JANUMET ..... 61
JANUVIA ..... 61
JARDIANCE ..... 61
JASCAYD ..... 88
*jasmiel (28)* ..... 79
JAYPIRCA ..... 13
*jaythari* ..... 56
*jencycla* ..... 76
JENTADUETO ..... 61
JENTADUETO XR ..... 61
*jinteli* ..... 76
JOENJA ..... 53
*jolessa* ..... 79
*juleber* ..... 79
JULUCA ..... 5
*junel 1.5/30 (21)* ..... 79
*junel 1/20 (21)* ..... 79
*junel fe 1.5/30 (28)* ..... 79
*junel fe 1/20 (28)* ..... 79
*junel fe 24* ..... 79
JUXTAPID ..... 44
JYNNEOS (PF) ..... 72

**K**

*kaitlib fe* ..... 80
KALETRA ..... 5
*kalliga* ..... 80
KALYDECO ..... 88
*kariva (28)* ..... 80
*kelnor 1/35 (28)* ..... 80
KERENDIA ..... 41
KESIMPTA PEN ..... 38
*ketoconazole* ..... 3, 50
*ketoprofen* ..... 28
*ketorolac* ..... 28, 84
*ketotifen fumarate* ..... 84
KEVZARA ..... 74
KINERET ..... 74
KINRIX (PF) ..... 72
*kionex* ..... 92
KISQALI ..... 13, 14
*klayesta* ..... 50
*klor-con 10* ..... 92
*klor-con 8* ..... 92

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*klor-con m10* ..... 92
*klor-con m15* ..... 92
*klor-con m20* ..... 92
KLOXXADO ..... 29
*kobee* ..... 93
KOMZIFTI ..... 14
KOSELUGO ..... 14
*kourzeq* ..... 55
KRAZATI ..... 14
KRINTAFEL ..... 8
*kurvelo (28)* ..... 80
*kymbee* ..... 56
KYZATREX ..... 59
**L**
*labetalol* ..... 41
*lacosamide* ..... 21
*lactulose* ..... 65
*lamivudine* ..... 5
*lamivudine-zidovudine* ..... 5
*lamotrigine* ..... 21
LAMPIT ..... 8
LANCETS ..... 57
LANCING DEVICE ..... 57
*lanreotide* ..... 14
*lansoprazole* ..... 68
*lanthanum* ..... 92
LANTUS SOLOSTAR U-100 INSULIN ..... 58
LANTUS U-100 INSULIN .. 58
*lapatinib* ..... 14
*larin 1.5/30 (21)* ..... 80
*larin 1/20 (21)* ..... 80
*larin 24 fe* ..... 80
*larin fe 1.5/30 (28)* ..... 80
*larin fe 1/20 (28)* ..... 80
*latanoprost* ..... 84
*laxative (bisacodyl)* ..... 65
*laxative peg 3350* ..... 65
LAZCLUZE ..... 14
LEDIPASVIR-SOFOSBUVIR ..... 5
*leflunomide* ..... 74
*lenalidomide* ..... 14
LENVIMA ..... 14
LEQEMBI IQLIK ..... 24
LEQSELVI ..... 74
*lessina* ..... 80
*letrozole* ..... 14
*leucovorin calcium* ..... 10
LEUKERAN ..... 14
LEUKINE ..... 69
*leuprolide* ..... 14
*levalbuterol hcl* ..... 88
*levetiracetam* ..... 21
*levobunolol* ..... 83
*levocarnitine* ..... 53
*levocarnitine (with sugar)* .... 53
*levocetirizine* ..... 85
*levofloxacin* ..... 9, 83
*levonest (28)* ..... 80
*levonorgestrel* ..... 80
*levonorgestrel-ethinyl estrad* 80
*levonorg-eth estrad triphasic* 80
*levo-t* ..... 62
*levothyroxine* ..... 62
*levoxyl* ..... 62
*lidocaine* ..... 49
*lidocaine hcl* ..... 49
*lidocaine-prilocaine* ..... 49
*lidocan iii* ..... 49
*lidocan iv* ..... 49
*lidocan v* ..... 49
LIFYORLI ..... 14
*linezolid* ..... 8
LINZESS ..... 65
*liomny* ..... 62
*liothyronine* ..... 63
*lisdexamfetamine* ..... 34
*lisinopril* ..... 41
*lisinopril-hydrochlorothiazide* ..... 41
LITFULO ..... 53
*lithium carbonate* ..... 34
LIVDELZI ..... 65
LIVMARLI ..... 65
LIVTENCITY ..... 5
LO LOESTRIN FE ..... 80
LODOCO ..... 45
*lojaimiess* ..... 80
LOKELMA ..... 92
*lomustine* ..... 14
LONSURF ..... 14
*lopinavir-ritonavir* ..... 5
*lorazepam* ..... 34
*lorazepam intensol* ..... 34
LORBRENA ..... 14
*loryna (28)* ..... 80
*losartan* ..... 41
*losartan-hydrochlorothiazide* ..... 41
*loteprednol etabonate* ..... 85
*lovastatin* ..... 44
*low-ogestrel (28)* ..... 80
*loxapine succinate* ..... 34
*lo-zumandimine (28)* ..... 80
*lubiprostone* ..... 65
*ludent fluoride* ..... 93
*luizza* ..... 80
LULICONAZOLE ..... 50
LUMAKRAS ..... 15
LUMRYZ ..... 34
LUMRYZ STARTER PACK ..... 34
LUPKYNIS ..... 15
LUPRON DEPOT ..... 15
LUPRON DEPOT (3 MONTH) ..... 15
LUPRON DEPOT (4 MONTH) ..... 15
LUPRON DEPOT (6 MONTH) ..... 15
LUPRON DEPOT-PED ..... 15
LUPRON DEPOT-PED (3 MONTH) ..... 15
*lurasidone* ..... 34
*lurbiro* ..... 29
*lutera (28)* ..... 80
LUTRATE DEPOT (3 MONTH) ..... 15
*lyleq* ..... 76
*lyllana* ..... 76
LYNPARZA ..... 15
LYSODREN ..... 15
LYTGOBI ..... 15
*lyza* ..... 76
**M**
*macitentan* ..... 88
*magnesium citrate* ..... 65
*malathion* ..... 52
*maraviroc* ..... 5
*marlissa (28)* ..... 80
MARPLAN ..... 34
MATULANE ..... 15
*matzim la* ..... 41
MAVYRET ..... 5
*maxi-tuss ac* ..... 86
*meclizine* ..... 65
*medroxyprogesterone* ..... 76
*mefenamic acid* ..... 29
*mefloquine* ..... 8

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*megestrol* ..... 15
MEKINIST ..... 15
MEKTOVI ..... 15
*meleya* ..... 76
*meloxicam* ..... 29
*memantine* ..... 24
MEMANTINE ..... 24
MENQUADFI (PF) ..... 72
MENVEO A-C-Y-W-135-DIP (PF) ..... 72
*meperidine* ..... 27
*meprobamate* ..... 25
*mercaptopurine* ..... 15
*mesalamine* ..... 65
*metaxalone* ..... 25
*metformin* ..... 61
*methadone* ..... 27
*methadose* ..... 27
*methazolamide* ..... 84
*methenamine hippurate* ..... 10
*methenamine mandelate* ..... 10
*methimazole* ..... 56
*methocarbamol* ..... 25
*methotrexate sodium* ..... 15
*methotrexate sodium (pf)* ..... 15
*methoxsalen* ..... 48
*methscopolamine* ..... 63
*methsuximide* ..... 21
*methyldopa* ..... 41
*methylergonovine* ..... 82
*methylphenidate hcl* ..... 34, 35
*methylprednisolone* ..... 56
*methyltestosterone* ..... 59
*metoclopramide hcl* ..... 65, 66
*metolazone* ..... 41
*metoprolol succinate* ..... 41
*metoprolol ta-hydrochlorothiaz* ..... 41
*metoprolol tartrate* ..... 41
*metronidazole* ..... 8, 49, 77
*metyrosine* ..... 41
*mexiletine* ..... 39
*mibelas 24 fe* ..... 80
*miconazole-3* ..... 77
MICROCHAMBER ..... 90
*microgestin 1.5/30 (21)* ..... 80
*microgestin 1/20 (21)* ..... 80
*microgestin fe 1.5/30 (28)* ..... 80
*microgestin fe 1/20 (28)* ..... 80
*midazolam* ..... 35
*midodrine* ..... 53
*mifepristone* ..... 59, 77
*miglitol* ..... 61
*miglustat* ..... 59
*mili* ..... 80
*milk of magnesia* ..... 66
*milk of magnesia concentrated* ..... 66
*milnacipran* ..... 74
*mimvey* ..... 76
*minocycline* ..... 10
*minoxidil* ..... 41
MIPLYFFA ..... 24
*mirabegron* ..... 90
MIRCERA ..... 69
*mirtazapine* ..... 35
*misoprostol* ..... 68
M-M-R II (PF) ..... 72
*m-natal plus* ..... 93
MNEXSPIKE 2026-2027 (PF) ..... 72
*modafinil* ..... 35
MODEYSO ..... 15
*moexipril* ..... 41
*mometasone* ..... 51, 88
*mondoxyne nl* ..... 10
*mono-linyah* ..... 80
*montelukast* ..... 88
*morphine* ..... 27
*morphine concentrate* ..... 27
MOUNJARO ..... 62
MOVANTIK ..... 66
*moxifloxacin* ..... 9, 83
MRESVIA (PF) ..... 72
MULPLETA ..... 43
MULTAQ ..... 39
*multi-vitamin with fluoride* ..... 93
*multivit-fluoride (metafolin)* ..... 93
*mupirocin* ..... 50
*mvc-fluoride* ..... 93
*my choice* ..... 80
*my way* ..... 80
MYALEPT ..... 59
MYCAPSSA ..... 15
*mycophenolate mofetil* ..... 15
*mycophenolate sodium* ..... 15
MYFEMBREE ..... 77
MYHIBBIN ..... 15
MYLERAN ..... 16
*mynatal* ..... 93
*mynatal plus* ..... 93
*mynatal-z* ..... 93
MYOBLOC ..... 72

**N**

*nabumetone* ..... 29
*nadolol* ..... 41
*naloxone* ..... 29
*naltrexone* ..... 29
*naproxen* ..... 29
*naproxen sodium* ..... 29
*naratriptan* ..... 23
*nasal allergy* ..... 88
NATACYN ..... 83
*nateglinide* ..... 62
NAYZILAM ..... 21
*nebivolol* ..... 41
*necon 0.5/35 (28)* ..... 80
*nefazodone* ..... 35
NEMLUVIO ..... 16
*neomycin* ..... 8
*neomycin-bacitracin-poly-hc* 84
*neomycin-bacitracin-polymyxin* ..... 83
*neomycin-polymyxin b-dexameth* ..... 84
*neomycin-polymyxin-gramicidin* ..... 83
*neomycin-polymyxin-hc* ..... 55, 84
*nephro vitamins* ..... 93
NERLYNX ..... 16
*neuac* ..... 49
NEULASTA ..... 69
NEULASTA ONPRO ..... 69
NEUPOGEN ..... 69
NEUPRO ..... 22
*nevirapine* ..... 5
*new day* ..... 80
*newgen* ..... 93
NEXLETOL ..... 44
NEXLIZET ..... 45
NGENLA ..... 70
*niacin* ..... 45
NIACOR ..... 45
*nicorette* ..... 54
*nicotine* ..... 54
*nicotine (polacrilex)* ..... 54
NICOTROL NS ..... 54
*nifedipine* ..... 41
*nikki (28)* ..... 81
*nilotinib hcl* ..... 16

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*nilutamide* ..... 16
*nimodipine* ..... 41
NINLARO ..... 16
*nintedanib* ..... 88
*nitazoxanide* ..... 8
*nitisinone* ..... 53
*nitro-bid* ..... 45
*nitrofurantoin* ..... 10
*nitrofurantoin macrocrystal* . 10
*nitrofurantoin monohyd/m-cryst* ..... 10
*nitroglycerin* ..... 45, 46, 66
NITYR ..... 53
NIVESTYM ..... 69
*nizatidine* ..... 68
*nora-be* ..... 76
NORDITROPIN FLEXPRO 70
*norelgestromin-ethin.estradiol* ..... 77
*norethindrone (contraceptive)* ..... 76
*norethindrone acetate* ..... 76
*norethindrone ac-eth estradiol* ..... 77, 81
*norethindrone-e.estradiol-iron* ..... 81
*norgestimate-ethinyl estradiol* ..... 81
*nortrel 0.5/35 (28)* ..... 81
*nortrel 1/35 (21)* ..... 81
*nortrel 1/35 (28)* ..... 81
*nortrel 7/7/7 (28)* ..... 81
*nortriptyline* ..... 35
NOURIANZ ..... 22
NOVAREL ..... 59
NOVOLOG MIX 70-30 U-100 INSULN ..... 58
NOXAFIL ..... 3
*np thyroid* ..... 63
NUBEQA ..... 16
NUCALA ..... 88
NUCYNTA ER ..... 29
NUEDEXTA ..... 24
NULIBRY ..... 24
NUPLAZID ..... 35
NURTEC ODT ..... 23
NUVAXOVID 2026-2027 (PF) ..... 72
NUVESSA ..... 77
*nylia 1/35 (28)* ..... 81
*nylia 7/7/7 (28)* ..... 81
NYPOZI ..... 69
*nystatin* ..... 3, 50
*nystatin-triamcinolone* ..... 50
*nystop* ..... 50
NYVEPRIA ..... 69

**O**

*ocella* ..... 81
*octreotide acetate* ..... 16
*octreotide,microspheres* ..... 16
ODACTRA ..... 72
ODEFSEY ..... 5
ODOMZO ..... 16
*ofloxacin* ..... 9, 55, 83
OGSIVEO ..... 16
OHTUVAYRE ..... 88
OJEMDA ..... 16
OJJAARA ..... 16
*olanzapine* ..... 35
*olanzapine-fluoxetine* ..... 35
*olmesartan* ..... 41
*olmesartan-hydrochlorothiazide* ..... 41
*olopatadine* ..... 55
OLPRUVA ..... 53
OLUMIANT ..... 74
*omega-3 acid ethyl esters* ..... 45
*omeprazole* ..... 68
OMNIPOD 5 (LIBRE 2/3 PLUS) ..... 57
OMNIPOD 5 G6-G7 INTRO KT(GEN5) ..... 58
OMNIPOD 5 G6-G7 PODS (GEN 5) ..... 58
OMNIPOD 5 INTRO (LIBRE2/3PLUS) ..... 57
OMNIPOD DASH INTRO KIT (GEN 4) ..... 58
OMNIPOD DASH PODS (GEN 4) ..... 58
OMNITROPE ..... 70
OMVOH ..... 66
OMVOH PEN ..... 66
ONAPGO ..... 22
*ondansetron* ..... 66
*ondansetron hcl* ..... 66
*onelax magnesium citrate* ..... 66
ONGENTYS ..... 22
ONUREG ..... 16
*opcicon one-step* ..... 81
OPFOLDA ..... 59
OPILL ..... 77
OPSYNVI ..... 88
OPTICHAMBER DIAMOND VHC ..... 90
*option-2* ..... 81
OPVEE ..... 29
OPZELURA ..... 48
*oral saline laxative* ..... 66
ORALAIR ..... 72
ORENCIA ..... 74
ORENCIA CLICKJECT ..... 74
ORENITRAM ..... 41
ORENITRAM MONTH 1 TITRATION KT ..... 42
ORENITRAM MONTH 2 TITRATION KT ..... 42
ORENITRAM MONTH 3 TITRATION KT ..... 42
ORFADIN ..... 53
ORGOVYX ..... 16
ORIAHNN ..... 77
ORILISSA ..... 59
ORKAMBI ..... 88
ORLADEYO ..... 88
*orphenadrine citrate* ..... 25
*orquidea* ..... 77
ORSERDU ..... 16
*oscimin* ..... 63
*oscimin sl* ..... 63
*oseltamivir* ..... 5
OSPHENA ..... 77
OTEZLA ..... 74
OTEZLA STARTER ..... 74
OTEZLA XR ..... 74
OTEZLA XR INITIATION . 74
OVIDREL ..... 59
*oxaprozin* ..... 29
*oxazepam* ..... 35
*oxcarbazepine* ..... 21
OXERVATE ..... 84
*oxiconazole* ..... 50
OXLUMO ..... 91
*oxybutynin chloride* ..... 91
*oxycodone* ..... 27
*oxycodone-acetaminophen* ... 27
*oxymorphone* ..... 27
OZEMPIC ..... 62

**P**

*pacerone* ..... 39

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

PALFORZIA (LEVEL 1)....72
PALFORZIA (LEVEL 2)....72
PALFORZIA (LEVEL 3)....72
PALFORZIA (LEVEL 4)....72
PALFORZIA (LEVEL 5)....72
PALFORZIA (LEVEL 6)....72
PALFORZIA (LEVEL 7)....72
PALFORZIA (LEVEL 8)....72
PALFORZIA (LEVEL 9)....72
PALFORZIA (LEVEL 10)...72
PALFORZIA INITIAL (4-17 YRS).....72
PALFORZIA LEVEL 11 MAINTENANCE.....72
*paliperidone* .....35
PALSONIFY .....16
PALYNZIQ .....60
PANCREAZE .....66
PANRETIN .....48
*pantoprazole* .....68
*paricalcitol* .....60
*paroex oral rinse* .....55
*paroxetine hcl* .....35
PAXLOVID .....5
*pazopanib* .....16
PAZOPANIB .....16
PEDIARIX (PF) .....72
PEDVAX HIB (PF).....72
*peg 3350-electrolytes* .....66
PEGASYS .....70
*peg-electrolyte soln* .....66
*pellix* .....46
PEMAZYRE .....16
PENBRAYA (PF) .....72
*penciclovir* .....50
*penicillamine* .....74
*penicillin v potassium*.....9
PENMENVY MEN A-B-C-W-Y (PF).....72
PENTACEL (PF) .....72
*pentamidine* .....8
*pentazocine-naloxone*.....29
*pentoxifylline* .....43
*perampanel*.....21
*perindopril erbumine*.....42
*periogard*.....55
*permethrin* .....52
*perphenazine* .....35
*perphenazine-amitriptyline* ..35
PERSERIS.....35
PERTZYE .....66
PHEBURANE.....53
*phenazopyridine* .....91
*phenelzine*.....35
*phenobarbital* .....21
*phenoxybenzamine*.....42
*phenylephrine hcl* .....85
*phenytoin* .....21
*phenytoin sodium extended* ..21
*philith*.....81
*phosphate laxative*.....66
*phytonadione (vitamin k1)*....43
PIASKY.....53
*pilocarpine hcl*.....55, 83
*pimecrolimus* .....48
*pimozide*.....36
*pimtrea (28)* .....81
*pindolol*.....42
*pioglitazone* .....62
*pioglitazone-metformin* .....62
PIQRAY .....16
*pirfenidone*.....88
PIRFENIDONE.....88
*piroxicam*.....29
PLEGRIDY .....38, 39
PNEUMOVAX-23 .....72
*pnv-dha*.....93
*pnv-omega* .....93
*pnv-select*.....93
POCKET CHAMBER.....90
*podofilox*.....48
*polyethylene glycol 3350*.....66
*polymyxin b sulf-trimethoprim* .....83
*pomalidomide* .....16
*portia 28* .....81
*posaconazole* .....3
*potassium chloride* .....92
*potassium citrate* .....91
*powderlax* .....66
*pr natal 400* .....93
*pr natal 400 ec*.....93
*pr natal 430* .....93
*pr natal 430 ec*.....93
*pramipexole*.....22
*prasugrel hcl*.....44
*pravastatin*.....45
*praziquantel*.....8
*prazosin* .....42
PRECISION XTRA MONITOR .....57
*prednisolone* .....56
*prednisolone acetate*.....85
*prednisolone sodium phosphate*.....56, 85
*prednisone* .....56
*pregabalin*.....21
PREGNYL.....60
PREMARIN .....77
PREMPHASE.....77
PREMPRO .....77
*prenatabs fa* .....93
*prenatabs rx*.....93
*prenatal*.....94
*prenatal complete* .....93
*prenatal multi-dha (algal oil)* .....93
*prenatal multivitamins*.....93
*prenatal one daily*.....94
*prenatal plus*.....94
*prenatal plus (calcium carb)* 94
*prenatal vit no.179-iron-folic* .....94
*prenatal vitamin*.....94
*prenatal vitamin with minerals* .....94
*prenatal-u* .....94
PRETOMANID.....8
*prevalite*.....45
PREVNAR 20 (PF) .....72
PREVYMIS.....5
PREZISTA .....5
PRIFTIN.....8
*primaquine*.....8
*primidone*.....21
PRIORIX (PF) .....73
*probenecid* .....73
*probenecid-colchicine* .....73
*prochlorperazine* .....66
*prochlorperazine maleate*.....66
PROCRIT .....69
PROCTOFOAM HC .....66
*procto-med hc*.....66
*proctosol hc* .....66
*proctozone-hc* .....66
PROCYSBI.....91
*progesterone*.....77
*progesterone micronized* .....77
*promethazine* .....85, 86

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*promethazine-codeine* ..... 86
*promethazine-dm* ..... 86
*promethazine-phenylephrine* 86
*promethegan* ..... 86
*propafenone* ..... 39
*proparacaine* ..... 84
*propranolol* ..... 42
*propylthiouracil* ..... 56
PROQUAD (PF) ..... 73
*protriptyline* ..... 36
*prucalopride* ..... 67
PULMOZYME ..... 88
*purelax* ..... 67
*purevita folic acid* ..... 94
*pyquvi* ..... 56
*pyrazinamide* ..... 8
*pyridostigmine bromide* ..... 25
PYRIDOSTIGMINE BROMIDE ..... 25
*pyrimethamine* ..... 8
PYRUKYND ..... 53
**Q**
QELBREE ..... 36
QFITLIA ..... 44
QFITLIA PEN ..... 44
QINLOCK ..... 17
QUADRACEL (PF) ..... 73
QUAZEPAM ..... 36
*quetiapine* ..... 36
*quinapril* ..... 42
*quinapril-hydrochlorothiazide* ..... 42
*quinidine sulfate* ..... 39
*quinine sulfate* ..... 8
*quit 2* ..... 54
*quit 4* ..... 54
QULIPTA ..... 23
QVAR REDIHALER ..... 88
**R**
*rabeprazole* ..... 68
RADICAVA ORS STARTER KIT SUSP ..... 24
RAGWITEK ..... 73
*raloxifene* ..... 73
*ramelteon* ..... 36
*ramipril* ..... 42
*ranolazine* ..... 45
*rasagiline* ..... 22
RASUVO (PF) ..... 75
*reclipsen (28)* ..... 81
RECOMBIVAX HB (PF) ..... 73
RECORLEV ..... 60
REDEMPLO ..... 45
RELEUKO ..... 69
*relgaabi* ..... 21
RELISTOR ..... 67
RENACIDIN ..... 91
*renal vitamin* ..... 94
*renal-vite* ..... 94
*rena-vite* ..... 94
*repaglinide* ..... 62
REPATHA SURECLICK ..... 45
REPATHA SYRINGE ..... 45
RETACRIT ..... 69
RETEVMO ..... 17
REVCOVI ..... 53
REVUFORJ ..... 17
REXTOVY ..... 29
REZDIFFRA ..... 53
REZLIDHIA ..... 17
REZUROCK ..... 17
RHAPSIDO ..... 53
*ribavirin* ..... 5, 6
*rifabutin* ..... 8
*rifampin* ..... 8
*rifapentine* ..... 8
*rilpivirine hcl* ..... 6
*riluzole* ..... 53
*rimantadine* ..... 6
RINVOQ ..... 75
RINVOQ LQ ..... 75
*risedronate* ..... 53, 74
*risperidone* ..... 36
*risperidone microspheres* ..... 36
RITEFLO AEROCHAMBER ..... 90
*ritonavir* ..... 6
*rivaroxaban* ..... 44
*rivastigmine* ..... 24
*rivastigmine tartrate* ..... 24
RIVFLOZA ..... 91
*rizatriptan* ..... 23
*roflumilast* ..... 88
ROLVEDON ..... 69
ROMVIMZA ..... 17
*ropinirole* ..... 22
*rosadan* ..... 49
*rosuvastatin* ..... 45
ROTARIX ..... 73
ROTATEQ VACCINE ..... 73
ROZLYTREK ..... 17
RUBRACA ..... 17
RUCONEST ..... 88
*rufinamide* ..... 21
RYBELSUS ..... 62
RYDAPT ..... 17
RYKINDO ..... 36
RYZNEUTA ..... 69
**S**
*sacubitril-valsartan* ..... 45
*sajazir* ..... 88
*salsalate* ..... 29
SANTYL ..... 52
*sapropterin* ..... 60
SCEMBLIX ..... 17
*scopolamine base* ..... 67
SELARSDI ..... 46
*selegiline hcl* ..... 22
*selenium sulfide* ..... 46
SELZENTRY ..... 6
SEPHIENCE ..... 60
SEREVENT DISKUS ..... 88
SEROSTIM ..... 70
*sertraline* ..... 36
*setlakin* ..... 81
*sevelamer carbonate* ..... 92
*sf* 55
*sf 5000 plus* ..... 55
*sharobel* ..... 77
*shewise* ..... 81
SHINGRIX (PF) ..... 73
SIGNIFOR ..... 17
SIGNIFOR LAR ..... 17
*sildenafil (pulm.hypertension)* ..... 88
SILIQ ..... 46
*silodosin* ..... 91
*silver sulfadiazine* ..... 47
SIMLANDI(CF) ..... 75
SIMLANDI(CF) AUTOINJECTOR ..... 75
*simliya (28)* ..... 81
*simpesse* ..... 81
SIMPONI ..... 75
*simvastatin* ..... 45
*sirolimus* ..... 17
*sitagliptin phos-metformin* ..... 62
*sitagliptin phosphate* ..... 62
SIVEXTRO ..... 8
SKYCLARYS ..... 25

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

SKYRIZI ..... 46, 47, 67
SKYTROFA ..... 70
*smoothlax* ..... 67
*sodium chloride* ..... 53, 88
*sodium fluoride 5000 plus* ..... 55
*sodium fluoride-pot nitrate* ..... 55
*sodium oxybate* ..... 36
*sodium phenylbutyrate* ..... 53
*sodium polystyrene sulfonate* 92
SOFOSBUVIR-VELPATASVIR ..... 6
SOGROYA ..... 70
SOHONOS ..... 53
*solifenacin* ..... 91
SOLIQUA 100/33 ..... 58
SOLTAMOX ..... 17
SOLU-CORTEF ..... 56
SOLU-CORTEF ACT-O-VIAL (PF) ..... 56
*soluvita a,c,d with fluoride* ..... 94
SOMATULINE DEPOT ..... 17
SOMAVERT ..... 60
*sorafenib* ..... 17
*sotalol* ..... 39
*sotalol af* ..... 39
SOTYKTU ..... 47
SOVALDI ..... 6
SPACE CHAMBER ..... 90
SPEVIGO ..... 47
SPIKEVAX 2026-2027(12Y UP)(PF) ..... 73
SPIKEVAX 2026-27 (6M-11Y) (PF) ..... 73
*spinosad* ..... 52
SPIRIVA RESPIMAT ..... 88
*spironolactone* ..... 42
*spironolacton-hydrochlorothiaz* ..... 42
SPRAVATO ..... 36
*sprintec (28)* ..... 81
*sps (with sorbitol)* ..... 92
*ssd* ..... 47
*st joseph aspirin* ..... 29
*st. joseph aspirin* ..... 29
STIMUFEND ..... 69
STIOLTO RESPIMAT ..... 89
STIVARGA ..... 17
*stop smoking aid* ..... 54
STRENSIQ ..... 60
*stress formula with iron(sulf)* 94
STRIBILD ..... 6
STRIVERDI RESPIMAT ..... 89
SUBLOCADE ..... 27
*subvenite* ..... 21
SUCRAID ..... 67
*sucralfate* ..... 68
SULCONAZOLE ..... 50
*sulfacetamide sodium* ..... 85
*sulfacetamide sodium (acne)* 50
*sulfacetamide sodium-sulfur* ..... 49
*sulfacetamide-prednisolone* ..... 85
*sulfadiazine* ..... 9
*sulfamethoxazole-trimethoprim* ..... 9
*sulfasalazine* ..... 67
*sulfatrim* ..... 9
*sulindac* ..... 29
*sumatriptan* ..... 23
*sumatriptan succinate* ..... 23
*sunitinib malate* ..... 17
*super b-50 complex* ..... 94
*super quints* ..... 94
SUPPRELIN LA ..... 17
*syeda* ..... 81
SYMDEKO ..... 89
SYMPROIC ..... 67
SYNAREL ..... 60
SYNDROS ..... 67
SYNJARDY ..... 62
SYNJARDY XR ..... 62
SYNTHROID ..... 63

**T**

TABLOID ..... 17
TABRECTA ..... 17
*tacrolimus* ..... 17, 48
*tadalafil* ..... 91
*tadalafil (pulm. hypertension)* ..... 89
TADLIQ ..... 89
TAFINLAR ..... 18
*tafluprost (pf)* ..... 84
TAGRISSO ..... 18
TAKHZYRO ..... 89
TALTZ AUTOINJECTOR ..... 47
TALTZ AUTOINJECTOR (2 PACK) ..... 47
TALTZ AUTOINJECTOR (3 PACK) ..... 47
TALTZ SYRINGE ..... 47
TALZENNA ..... 18
*tamoxifen* ..... 18
*tamsulosin* ..... 91
*tapentadol* ..... 29
TAPENTADOL ..... 29
*tarina 24 fe* ..... 81
*tarina fe 1/20 (28)* ..... 81
*taron-c dha* ..... 94
TARPEYO ..... 56
*tasimelteon* ..... 36
*tavaborole* ..... 50
TAVALISSE ..... 44
TAVNEOS ..... 53
*tazarotene* ..... 49
*telmisartan* ..... 42
*temazepam* ..... 36
*temozolomide* ..... 18
*tencon* ..... 27
TENIVAC (PF) ..... 73
*tenofovir disoproxil fumarate* ..... 6
TEPMETKO ..... 18
*terazosin* ..... 42
*terbinafine hcl* ..... 3
*terbutaline* ..... 89
*terconazole* ..... 77
*teriflunomide* ..... 39
*teriparatide* ..... 74
*testosterone* ..... 60
*testosterone cypionate* ..... 60
*testosterone enanthate* ..... 60
*tetrabenazine* ..... 25
*tetracaine hcl* ..... 84
TETRACAINE HCL (PF) ..... 84
*tetracycline* ..... 10
TEZSPIRE ..... 89
THALOMID ..... 18
*theophylline* ..... 89
*thioridazine* ..... 36, 37
*thiothixene* ..... 37
*tiadylt er* ..... 42
*tiagabine* ..... 21
TIBSOVO ..... 18
*ticagrelor* ..... 44
*tilia fe* ..... 81
*timolol maleate* ..... 42, 83
*tinidazole* ..... 9
*tiopronin* ..... 53
TIVICAY ..... 6
TIVICAY PD ..... 6
*tizanidine* ..... 25
TOBI PODHALER ..... 9

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

*tobramycin* ..... 9, 83
*tobramycin in 0.225 % nacl* ... 9
*tobramycin-dexamethasone* .. 84
*tofacitinib* ..... 75
*tolterodine* ..... 91
*tolvaptan* ..... 61
*tolvaptan (polycys kidney dis)* ..... 60, 61
*topiramate* ..... 21
*toremifene* ..... 18
*torpenz* ..... 18
*torsemide* ..... 42
TOUJEO MAX U-300 SOLOSTAR ..... 58
TOUJEO SOLOSTAR U-300 INSULIN ..... 58
TRADJENTA ..... 62
*tramadol* ..... 29
*tramadol-acetaminophen* ..... 29
*trandolapril* ..... 42
*trandolapril-verapamil* ..... 42
*tranexamic acid* ..... 77
*tranylcypromine* ..... 37
*travoprost* ..... 84
*trazodone* ..... 37
TRELEGY ELLIPTA ..... 89
TRELSTAR ..... 18
TREMFYA ..... 47
TREMFYA ONE-PRESS ..... 47
TREMFYA PEN ..... 47
TREMFYA PEN INDUCTION PK(2PEN) . 47
TRESIBA FLEXTOUCH U-100 ..... 58
TRESIBA FLEXTOUCH U-200 ..... 59
TRESIBA U-100 INSULIN . 59
*tretinoin* ..... 49
*tretinoin (antineoplastic)* ..... 18
*triamcinolone acetonide* 51, 52, 55, 89
*triamterene* ..... 42
*triamterene-hydrochlorothiazid* ..... 42
*triazolam* ..... 37
*tricon* ..... 94
*triderm* ..... 52
*trientine* ..... 53
TRIENTINE ..... 53
*tri-estarylla* ..... 81
*trifluoperazine* ..... 37
*trifluridine* ..... 83
*trihexyphenidyl* ..... 22
TRIJARDY XR ..... 62
TRIKAFTA ..... 89
*tri-legest fe* ..... 81
*tri-linyah* ..... 81
*tri-lo-estarylla* ..... 81
*tri-lo-marzia* ..... 81
*tri-lo-mili* ..... 81
*tri-lo-sprintec* ..... 81
*trimethobenzamide* ..... 67
*trimethoprim* ..... 10
*tri-mili* ..... 82
*trimipramine* ..... 37
*trinatal rx 1* ..... 94
*trinate* ..... 94
TRINTELLIX ..... 37
TRIPTODUR ..... 18
*tri-sprintec (28)* ..... 82
TRIUMEQ ..... 6
TRIUMEQ PD ..... 6
*tri-vitamin with fluoride* ..... 94
*tri-vylibra* ..... 82
*tri-vylibra lo* ..... 82
*tropicamide* ..... 83
*trospium* ..... 91
TRULANCE ..... 67
TRULICITY ..... 62
TRUMENBA ..... 73
TRUQAP ..... 18
TRUSTEX-RIA NON-LUB CONDOMS ..... 75
TRYNGOLZA ..... 45
TRYVIO ..... 45
TUKYSA ..... 18
*tulana* ..... 77
TURALIO ..... 18
*turqoz (28)* ..... 82
TUXARIN ER ..... 86
TWINRIX (PF) ..... 73
*tydemy* ..... 82
TYENNE ..... 75
TYENNE AUTOINJECTOR ..... 75
TYVASO ..... 89
TYVASO DPI ..... 89
TYVASO REFILL KIT ..... 89
TYVASO STARTER KIT ... 89

**U**

UBRELVY ..... 23
UDENYCA ..... 69
UDENYCA AUTOINJECTOR ..... 69
UDENYCA ONBODY ..... 70
*unithroid* ..... 63
UPTRAVI ..... 42
*ursodiol* ..... 67
UZEDY ..... 37

**V**

VABOMERE ..... 9
*valacyclovir* ..... 6
VALCHLOR ..... 48
*valganciclovir* ..... 6
*valproic acid* ..... 21
*valproic acid (as sodium salt)* ..... 21
*valsartan* ..... 42
*valsartan-hydrochlorothiazide* ..... 42
VALTOCO ..... 21
*valtya* ..... 82
*vanadom* ..... 25
*vancomycin* ..... 10
*vandazole* ..... 77
VANFLYTA ..... 18
VANRAFIA ..... 45
VAQTA (PF) ..... 73
*varenicline tartrate* ..... 54
VARIVAX (PF) ..... 73
VARUBI ..... 67
VAXELIS (PF) ..... 73
VAXNEUVANCE (PF) ..... 73
VECAMYL ..... 45
*velivet triphasic regimen (28)* ..... 82
VELSIPITY ..... 67
VELTASSA ..... 92
VEMLIDY ..... 6
VENCLEXTA ..... 18
VENCLEXTA STARTING PACK ..... 18
*venlafaxine* ..... 37
*venxxiva* ..... 53
*verapamil* ..... 42
VERQUVO ..... 45
VERZENIO ..... 18
*vestura (28)* ..... 82
V-GO 20 ..... 58

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

V-GO 30 ..... 58
V-GO 40 ..... 58
VIBERZI ..... 67
*vienva* ..... 82
*vigabatrin* ..... 22
*vigadrone* ..... 22
VIGAFYDE ..... 22
VIJOICE ..... 18
*vilazodone* ..... 38
VIOKACE ..... 67
*viorele (28)* ..... 82
VIRACEPT ..... 6
VIREAD ..... 6
VISTOGARD ..... 10
VITRAKVI ..... 18
VIVITROL ..... 29
VIVJOA ..... 3
*volnea (28)* ..... 82
VONJO ..... 19
VORANIGO ..... 19
*voriconazole* ..... 3
VORTEX HOLDING CHAMBER ..... 90
VOSEVI ..... 6
VOWST ..... 67
VOXZOGO ..... 61
VOYDEYA ..... 53
VOYXACT ..... 19
VUMERITY ..... 39
VYALEV ..... 22
*vyfemla (28)* ..... 82
VYKAT XR ..... 53, 54
*vylibra* ..... 82
VYNDAMAX ..... 45
VYVGART HYTRULO ..... 25
**W**
WAINUA ..... 25
*warfarin* ..... 44
WAYRILZ ..... 19
WELIREG ..... 19
*wera (28)* ..... 82
*westab plus* ..... 94
WINREVAIR ..... 89
*wixela inhub* ..... 89
*women's gentle laxative(bisac)* ..... 67
*wymzya fe* ..... 82
**X**
XACIATO ..... 77
XALKORI ..... 19
*xarah fe* ..... 82
XARELTO ..... 44
XARELTO DVT-PE TREAT 30D START ..... 44
XCOPRI ..... 22
XCOPRI MAINTENANCE PACK ..... 22
XCOPRI TITRATION PACK ..... 22
XDEMVY ..... 84
*xelria fe* ..... 82
XEOMIN ..... 73
XERMELO ..... 19
XHANCE ..... 89
XIFAXAN ..... 9
XIGDUO XR ..... 62
XIIDRA ..... 84
XOCOVA ..... 6
XOFLUZA ..... 6
XOLAIR ..... 89, 90
XOLREMDI ..... 70
XOSPATA ..... 19
XPOVIO ..... 19
XTAMPZA ER ..... 27
XTANDI ..... 19
*xulane* ..... 77
XULTOPHY 100/3.6 ..... 59
XURIDEN ..... 54
XYWAV ..... 38
**Y**
YESINTEK ..... 47
YONSA ..... 19
YORVIPATH ..... 61
*your choice* ..... 82
*yulithira* ..... 19
YUTREPIA ..... 90
*yuvafem* ..... 77
**Z**
*zafemy* ..... 78
*zafirlukast* ..... 90
*zaleplon* ..... 38
*zarah* ..... 82
ZARXIO ..... 70
*zatean-pn dha* ..... 94
*zatean-pn plus* ..... 94
ZAVZPRET ..... 23
ZEJULA ..... 19
ZELBORAF ..... 19
ZELSUVMI ..... 48
*zelvysia* ..... 61
*zenatane* ..... 49
ZENPEP ..... 67
*zenzedi* ..... 38
ZEPOSIA ..... 25
ZEPOSIA STARTER KIT (28-DAY) ..... 25
ZEPOSIA STARTER PACK (7-DAY) ..... 25
*zidovudine* ..... 6
ZIEXTENZO ..... 70
ZILBRYSQ ..... 25
ZIMHI ..... 30
*ziprasidone hcl* ..... 38
ZIRGAN ..... 83
ZOKINVY ..... 54
ZOLADEX ..... 19
ZOLINZA ..... 19
*zolmitriptan* ..... 23
*zolpidem* ..... 38
ZOMACTON ..... 70
*zonisamide* ..... 22
ZONTIVITY ..... 44
ZORYVE ..... 47
*zovia 1-35 (28)* ..... 82
ZTALMY ..... 22
*zumandimine (28)* ..... 82
ZURNAI ..... 30
ZURZUVAE ..... 38
ZYDELIG ..... 19
ZYKADIA ..... 19
ZYMFENTRA ..... 67
ZYPREXA RELPREVV ..... 38

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Form Approved
OMB# 0938-1421

# Multi-Language Insert

## Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-800-882-8633. Someone who speaks English/Language can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-800-882-8633. Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑 问。如果您需要此翻译服务，请致电 1-800-882-8633。我们的中文工作人员很乐意帮助您。 这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯 服務。如需翻譯服務，請致電 1-800-882-8633。我們講中文的人員將樂意為您提供幫助。這 是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-800-882-8633. Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-800-882-8633. Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quí vị cần thông dịch viên xin gọi 1-800-882-8633 sẽ có nhân viên nói tiếng Việt giúp đỡ quí vị. Đây là dịch vụ miễn phí .

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-800-882-8633. Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 답해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-800-882-8633 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-800-882-8633. Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بالصحة أو جدول الأدوية لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-800-882-8633. سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं. एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-800-882-8633 पर फोन करें. कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है. यह एक मुफ्त सेवा है.

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-800-882-8633. Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-800-882-8633. Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-800-882-8633. Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-800-882-8633. Ta usługa jest bezpłatna.

**Japanese:** 当社の健康 健康保険と薬品 処方薬プランに関するご質問にお答えするために、無料の通訳サービスがありますございます。通訳をご用命になるには、1-800-882-8633 にお電話ください。日本語を話す人 者 が支援いたします。これは無料のサービスです。